



Scholastic ONLINE Information System  
for the Web

---

# Data Dictionary

## Printed Version

---

© 2001 - 2006 RJM Systems – all rights reserved

The data dictionary is available as a standard **Systems** function where it can be easily searched with the Web browser Find function. This is the version suitable for printing, although at over 150 pages you'll want to be selective. Pages 1 through 78 are the base definition by column, type, length, and keys. Pages 79 through 94 are table indices. Pages 95 through 155 are the headings for each column as seen on displays, etc.

March 2006

 *Systems, Inc.*

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
<b>acadcal</b>	acadcal_ce1	char	10		acadcal_ce2	char	10	
	acadcal_ce3	char	20		acadcal_de1	date	8	
	acadcal_fe1	float/dec	8		acadcal_le1	bit/log	1	
	acadcal_ne1	int	4		acadcal_rid	int	4	PK_acadcal
	activity	memo	16		date_from	date	8	
	date_to	date	8		sch_yr	char	6	
	semester	char	2	FK_acadcal_semester				
<b>acadstat</b>	acadstat_ce1	char	10		acadstat_ce2	char	10	
	acadstat_ce3	char	20		acadstat_cod	char	8	PK_acadstat
	acadstat_de1	date	8		acadstat_desc	char	25	
	acadstat_fe1	float/dec	8		acadstat_le1	bit/log	1	
	acadstat_ne1	int	4		disabled	bit/log	1	
<b>actcal</b>	actcal_ce1	char	10		actcal_ce2	char	10	
	actcal_ce3	char	20		actcal_de1	date	8	
	actcal_fe1	float/dec	8		actcal_le1	bit/log	1	
	actcal_ne1	int	4		actcal_rid	int	4	
	activity	memo	16		date_from	date	8	
	date_to	date	8		time_from	date	8	
	time_to	date	8					
<b>activity</b>	act_desc	char	30		act_letter	bit/log	1	
	act_mem	memo	16		activity_ce1	char	10	
	activity_ce2	char	10		activity_ce3	char	20	
	activity_cod	char	3	PK_activity	activity_de1	date	8	
	activity_fe1	float/dec	8		activity_le1	bit/log	1	
	activity_ne1	int	4		alum_access	bit/log	1	
	app_stop	bit/log	1		attachment	char	150	
	disabled	bit/log	1		email_act	bit/log	1	
	inc_checklist	bit/log	1		request	bit/log	1	
	salutation	memo	16		sent_from	char	50	
	stud_access	bit/log	1		timed	int	4	
	transcript_request	bit/log	1					
<b>actmap</b>	account	char	30		acct_act_code	char	2	
	acct_dept	char	8		act_txt	char	30	
	actmap_ce1	char	10		actmap_ce2	char	10	
	actmap_ce3	char	20		actmap_de1	date	8	
	actmap_fe1	float/dec	8		actmap_id	int	4	PK_actmap
	actmap_le1	bit/log	1		actmap_ne1	int	4	
	amount	float/dec	8		bb_percent	float/dec	8	
	bb_project_no	char	30		camp_cod	char	10	
	disabled	bit/log	1		fund_id	char	4	
	project	char	12		source	char	10	
	tcodes	char	2	FK_actmap_tcodes	version	char	2	
<b>actmod</b>	activity_cod	char	3	FK_actmod_activity	actmod_rid	int	4	PK_actmod_rid
	mod_stat	char	2	FK_actmod_modstat				
<b>address</b>	add_add2	char	35		add_addr	char	35	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	add_rid	char	16	PK_address	addr_ce1	char	10	
	addr_ce2	char	10		addr_ce3	char	10	
	addr_le1	bit/log	1		addr_ne1	int	4	
	address_ce1	char	10		address_ce2	char	10	
	address_ce3	char	20		address_de1	date	8	
	address_fe1	float/dec	8		address_le1	bit/log	1	
	address_ne1	int	4		bad	bit/log	1	
	cell_phone	char	15		city	char	35	
	country	char	25	FK_address_country	county_cod	char	3	FK_address_country
	e_mail	char	50		fax	char	15	
	IPED_addr	bit/log	1		labels	bit/log	1	
	labels2	bit/log	1		labels3	bit/log	1	
	memo	memo	16		phone	char	15	
	preferred	bit/log	1		salutation	char	75	
	soc_sec	char	9	FK_address_name	st_addr	char	35	
	state	char	2	FK_address_state	type	char	10	FK_address_addrtype
	work_phone	char	25		zip	char	10	
<b>addressadd</b>	add_add2	char	35		add_addr	char	35	
	add_rid	char	16		addr_ce1	char	10	
	addr_ce2	char	10		addr_ce3	char	10	
	addr_le1	bit/log	1		addr_ne1	int	4	
	address_ce1	char	10		address_ce2	char	10	
	address_ce3	char	20		address_de1	date	8	
	address_fe1	float/dec	8		address_le1	bit/log	1	
	address_ne1	int	4		bad	bit/log	1	
	cell_phone	char	15		city	char	35	
	country	char	25		county_cod	char	3	
	e_mail	char	50		fax	char	15	
	IPED_addr	bit/log	1		labels	bit/log	1	
	labels2	bit/log	1		labels3	bit/log	1	
	memo	memo	16		phone	char	15	
	preferred	bit/log	1		salutation	char	75	
	soc_sec	char	9		st_addr	char	35	
	state	char	2		type	char	10	
	work_phone	char	25		zip	char	10	
<b>addressdup</b>	add_add2	char	35		add_addr	char	35	
	add_rid	char	16		addr_ce1	char	10	
	addr_ce2	char	10		addr_ce3	char	10	
	addr_le1	bit/log	1		addr_ne1	int	4	
	address_ce1	char	10		address_ce2	char	10	
	address_ce3	char	20		address_de1	date	8	
	address_fe1	float/dec	8		address_le1	bit/log	1	
	address_ne1	int	4		bad	bit/log	1	
	cell_phone	char	15		city	char	35	
	country	char	25		county_cod	char	3	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	e_mail	char	50		fax	char	15	
	IPED_addr	bit/log	1		labels	bit/log	1	
	labels2	bit/log	1		labels3	bit/log	1	
	memo	memo	16		phone	char	15	
	preferred	bit/log	1		salutation	char	75	
	soc_sec	char	9		st_addr	char	35	
	state	char	2		type	char	10	
	work_phone	char	25		zip	char	10	
<b>addrtype</b>	addrtype_ce1	char	10		addrtype_ce2	char	10	
	addrtype_ce3	char	20		addrtype_de1	date	8	
	addrtype_fe1	float/dec	8		addrtype_le1	bit/log	1	
	addrtype_ne1	int	4		disabled	bit/log	1	
	type	char	10	PK_addrtype				
<b>affiliation</b>	affiliation_ce1	char	10		affiliation_ce2	char	10	
	affiliation_ce3	char	20		affiliation_cod	char	2	PK_affiliation
	affiliation_de1	date	8		affiliation_fe1	float/dec	8	
	affiliation_le1	bit/log	1		affiliation_ne1	int	4	
	affiliation_txt	char	35		disabled	bit/log	1	
<b>agency</b>	agency_ce1	char	10		agency_ce2	char	10	
	agency_ce3	char	20		agency_cod	char	10	PK_agency
	agency_de1	date	8		agency_fe1	float/dec	8	
	agency_le1	bit/log	1		agency_ne1	int	4	
	agency_txt	char	60		disabled	bit/log	1	
<b>app_pages</b>	app_pages_rid	int	4	PK_app_pages_app_pages_rid	app_pages_txt	char	50	
	app_pages_url	char	50		disabled	bit/log	1	
	order	int	4					
<b>appacts</b>	activity_cod	char	3	FK_appacts_activity	appacts_ce1	char	10	
	appacts_ce2	char	10		appacts_ce3	char	20	
	appacts_de1	date	8		appacts_fe1	float/dec	8	
	appacts_le1	bit/log	1		appacts_ne1	int	4	
	appacts_rid	int	4	PK_appacts	prg_cod	char	10	FK_appacts_program
<b>appchk</b>	appchk_ce1	char	10		appchk_ce2	char	10	
	appchk_ce3	char	20		appchk_cod	char	2	PK_appchk_cod
	appchk_de1	date	8		appchk_fe1	float/dec	8	
	appchk_le1	bit/log	1		appchk_ne1	int	4	
	appchk_rid	int	4		appchk_txt	char	55	
	disabled	bit/log	1					
<b>appchklist</b>	appchk_cod	char	2	FK_appchklist_appchk_cod	appchklist_ce1	char	10	
	appchklist_ce2	char	10		appchklist_ce3	char	20	
	appchklist_de1	date	8		appchklist_fe1	float/dec	8	
	appchklist_le1	bit/log	1		appchklist_ne1	int	4	
	appchklist_rid	int	4	PK_appchklist	prg_cod	char	10	FK_appchklist_program
<b>appentrydate</b>	appentrydate_ce1	char	10		appentrydate_ce2	char	20	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	appentrydate_ce3	char	30		appentrydate_de1	date	8	
	appentrydate_fe1	float/dec	8		appentrydate_le1	bit/log	1	
	appentrydate_ne1	float/dec	8		disabled	bit/log	1	
	entry_date	date	8	PK_appentrydate				
<b>appfee</b>	amt	float/dec	8		appfee_ce1	char	10	
	appfee_ce2	char	10		appfee_ce3	char	20	
	appfee_de1	date	8		appfee_fe1	float/dec	8	
	appfee_le1	bit/log	1		appfee_ne1	int	4	
	appfee_rid	int	4	PK_appfee_1	tcode	char	2	FK_appfee_tcodes
<b>applican</b>	act_comp	float/dec	8		act_eng	float/dec	8	
	act_math	float/dec	8		act_sci	float/dec	8	
	act_soc	float/dec	8		applican_ce1	char	10	
	applican_ce2	char	10		applican_ce3	char	20	
	applican_de1	date	8		applican_fe1	float/dec	8	
	applican_le1	bit/log	1		applican_ne1	int	4	
	applican_rid	int	4	PK_applican	ged	bit/log	1	
	hs_grad	bit/log	1		memo	memo	16	
	sat	bit/log	1		sat_date	date	8	
	sat_math	float/dec	8		sat_recent	bit/log	1	
	sat_verb	float/dec	8		soc_sec	char	9	FK_applican_name2
<b>appliedpmts</b>	accept	char	1		amount_applied	float/dec	8	
	applied_pmt_id	int	4	PK_applied_pmts	appliedpmts_ce1	char	10	
	appliedpmts_ce2	char	10		appliedpmts_ce3	char	20	
	appliedpmts_de1	date	8		appliedpmts_fe1	float/dec	8	
	appliedpmts_le1	bit/log	1		appliedpmts_ne1	int	4	
	invoice_no	char	16		soc_sec	char	9	FK_appliedpmts_soc_sec
	transact_no_invoice_item	char	16		transact_no_payment	char	16	
<b>AppList</b>	@token	char	16					
<b>AppList2</b>	@token	char	16					
<b>AppListRB</b>	@token	char	16					
<b>approg</b>	ack_date	date	8		acknowledg	bit/log	1	
	adm_mailed	bit/log	1		apfee_dt	date	8	
	app_completed	bit/log	1		app_date	date	8	
	app_fee_rcvd	date	8		app_rid	char	16	PK_approg
	app_yr	date	8		approg_ce1	char	10	
	approg_ce2	char	10		approg_ce3	char	20	
	approg_de1	date	8		approg_fe1	float/dec	8	
	approg_le1	bit/log	1		approg_ne1	int	4	
	camp_cod	char	10	FK_approg_campus	chk1stdone	bit/log	1	
	degree_ac	char	35	PK to PK	degree_ap	char	35	
	div_cod	char	2		entry_date	date	8	FK_approg_appentrydate
	fee_rec	bit/log	1		fin_aid	bit/log	1	
	finaid_off	char	15		incomplete	bit/log	1	
	mailed_dt	char	10		major_ac	char	30	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	major_ap	char	30		matric_fee	bit/log	1	
	mfee_dt	date	8		prg_cod	char	10	FK_approg_program
	prior_app	bit/log	1		ref_source	char	1	
	sch_yr	char	6		semester	char	2	
	sms_trans	bit/log	1		soc_sec	char	9	FK_approg_name
	trans_date	date	8		trans_done	bit/log	1	
<b>archgrade</b>	archgrade_ce1	char	10		archgrade_ce2	char	20	
	archgrade_ce3	char	30		archgrade_de1	date	8	
	archgrade_fe1	float/dec	8		archgrade_le1	bit/log	1	
	archgrade_ne1	float/dec	8		archgrade_rid	int	4	
	change_clin_grade	char	3		change_grade	char	5	
	change_mid_term	char	5		change_officialg	char	5	
	course	char	8		nmcrs_rid	char	16	
	previous_clin_grade	char	3		previous_grade	char	5	
	previous_mid_term	char	5		previous_officialg	char	5	
	soc_sec	char	9	FK_archgrade_name				
<b>Audit</b>	Audit_ce1	char	10		Audit_ce2	char	10	
	Audit_ce3	char	20		Audit_de1	date	8	
	Audit_fe1	float/dec	8		Audit_le1	bit/log	1	
	Audit_ne1	int	4		Audit_rid	int	4	PK_Audit_Audit_rid
	column	char	300		DATE	char	100	
	NEW_DATA	char	100		OLD_DATA	char	100	
	SOC_SEC	char	9		TABLE_RID	char	100	
<b>award</b>	allocation	float/dec	8		amt_1	float/dec	8	
	award_ce1	char	10		award_ce2	char	10	
	award_ce3	char	20		award_de1	date	8	
	award_fe1	float/dec	8		award_le1	bit/log	1	
	award_ne1	int	4		awd_cod	char	8	PK_award
	awd_note	char	250		awd_txt	char	50	
	disabled	bit/log	1		disbursements	int	4	
	enrollstat_cod	char	2		exclude_from_bill	bit/log	1	
	inst_bill	bit/log	1		inst_cod	char	16	FK_award_institut
	loan_fee_perc	float/dec	8		pf_id	char	8	
<b>batchnum</b>	batchnum	char	18		batchnum_ce1	char	10	
	batchnum_ce2	char	10		batchnum_ce3	char	20	
	batchnum_de1	date	8		batchnum_fe1	float/dec	8	
	batchnum_le1	bit/log	1		batchnum_ne1	int	4	
	batchnum_rid	int	4	PK_batchnum	camp_cod	char	10	
	post_date	date	8		pstd_2gl	bit/log	1	
	tcodes	char	2	FK_batchnum_tcodes	total_amt	float/dec	8	
<b>batchnum_rc</b>	batchnum_rc	char	18		batchnum_rc_ce1	char	10	
	batchnum_rc_ce2	char	10		batchnum_rc_ce3	char	20	
	batchnum_rc_de1	date	8		batchnum_rc_fe1	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	batchnum_rc_le1	bit/log	1		batchnum_rc_ne1	int	4	
	batchnum_rc_rid	int	4		camp_cod	char	10	
	post_date	date	8		pstd_2gl	bit/log	1	
	tcodes	char	2	FK_batchnum_rc_tcodes	total_amt	float/dec	8	
<b>bldgattributes</b>	bldgattr_ce1	char	10		bldgattr_ce2	char	10	
	bldgattr_ce3	char	20		bldgattr_cod	char	2	pk_bldgattr_cod
	bldgattr_de1	date	8		bldgattr_fe1	float/dec	8	
	bldgattr_le1	bit/log	1		bldgattr_ne1	int	4	
	disabled	bit/log	1					
<b>bldgtype</b>	bldgtype_ce1	char	10		bldgtype_ce2	char	10	
	bldgtype_ce3	char	20		bldgtype_cod	char	2	PK_bldgtype
	bldgtype_de1	date	8		bldgtype_fe1	float/dec	8	
	bldgtype_le1	bit/log	1		bldgtype_ne1	int	4	
	bldgtype_txt	char	40		disabled	bit/log	1	
<b>bldtask</b>	bldtask_ce1	char	10		bldtask_ce2	char	10	
	bldtask_ce3	char	20		bldtask_cod	char	3	PK_bldtask
	bldtask_de1	date	8		bldtask_fe1	float/dec	8	
	bldtask_le1	bit/log	1		bldtask_ne1	int	4	
	bldtask_txt	char	30					
<b>building</b>	bldcountry	char	25		bldg_add1	char	35	
	bldg_add2	char	35		bldg_add3	char	35	
	bldg_cap	int	4		bldg_ce1	char	10	
	bldg_city	char	20		bldg_cod	char	10	PK_building
	bldg_cont	char	35		bldg_le1	bit/log	1	
	bldg_mem	memo	16		bldg_ne1	int	4	
	bldg_phone	char	15		bldg_rooms	int	4	
	bldg_state	char	2		bldg_txt	char	40	
	bldg_zip	char	10		bldgcounty	char	3	
	bldgtype_cod	char	2	FK_building_bldgtype	building_ce1	char	10	
	building_ce2	char	10		building_ce3	char	20	
	building_de1	date	8		building_fe1	float/dec	8	
	building_le1	bit/log	1		building_ne1	int	4	
	camp_cod	char	10	FK_building_campus	hndcap_acc	bit/log	1	
	hndcap_fac	bit/log	1		hndcap_sts	int	4	
<b>buildingbldgattr</b>	bb_cod	int	4		bbattr_ce1	char	10	
	bbattr_ce2	char	10		bbattr_ce3	char	20	
	bbattr_de1	date	8		bbattr_fe1	float/dec	8	
	bbattr_le1	bit/log	1		bbattr_ne1	int	4	
	bldg_cod	char	10	fk_bbattr_building	bldgattr_cod	char	2	fk_bbattr_bldgattributes
<b>calyear</b>	box6ind	bit/log	1		calyear	char	4	
	calyear_ce1	char	10		calyear_ce2	char	10	
	calyear_ce3	char	20		calyear_de1	date	8	
	calyear_fe1	float/dec	8		calyear_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	calyear_ne1	int	4		calyear_rid	int	4	PK_Table1
	sch_yr	char	6		semester	char	2	
<b>campus</b>	camp_ce1	char	10		camp_cod	char	10	PK_campus
	camp_le1	bit/log	1		camp_mem	memo	16	
	camp_ne1	int	4		camp_txt	char	40	
	campus_ce1	char	10		campus_ce2	char	10	
	campus_ce3	char	20		campus_de1	date	8	
	campus_fe1	float/dec	8		campus_le1	bit/log	1	
	campus_ne1	int	4		disabled	bit/log	1	
<b>caption</b>	caption_ce1	char	10		caption_ce2	char	10	
	caption_ce3	char	20		caption_de1	date	8	
	caption_fe1	float/dec	8		caption_id	char	50	PK_caption
	caption_le1	bit/log	1		caption_ne1	int	4	
	dcaption	char	80		ucaption	char	80	
<b>category</b>	category_ce1	char	10		category_ce2	char	10	
	category_ce3	char	20		category_de1	date	8	
	category_fe1	float/dec	8		category_le1	bit/log	1	
	category_ne1	int	4		categ_cod	char	15	PK_category
	categr_txt	char	20		disabled	bit/log	1	
<b>Chk_Pending_Non_Sy_Sem</b>	@id	char	9		@sec_id	char	25	
	@sem	char	2		@sy	char	6	
<b>Chk_Pending_Non_Sy_Sem_Courses</b>	@id	char	9		@sec_id	char	25	
	@sem	char	2		@sy	char	6	
	@type	int	4					
<b>color</b>	color_ce1	char	10		color_ce2	char	10	
	color_ce3	char	20		color_cod	int	4	PK_color
	color_de1	date	8		color_desc	char	30	
	color_fe1	float/dec	8		color_le1	bit/log	1	
	color_ne1	int	4		color_txt	char	12	
	disabled	bit/log	1					
<b>concode</b>	cons_ce1	char	10		cons_code	char	2	
	cons_le1	bit/log	1		cons_ne1	int	4	
	cons_rid	int	4	PK_concode	cons_txt	char	10	
	concode_ce1	char	10		concode_ce2	char	10	
	concode_ce3	char	20		concode_de1	date	8	
	concode_fe1	float/dec	8		concode_le1	bit/log	1	
	concode_ne1	int	4		sortorder	int	4	
<b>constit_rating</b>	constit_rating	char	10	PK_constit_rating	disabled	bit/log	1	
<b>constit_type</b>	constit_type_cod	char	2	PK_constit_type	constit_type_txt	char	35	



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	disabled	bit/log	1					
corequisite	corequisite_ce1	char	10		corequisite_ce2	char	10	
	corequisite_ce3	char	20		corequisite_coreq	char	16	
	corequisite_crs_id	char	16		corequisite_de1	date	8	
	corequisite_fe1	float/dec	8		corequisite_le1	bit/log	1	
	corequisite_ne1	int	4		corequisite_rid	int	4	PK_corequisite_rid
	disabled	bit/log	1		skip_equivalents	bit/log	1	
country	country	char	25	PK_country	country_ce1	char	10	
	country_ce2	char	10		country_ce3	char	20	
	country_de1	date	8		country_fe1	float/dec	8	
	country_le1	bit/log	1		country_ne1	int	4	
	country_txt	char	60		disabled	bit/log	1	
county	county_ce1	char	10		county_ce2	char	10	
	county_ce3	char	20		county_cod	char	3	PK_county
	county_de1	date	8		county_fe1	float/dec	8	
	county_le1	bit/log	1		county_ne1	int	4	
	county_txt	char	30		disabled	bit/log	1	
course	blby_clhr	bit/log	1		camp_cod	char	10	FK_course_campus
	ce_creds	float/dec	8		ceperc1	float/dec	8	
	ceperc2	float/dec	8		cip_code	char	7	
	class_hrs	float/dec	8		conflict_exclude	bit/log	1	
	cost	float/dec	8		course	char	8	
	course_ce1	char	10		course_ce2	char	10	
	course_ce3	char	20		course_de1	date	8	
	course_fe1	float/dec	8		course_le1	bit/log	1	
	course_ne1	int	4		credits	float/dec	8	
	crs_authorize_cod	char	1	FK_course_crs_authorize_cod	crs_ce1	char	10	
	crs_ce2	char	10		crs_ce3	char	10	
	crs_id	char	16	PK_course	crs_le1	bit/log	1	
	crs_mem	memo	16		crs_ne1	float/dec	8	
	crs_txt	char	50		crsauthmemo	memo	16	
	crstypcod	char	2	FK_course_crstype	del_flag	bit/log	1	
	dept_cod	char	4	FK_course_dept	div_cod	char	2	FK_course_division
	equivalnt	char	1		equivmem	memo	16	
	flfe_ex	bit/log	1		inact_dt	date	8	
	inactive	bit/log	1		incpa	bit/log	1	
	inst_cod	char	16		inst_cours	char	6	
	inst_desc	char	35		institute	char	50	
	level_	char	1	FK_course_level_	no_repeat	bit/log	1	
	npercred	float/dec	8		pf	bit/log	1	
	practice	float/dec	8		remedial	bit/log	1	
	repeatable	bit/log	1		replace_id	char	16	
	sched_memo	memo	16		skpregcchk	bit/log	1	
	span_crs	bit/log	1		tcodes	char	2	FK_course_tcodes

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	transfer	bit/log	1					
<b>coursedet</b>	coursedet_ce1	char	10		coursedet_ce2	char	10	
	coursedet_ce3	char	20		coursedet_de1	date	8	
	coursedet_fe1	float/dec	8		coursedet_le1	bit/log	1	
	coursedet_ne1	int	4		coursedet_rid	int	4	PK_coursedet
	crs_id	char	16	FK_coursedet_crs_id	reqcodeoverview_rid	int	4	FK_coursedet_reqcodeoverview_rid
	required	bit/log	1					
<b>CRS_Authorize</b>	crs_authorize_ce1	char	10		CRS_Authorize_ce2	char	10	
	CRS_Authorize_ce3	char	20		crs_authorize_cod	char	1	PK_crs_authorize_cod
	CRS_Authorize_de1	date	8		CRS_Authorize_fe1	float/dec	8	
	crs_authorize_le1	bit/log	1		crs_authorize_mes	char	150	
	crs_authorize_ne1	int	4		crs_authorize_txt	char	40	
	disabled	bit/log	1					
<b>CRS_LIST</b>	@token	char	16					
<b>CRSAFF</b>	affiliation_cod	char	2	FK_CRSAFF_affiliation	amount	float/dec	8	
	crs_id	char	16	FK_CRSAFF_course	CRSAFF_ce1	char	10	
	CRSAFF_ce2	char	10		CRSAFF_ce3	char	20	
	CRSAFF_de1	date	8		CRSAFF_fe1	float/dec	8	
	CRSAFF_le1	bit/log	1		CRSAFF_ne1	int	4	
	CRSAFF_rid	int	4	PK_CRSAFF_rid	disabled	bit/log	1	
	enrollcode	char	2	FK_CRSAFF_enrollcode	tcodes	char	2	FK_CRSAFF_tcodes
<b>CrsCurCnt</b>	@sem	char	2		@sy	char	6	
	@type	int	4					
<b>crsequiv</b>	crsequiv_ce1	char	10		crsequiv_ce2	char	10	
	crsequiv_ce3	char	20		crsequiv_course1	char	8	
	crsequiv_course2	char	8		crsequiv_crs_id1	char	16	
	crsequiv_crs_id2	char	16		crsequiv_de1	date	8	
	crsequiv_fe1	float/dec	8		crsequiv_le1	bit/log	1	
	crsequiv_ne1	int	4		crsequiv_rid	int	4	PK_crsequiv
	disabled	bit/log	1		skip_autorepeat	bit/log	1	
<b>crssect</b>	block_no	char	2		camp_cod	char	10	FK_crssect_campus
	cancel	bit/log	1		cancel_dt	date	8	
	cextra1	char	10		cextra2	char	10	
	cextra3	char	10		crs_id	char	16	FK_crssect_course
	crssect_ce1	char	10		crssect_ce2	char	10	
	crssect_ce3	char	20		crssect_de1	date	8	
	crssect_fe1	float/dec	8		crssect_le1	bit/log	1	
	crssect_ne1	int	4		end_dt	date	8	
	institute	char	50		lead_fac	char	9	
	lextra	bit/log	1		memo	memo	16	
	nextra	int	4		sch_yr	char	6	
	sect_fees	bit/log	1		section	char	2	FK_crssect_section
	semester	char	2	FK_crssect_semester	session	char	2	FK_crssect_sessions
	sid	char	16	PK_crssect	sp_taken	int	4	
	spaces	int	4		start_dt	date	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	timedesc	char	211		waiting	int	4	
crssectlev	crssectlev_ce1	char	10		crssectlev_ce2	char	10	
	crssectlev_ce3	char	20		crssectlev_de1	date	8	
	crssectlev_fe1	float/dec	8		crssectlev_le1	bit/log	1	
	crssectlev_ne1	int	4		crssectlev_rid	int	4	PK_crssectlev
	lev_deadline	date	8		level_	char	1	FK_crssectlev_level
crssectprg	sid	char	16	FK_crssectlev_crssect				
	crssectprg_ce1	char	10		crssectprg_ce2	char	10	
	crssectprg_ce3	char	20		crssectprg_de1	date	8	
	crssectprg_fe1	float/dec	8		crssectprg_le1	bit/log	1	
	crssectprg_ne1	int	4		crssectprg_rid	int	4	PK_crssectprg
	prg_cod	char	10	FK_crssectprg_program	prg_deadline	date	8	
crstype	sid	char	16	FK_crssectprg_crssect				
	crstyp_ce1	char	10		crstyp_le1	bit/log	1	
	crstyp_ne1	int	4		crstypcod	char	2	PK_crstype
	crstype_ce1	char	10		crstype_ce2	char	10	
	crstype_ce3	char	20		crstype_de1	date	8	
	crstype_fe1	float/dec	8		crstype_le1	bit/log	1	
	crstype_ne1	int	4		crstypxt	char	35	
culactivities	disabled	bit/log	1					
	ca_disable	bit/log	1		ca_ldesc	char	150	
	ca_rid	int	4	PK_culactivities	ca_sdesc	char	35	
	ca_sp_date	date	8		ca_st_date	date	8	
	culactivities_ce1	char	10		culactivities_ce2	char	10	
	culactivities_ce3	char	20		culactivities_de1	date	8	
	culactivities_fe1	float/dec	8		culactivities_le1	bit/log	1	
curdetail	culactivities_ne1	int	4					
	crs_id	char	16	FK_curdetail_crs_id	curdet_ce1	char	10	
	curdet_le1	bit/log	1		curdet_ne1	int	4	
	curdet_rid	int	4	PK_curdetail	curdetail_ce1	char	10	
	curdetail_ce2	char	10		curdetail_ce3	char	20	
	curdetail_de1	date	8		curdetail_fe1	float/dec	8	
	curdetail_le1	bit/log	1		curdetail_ne1	int	4	
	curover_rid	int	4	FK_curdetail_curover_rid	disabled	bit/log	1	
	req_cod	char	4	FK_curdetail_req_cod				
	curover	cur_cod	char	10	FK_curover_cur_cod	curover_ce1	char	10
curover_ce2		char	10		curover_ce3	char	20	
curover_de1		date	8		curover_fe1	float/dec	8	
curover_le1		bit/log	1		curover_ne1	int	4	
curover_rid		int	4	PK_curover	curovermaj_creds	float/dec	8	
curovermaj_gpa		float/dec	8		curovertot_creds	float/dec	8	
curovertot_gpa		float/dec	8		disabled	bit/log	1	
excl_non_cur_crs		bit/log	1		max_months	int	4	
memo		memo	16					
CurPlanMessage	CurPlanMessage_ce1	char	10		CurPlanMessage_ce2	char	10	
	CurPlanMessage_ce3	char	20		CurPlanMessage_de1	date	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	CurPlanMessage_def	char	255		CurPlanMessage_fe1	float/dec	8	
	CurPlanMessage_le1	bit/log	1		CurPlanMessage_ne1	int	4	
	CurPlanMessage_rid	int	4		CurPlanMessage_user	char	255	
<b>curriculumcode</b>	cur_cod	char	10	PK_curriculumcode	cur_txt	char	40	
	currnod_ce1	char	10		currnod_le1	bit/log	1	
	currnod_ne1	int	4		curriculumcode_ce1	char	10	
	curriculumcode_ce2	char	10		curriculumcode_ce3	char	20	
	curriculumcode_de1	date	8		curriculumcode_fe1	float/dec	8	
	curriculumcode_le1	bit/log	1		curriculumcode_ne1	int	4	
	disabled	bit/log	1		sys_cur	bit/log	1	
<b>dantest</b>	amt_1	float/dec	8		loan_fee	float/dec	8	
	soc_sec	char	9		trans_no	char	16	
	transact_rid	int	4	PK_transact_rid				
<b>dayweek</b>	day_abbr	char	2		day_cod	char	3	
	day_rid	char	1	PK_dayweek	day_txt	char	10	
	dayweek_ce1	char	10		dayweek_ce2	char	10	
	dayweek_ce3	char	20		dayweek_de1	date	8	
	dayweek_fe1	float/dec	8		dayweek_le1	bit/log	1	
	dayweek_ne1	int	4		dayweekce1	char	10	
	dayweekle1	bit/log	1		dayweekne1	int	4	
<b>degree</b>	degree	char	35	PK_degree	degree_ce1	char	10	
	degree_ce2	char	10		degree_ce3	char	20	
	degree_de1	date	8		degree_fe1	float/dec	8	
	degree_le1	bit/log	1		degree_ne1	int	4	
	disabled	bit/log	1		local_	bit/log	1	
<b>delete_TRANSACTION_prebill</b>	@ss	char	9					
<b>depend_stat</b>	depend_stat_cod	char	1	PK_depend_stat	depend_stat_txt	char	50	
	disabled	bit/log	1					
<b>dept</b>	dept_ce1	char	10		dept_ce2	char	10	
	dept_ce3	char	20		dept_cod	char	4	PK_dept
	dept_de1	date	8		dept_fe1	float/dec	8	
	dept_le1	bit/log	1		dept_ne1	int	4	
	dept_txt	char	40		disabled	bit/log	1	
<b>dispacts</b>	activity_cod	char	3	FK_dispacts_activity	dispacts_ce1	char	10	
	dispacts_ce2	char	10		dispacts_ce3	char	20	
	dispacts_de1	date	8		dispacts_fe1	float/dec	8	
	dispacts_le1	bit/log	1		dispacts_ne1	int	4	
	dispacts_rid	int	4	PK_dispacts	dispos_cod	int	4	FK_dispacts_dispcode
<b>dispcode</b>	disabled	bit/log	1		dispcode_ce1	char	10	
	dispcode_ce2	char	10		dispcode_ce3	char	20	
	dispcode_de1	date	8		dispcode_fe1	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	dispcode_le1	bit/log	1		dispcode_ne1	int	4	
	dispos	char	15		dispos_cod	int	4	PK_dispcode
<b>displett</b>	displett_ce1	char	10		displett_ce2	char	10	
	displett_ce3	char	20		displett_de1	date	8	
	displett_fe1	float/dec	8		displett_le1	bit/log	1	
	displett_ne1	int	4		displett_rid	int	4	PK_displett
	dispos	char	15		lettcode	char	2	
	lettdesc	char	35		letter	memo	16	
<b>dispos</b>	app_rid	char	16	FK_dispos_approg	conf_rec	bit/log	1	
	date_rec	date	8		date_sent	date	8	
	dis_sent	bit/log	1		disp_date	date	8	
	dispos	char	15		dispos_ce1	char	10	
	dispos_ce2	char	10		dispos_ce3	char	20	
	dispos_de1	date	8		dispos_fe1	float/dec	8	
	dispos_le1	bit/log	1		dispos_mem	memo	16	
	dispos_ne1	int	4		dispos_rid	char	16	PK_dispos
	not_accept	bit/log	1		not_date	date	8	
	prg_cod	char	10	FK_dispos_program	soc_sec	char	9	FK_dispos_name
<b>dispos_all</b>	@token	char	16					
<b>dispositions</b>	@token	char	16					
<b>disprtrans</b>	amount	float/dec	8		dispos_cod	int	4	FK_disprtrans_dispcode
	disprtrans_ce1	char	10		disprtrans_ce2	char	10	
	disprtrans_ce3	char	20		disprtrans_de1	date	8	
	disprtrans_fe1	float/dec	8		disprtrans_le1	bit/log	1	
	disprtrans_ne1	int	4		disprtrans_rid	int	4	PK_disprtrans_rid
	tcodes	char	2	FK_disprtrans_tcodes				
<b>division</b>	disabled	bit/log	1		div_ce1	char	10	
	div_cod	char	2	PK_division	div_le1	bit/log	1	
	div_ne1	int	4		div_txt	char	10	
	division_ce1	char	10		division_ce2	char	10	
	division_ce3	char	20		division_de1	date	8	
	division_fe1	float/dec	8		division_le1	bit/log	1	
	division_ne1	int	4					
<b>element</b>	direct	bit/log	1		disabled	bit/log	1	
	element	char	20		element_ce1	char	10	
	element_ce2	char	10		element_ce3	char	20	
	element_de1	date	8		element_fe1	float/dec	8	
	element_le1	bit/log	1		element_ne1	int	4	
	element_rid	int	4	PK_element				
<b>elmimport</b>	amount	float/dec	8		camp_cod	char	20	
	description	char	20		div_cod	char	2	
	elmid	int	4		imported	bit/log	1	
	loan_fee_perc	float/dec	8		offer_matched	bit/log	1	
	sch_yr	char	6		semester	char	2	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	soc_sec	char	9		ssn	char	9	
	tcodes	char	5		transact_date	date	8	
<b>ELMLoan</b>	disabled	bit/log	1		ELMLoan_ce1	char	10	
	ELMLoan_ce2	char	10		ELMLoan_ce3	char	10	
	ELMLoan_cod	char	2	PK_ELMLoan_ELMLoan_cod	ELMLoan_de1	date	8	
	ELMLoan_fe1	float/dec	8		ELMLoan_le1	bit/log	1	
	ELMLoan_ne1	int	4		ELMLoan_txt	char	20	
<b>emailmemo</b>	emailmemo	memo	16		emailmemo_ce1	char	10	
	emailmemo_ce2	char	10		emailmemo_ce3	char	20	
	emailmemo_de1	date	8		emailmemo_fe1	float/dec	8	
	emailmemo_le1	bit/log	1		emailmemo_ne1	int	4	
	emailmemo_rid	int	4	PK_emailmemo	emailsubject	char	30	
<b>employer</b>	disabled	bit/log	1		employer_ce1	char	10	
	employer_ce2	char	10		employer_ce3	char	20	
	employer_de1	date	8		employer_fe1	float/dec	8	
	employer_le1	bit/log	1		employer_ne1	int	4	
	employer_rid	int	4	PK_employer	employer_txt	char	50	
<b>employer_contact</b>	add_add2	char	35		add_addr	char	35	
	cell_phone	char	15		city	char	35	
	contact_title	char	30		country	char	25	
	county_cod	char	3	FK_employer_contact_county	disabled	bit/log	1	
	e_mail	char	50		employer_contact_ce1	char	10	
	employer_contact_ce2	char	10		employer_contact_ce3	char	20	
	employer_contact_de1	date	8		employer_contact_fe1	float/dec	8	
	employer_contact_le1	bit/log	1		employer_contact_ne1	int	4	
	employer_contact_rid	int	4	PK_employer_contact	employer_rid	int	4	FK_employer_contact_employer
	ext	char	5		fax	char	15	
	first_name	char	30		last_name	char	30	
	mi	char	15		pid	char	9	
	pin	char	6		prime	bit/log	1	
	st_addr	char	35		state_abbr	char	2	FK_employer_contact_state
	work_phone	char	15		zip	char	10	
<b>enrlstat</b>	cred_hours	float/dec	8		credit_to	float/dec	8	
	disabled	bit/log	1		enrlstat_ce1	char	10	
	enrlstat_ce2	char	10		enrlstat_ce3	char	20	
	enrlstat_de1	date	8		enrlstat_fe1	float/dec	8	
	enrlstat_le1	bit/log	1		enrlstat_ne1	int	4	
	enstat_cod	char	2	PK_enrlstat	enstat_txt	char	20	
<b>enrollcode</b>	disabled	bit/log	1		enrollcode	char	2	PK_enrollcode
	enrollcode_ce1	char	10		enrollcode_ce2	char	10	
	enrollcode_ce3	char	20		enrollcode_de1	date	8	
	enrollcode_fe1	float/dec	8		enrollcode_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	enrollcode_ne1	int	4		enrolltext	char	25	
<b>ethnic</b>	disabled	bit/log	1		ethnic_ce1	char	10	
	ethnic_ce2	char	10		ethnic_ce3	char	20	
	ethnic_cod	char	2	PK_ethnic	ethnic_de1	date	8	
	ethnic_fe1	float/dec	8		ethnic_le1	bit/log	1	
	ethnic_ne1	int	4		ethnic_txt	char	20	
<b>events</b>	ev_disable	bit/log	1		ev_ldesc	char	150	
	ev_rid	int	4	PK_events	ev_sdsc	char	35	
	ev_sp_date	date	8		ev_st_date	date	8	
	events_ce1	char	10		events_ce2	char	10	
	events_ce3	char	20		events_de1	date	8	
	events_fe1	float/dec	8		events_le1	bit/log	1	
	events_ne1	int	4		restricted	bit/log	1	
<b>facsal</b>	admin_sal	float/dec	8		ann_sal	float/dec	8	
	appt_stat	float/dec	8		cont_sal	float/dec	8	
	cont_term	float/dec	8		dept_sal	float/dec	8	
	facsal_ce1	char	10		facsal_ce2	char	10	
	facsal_ce3	char	20		facsal_de1	date	8	
	facsal_fe1	float/dec	8		facsal_le1	bit/log	1	
	facsal_ne1	int	4		fringe_ben	float/dec	8	
	gfac_stat	float/dec	8		lim_excp	float/dec	8	
	max_sal	float/dec	8		memo	memo	16	
	offc_sal	float/dec	8		onc_sal	float/dec	8	
	oth_sal	float/dec	8		p_cip	float/dec	8	
	per_emp	float/dec	8		pos_num	float/dec	8	
	pos_tcod	float/dec	8		ps_sal	float/dec	8	
	rs_sal	float/dec	8		soc_sec	char	9	PK to PK
	src_sal	float/dec	8		ten_date	date	8	
	ten_stat	float/dec	8		uaf_func	float/dec	8	
	workload	float/dec	8					
<b>faculty</b>	advisor	bit/log	1		appt_date	date	8	
	avl_inst	bit/log	1		avl_int	bit/log	1	
	avl_lead	bit/log	1		class_hrs	float/dec	8	
	clin_hrs	float/dec	8		comm_hrs	float/dec	8	
	emp_class	float/dec	8		emp_type	float/dec	8	
	fac_date	date	8		faculty_ce1	char	10	
	faculty_ce2	char	10		faculty_ce3	char	20	
	faculty_de1	date	8		faculty_fe1	float/dec	8	
	faculty_le1	bit/log	1		faculty_ne1	int	4	
	facultytype_cod	char	2	FK_Faculty_Facultytype	hire_date	date	8	
	hrs_week	float/dec	8		inactive	bit/log	1	
	notes	memo	16		office_hrs	memo	16	
	other_hrs	float/dec	8		position	char	35	
	prep_hrs	float/dec	8		recruiter	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	soc_sec	char	9	PK to PK				
<b>facultytype</b>	disabled	bit/log	1		facultytype_ce1	char	10	
	facultytype_ce2	char	10		facultytype_ce3	char	20	
	facultytype_cod	char	2	PK_FacultyType	facultytype_de1	date	8	
	facultytype_fe1	float/dec	8		facultytype_le1	bit/log	1	
	facultytype_ne1	int	4		facultytype_txt	char	20	
<b>FacUtilization</b>	@token	char	16					
<b>fd_actmap</b>	account	char	30		acct_act_code	char	2	
	acct_dept	char	8		act_txt	char	30	
	amount	float/dec	8		bb_percent	float/dec	8	
	bb_project_no	char	30		disabled	bit/log	1	
	fd_actmap_ce1	char	10		fd_actmap_ce2	char	10	
	fd_actmap_ce3	char	10		fd_actmap_de1	date	8	
	fd_actmap_fe1	float/dec	8		fd_actmap_id	int	4	PK_fd_actmap
	fd_actmap_le1	bit/log	1		fd_actmap_ne1	int	4	
	fdtcodes	char	2	FK_fd_actmap_fdtcodes	fund_id	char	4	
	project	char	12		source	char	10	
	version	char	2					
<b>fd_tcodes</b>	disabled	bit/log	1		fd_tcodes_ce1	char	10	
	fd_tcodes_ce2	char	10		fd_tcodes_ce3	char	20	
	fd_tcodes_de1	date	8		fd_tcodes_fe1	float/dec	8	
	fd_tcodes_le1	bit/log	1		fd_tcodes_ne1	int	4	
	fdact_code	char	1		fddescript	char	22	
	fdreq_pldg	bit/log	1		fdtcodes	char	2	PK_fd_tcodes
<b>fd_tmpract</b>	ac_sem	char	50		ac_year	char	50	
	addr	char	50		amt_1	float/dec	8	
	balance	float/dec	8		bill_memo	memo	16	
	check_no	char	12		csz	char	254	
	due_date	date	8		ev_rid	int	4	
	fd_tmpract_ce1	char	10		fd_tmpract_ce2	char	10	
	fd_tmpract_ce3	char	20		fd_tmpract_de1	date	8	
	fd_tmpract_fe1	float/dec	8		fd_tmpract_le1	bit/log	1	
	fd_tmpract_ne1	int	4		invoice_no	char	16	
	name	char	254		payments	float/dec	8	
	pledges	float/dec	8		posted	bit/log	1	
	ref_id	char	35		sch_addr1	char	254	
	sch_addr2	char	254		sch_addr3	char	254	
	soc_sec	char	9		token	char	16	
	trans_date	date	8					
<b>fd_trans</b>	date	date	8		ev_rid	int	4	FK_fd_trans_events
	fd_trans_ce1	char	10		fd_trans_ce2	char	10	
	fd_trans_ce3	char	20		fd_trans_de1	date	8	
	fd_trans_fe1	float/dec	8		fd_trans_le1	bit/log	1	
	fd_trans_ne1	int	4		fdaccept	char	1	
	fdanonymous	bit/log	1		fdbatchnum	char	18	



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	fdcheck_no	char	12		fddescript	char	35	
	fdinvoice_no	char	16		fdmatch_id	char	6	
	fdpay_sequ	char	2		fdposted	bit/log	1	
	fdpstd_2gl	bit/log	1		fdtcodes	char	2	
	fdtrans_no	int	4	PK_fd_trans	funds_cod	char	3	FK_fd_trans_funds_cod
	recept_print	bit/log	1		recept_print_date	date	8	
	soc_sec	char	9	FK_FD_trans_name	year	char	4	
<b>fdbatchnum</b>	fdbatchnum	char	18		fdbatchnum_ce1	char	10	
	fdbatchnum_ce2	char	10		fdbatchnum_ce3	char	10	
	fdbatchnum_de1	date	8		fdbatchnum_fe1	float/dec	8	
	fdbatchnum_le1	bit/log	1		fdbatchnum_ne1	int	4	
	fdbatchnum_rid	int	4	PK_fdbatchnum	fdtcodes	char	2	FK_fdbatchnum_fdtcodes
	post_date	date	8		pstd_2gl	bit/log	1	
	total_amt	float/dec	8					
<b>fees</b>	crs_id	char	16	FK_fees_course	descript	char	50	
	fee_amnt	float/dec	8		fees_ce1	char	10	
	fees_ce2	char	10		fees_ce3	char	20	
	fees_de1	date	8		fees_fe1	float/dec	8	
	fees_le1	bit/log	1		fees_ne1	int	4	
	fees_rid	char	16	PK_fees	tcodes	char	2	FK_fees_tcodes
<b>feesec</b>	descript	char	50		fee_amnt	float/dec	8	
	feesec_ce1	char	10		feesec_ce2	char	10	
	feesec_ce3	char	20		feesec_de1	date	8	
	feesec_fe1	float/dec	8		feesec_le1	bit/log	1	
	feesec_ne1	int	4		feesecrid	char	16	PK_feesec
	sid	char	16	FK_feesec_crssect	tcodes	char	2	FK_feesec_tcodes
<b>finaidimport</b>	awd_cod	char	8	FK_finaidimport_award	disburse_no	int	4	
	disbursement_amt	float/dec	8		fin_rid	int	4	PK_fin_rid
	finaidimport_ce1	char	10		finaidimport_ce2	char	10	
	finaidimport_ce3	char	20		finaidimport_de1	date	8	
	finaidimport_fe1	float/dec	8		finaidimport_le1	bit/log	1	
	finaidimport_ne1	int	4		first_name	char	30	
	last_name	char	30		loan_fees	float/dec	8	
	offered	float/dec	8		POE_name	char	15	
	POE_token	char	6		posted	char	1	
	pstd_2gl	char	1		ref_id	char	35	
	sch_yr	char	8		semester	char	8	
	soc_sec	char	9		ssn	char	9	
	status	char	1		trans_no	char	16	
<b>finaidsem</b>	disabled	bit/log	1		finaidsem_ce1	char	10	
	finaidsem_ce2	char	10		finaidsem_ce3	char	20	
	finaidsem_de1	date	8		finaidsem_fe1	float/dec	8	
	finaidsem_le1	bit/log	1		finaidsem_ne1	int	4	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	finaidsem_rid	int	4	PK_finaidsem	POE_token	int	4	
	sch_yr	char	6		semester	char	2	
	sm_desc	char	10		smend_dt	date	8	
	smst_dt	date	8					
<b>finaidyear</b>	diviser	int	4		finaidyear_ce1	char	10	
	finaidyear_ce2	char	10		finaidyear_ce3	char	20	
	finaidyear_de1	date	8		finaidyear_fe1	float/dec	8	
	finaidyear_le1	bit/log	1		finaidyear_ne1	int	4	
	finaidyear_rid	int	4		sem1	char	2	
	sem2	char	2		sem3	char	2	
	sem4	char	2		yr_profile	char	4	
<b>FLATAFF</b>	affiliation_cod	char	2	FK_FLATAFF_affiliation	amount	float/dec	8	
	disabled	bit/log	1		FLATAFF_ce1	char	10	
	FLATAFF_ce2	char	10		FLATAFF_ce3	char	20	
	FLATAFF_de1	date	8		FLATAFF_fe1	float/dec	8	
	FLATAFF_le1	bit/log	1		FLATAFF_ne1	int	4	
	FLATAFF_rid	int	4	PK_FLATAFF_rid	flatfee_rid	int	4	FK_FLATAFF_flatfee
	tcodes	char	2	FK_FLATAFF_tcodes				
<b>flatfee</b>	camp_cod	char	10	FK_flatfee_campus	credfrom	float/dec	8	
	credto	float/dec	8		dept_cod	char	4	FK_flatfee_dept
	div_cod	char	2	FK_flatfee_division	flatfee_ce1	char	10	
	flatfee_ce2	char	10		flatfee_ce3	char	20	
	flatfee_de1	date	8		flatfee_fe1	float/dec	8	
	flatfee_le1	bit/log	1		flatfee_ne1	int	4	
	flatfee_rid	int	4	PK_flatfee	flatfee_txt	char	50	
	level	char	1	FK_flatfee_level	nonres_cost	float/dec	8	
	tcodes	char	2	FK_flatfee_tcodes				
<b>flatfee_filter</b>	camp_flag	bit/log	1		dept_flag	bit/log	1	
	div_flag	bit/log	1		flatfee_filter_rid	int	4	
	level_flag	bit/log	1					
<b>forum_post</b>	forum_post_ce1	char	10		forum_post_ce2	char	10	
	forum_post_ce3	char	20		forum_post_de1	date	8	
	forum_post_fe1	float/dec	8		forum_post_le1	bit/log	1	
	forum_post_ne1	int	4		last_update	date	8	
	post_date	date	8		post_disabled	bit/log	1	
	post_id	int	4	PK_forum_post	post_txt	memo	16	
	soc_sec	char	9		topic_id	int	4	FK_forum_post_forum_topic
<b>forum_topic</b>	author	char	45		forum_topic_ce1	char	10	
	forum_topic_ce2	char	10		forum_topic_ce3	char	20	
	forum_topic_de1	date	8		forum_topic_fe1	float/dec	8	
	forum_topic_le1	bit/log	1		forum_topic_ne1	int	4	
	last_post	date	8		last_post_author	char	45	
	last_post_id	int	4		replies	int	4	
	sid	char	16		topic_disabled	bit/log	1	
	topic_id	int	4	PK_forum_topic	topic_txt	char	75	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	views	int	4					
<b>funds</b>	disabled	bit/log	1		funds_cod	char	3	PK_funds_cod
	funds_txt	char	20					
<b>gender</b>	disabled	bit/log	1		gender_ce1	char	10	
	gender_ce2	char	10		gender_ce3	char	20	
	gender_cod	char	1	PK_gender	gender_de1	date	8	
	gender_fe1	float/dec	8		gender_le1	bit/log	1	
	gender_ne1	int	4		gender_txt	char	6	
<b>GetCredTot1</b>	@id	char	9		@sec_id	char	25	
	@sem	char	2		@sy	char	6	
<b>GetCredTot2</b>	@id	char	9		@sec_id	char	25	
	@sem	char	2		@sy	char	6	
<b>GetResults</b>	@id	char	9		@sem	char	2	
	@sy	char	6		@type	int	4	
<b>GetResults2</b>	@id	char	9		@sec_id	char	25	
	@sem	char	2		@sy	char	6	
	@type	int	4					
<b>GetSetUpName</b>	@id	char	9					
<b>giving_level</b>	disabled	bit/log	1		giving_level	char	30	PK_giving_level
<b>gpa_rpt</b>	@token	char	16					
<b>gpa_rpt2</b>	@token	char	16					
<b>grades</b>	disabled	bit/log	1		excl_fac	bit/log	1	
	grade	char	5	PK_grades	grades_ce1	char	10	
	grades_ce2	char	10		grades_ce3	char	20	
	grades_de1	date	8		grades_fe1	float/dec	8	
	grades_le1	bit/log	1		grades_ne1	int	4	
	high	int	4		incomp_grd	bit/log	1	
	low	int	4		no_rpt_grd	bit/log	1	
	nocnt_cred	bit/log	1		notinc_gpa	bit/log	1	
	passing	bit/log	1		pf	bit/log	1	
	points	float/dec	8		repeat_grd	bit/log	1	
<b>health</b>	disabled	bit/log	1		health_ce1	char	10	
	health_ce2	char	10		health_ce3	char	20	
	health_de1	date	8		health_fe1	float/dec	8	
	health_le1	bit/log	1		health_ne1	int	4	
	item	char	30		item_no	int	4	PK_health
<b>hidden_bits</b>	bill_finaid	bit/log	1		excl_blank_acpt_awds	bit/log	1	
	excl_declined_awds	bit/log	1		HSgradyr	bit/log	1	
	mmtemp	int	4		new_invnum	bit/log	1	
	post2acct_great_plains	bit/log	1		Prospect_ED_Flag	bit/log	1	
	ps_agent	int	4		stud_reg_email	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	transfers_in_cumgpa	bit/log	1		use_app_major	bit/log	1	
<b>hold</b>	disabled	int	4		hld_cod	char	12	PK_hold
	hld_txt	char	50		hold_ce1	char	10	
	hold_ce2	char	10		hold_ce3	char	20	
	hold_de1	date	8		hold_fe1	float/dec	8	
	hold_le1	bit/log	1		hold_ne1	int	4	
	registration	bit/log	1					
<b>holdlimit</b>	hld_cod	char	12	FK_holdlimit_hold	holdlimit_ce1	char	10	
	holdlimit_ce2	char	20		holdlimit_ce3	char	30	
	holdlimit_de1	date	8		holdlimit_fe1	float/dec	8	
	holdlimit_le1	bit/log	1		holdlimit_ne1	float/dec	8	
	holdlimit_rid	int	4		prof_cod	char	10	
	soc_sec	char	9	FK_holdlimit_name	user_id	char	8	
<b>house</b>	beds_max	int	4		bdg_cod	char	10	FK_house_building
	disabled	bit/log	1		house_amt1	float/dec	8	
	house_ce1	char	10		house_ce2	char	10	
	house_ce3	char	20		house_cod	char	10	PK_house
	house_de1	date	8		house_fe1	float/dec	8	
	house_le1	bit/log	1		house_mem	memo	16	
	house_ne1	int	4		house_txt	char	30	
	phone	char	15		tcodes	char	2	
<b>house_inc</b>	disabled	bit/log	1		house_inc_ce1	char	10	
	house_inc_ce2	char	10		house_inc_ce3	char	20	
	house_inc_de1	date	8		house_inc_fe1	float/dec	8	
	house_inc_le1	bit/log	1		house_inc_ne1	int	4	
	house_inc_rid	int	4	PK_house_inc	house_inc_txt	char	40	
<b>house_stat</b>	disabled	bit/log	1		house_stat_cod	char	1	PK_house_stat
	house_stat_txt	char	50					
<b>houseattr</b>	disabled	bit/log	1		houseattr_ce1	char	10	
	houseattr_ce2	char	10		houseattr_ce3	char	20	
	houseattr_cod	char	2	PK_housattr	houseattr_de1	date	8	
	houseattr_fe1	float/dec	8		houseattr_le1	bit/log	1	
	houseattr_ne1	int	4		houseattr_txt	char	40	
<b>housefees_addl</b>	amount	float/dec	8		housefees_addl_ce1	char	10	
	housefees_addl_ce2	char	10		housefees_addl_ce3	char	20	
	housefees_addl_de1	date	8		housefees_addl_fe1	float/dec	8	
	housefees_addl_le1	bit/log	1		housefees_addl_ne1	int	4	
	housefees_addl_rid	int	4	PK_housefees_addl	inactive	bit/log	1	
	tcodes	char	2	FK_housefees_addl_tcodes				
<b>househouseattr</b>	house_cod	char	10	FK_househouseattr_house	houseattr_cod	char	2	FK_househouseattr_houseattr
	househouseattr_ce1	char	10		househouseattr_ce2	char	10	
	househouseattr_ce3	char	20		househouseattr_de1	date	8	
	househouseattr_fe1	float/dec	8		househouseattr_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	househouseattr_ne1	int	4					
<b>Importer</b>	disabled	bit/log	1		Importer_ce1	char	10	
	Importer_ce2	char	10		Importer_ce3	char	10	
	Importer_cod	char	3	PK_Importer_Importer_cod	Importer_de1	date	8	
	Importer_fe1	float/dec	8		Importer_le1	bit/log	1	
	Importer_ne1	int	4		Importer_txt	char	20	
<b>importtcodes</b>	awd_id	char	8		disabled	bit/log	1	
	importer_cod	char	3		importtcodes_ce1	char	10	
	importtcodes_ce2	char	10		importtcodes_ce3	char	10	
	importtcodes_de1	date	8		importtcodes_fe1	float/dec	8	
	importtcodes_le1	bit/log	1		importtcodes_ne1	int	4	
	importtcodes_rid	int	4	PK_importtcodes_importtcodes_rid	loan_cod	char	6	
	tcodes	char	2		transact_tcodes	bit/log	1	
<b>inqtype</b>	disabled	bit/log	1		inqtype_ce1	char	10	
	inqtype_ce2	char	10		inqtype_ce3	char	20	
	inqtype_de1	date	8		inqtype_fe1	float/dec	8	
	inqtype_le1	bit/log	1		inqtype_ne1	int	4	
	inqtypecod	char	2	PK_inqtype	inqtypetxt	char	30	
<b>institut</b>	affiliated	bit/log	1		contact	char	40	
	fice_code	char	7		homeinst	bit/log	1	
	inst_add1	char	35		inst_add2	char	35	
	inst_add3	char	35		inst_ce1	char	10	
	inst_city	char	20		inst_centry	char	25	
	inst_cod	char	16	PK_institut	inst_email	char	50	
	inst_fax	char	15		inst_le1	bit/log	1	
	inst_ne1	int	4		inst_phone	char	15	
	inst_seq	char	2		inst_state	char	2	
	inst_txt	char	50		inst_zip	char	10	
	instcounty	char	3		institut_ce1	char	10	
	institut_ce2	char	10		institut_ce3	char	20	
	institut_de1	date	8		institut_fe1	float/dec	8	
	institut_le1	bit/log	1		institut_ne1	int	4	
	inststypcod	char	1	FK_institut_inststyp				
<b>instrctp</b>	disabled	bit/log	1		instrctp	char	15	
	instrctp_ce1	char	10		instrctp_ce2	char	10	
	instrctp_ce3	char	20		instrctp_cod	int	4	PK_instrctp
	instrctp_de1	date	8		instrctp_fe1	float/dec	8	
	instrctp_le1	bit/log	1		instrctp_ne1	int	4	
<b>inststyp</b>	disabled	bit/log	1		inststypcod	char	1	PK_inststyp
	inststyp_ce1	char	10		inststyp_ce2	char	10	
	inststyp_ce3	char	20		inststyp_de1	date	8	
	inststyp_fe1	float/dec	8		inststyp_le1	bit/log	1	
	inststyp_ne1	int	4		inststypetxt	char	25	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
<b>interlev</b>	disabled	bit/log	1		interlev_ce1	char	10	
	interlev_ce2	char	10		interlev_ce3	char	20	
	interlev_de1	date	8		interlev_fe1	float/dec	8	
	interlev_le1	bit/log	1		interlev_ne1	int	4	
	intrlevcod	char	10	PK_interlev				
<b>intrsts</b>	disabled	bit/log	1		intrsts	char	30	PK_intrsts
	intrsts_ce1	char	10		intrsts_ce2	char	10	
	intrsts_ce3	char	20		intrsts_de1	date	8	
	intrsts_fe1	float/dec	8		intrsts_le1	bit/log	1	
	intrsts_ne1	int	4					
<b>invoice</b>	completed	bit/log	1		inv_date	date	8	
	inv_number	int	4		invoice_ce1	char	10	
	invoice_ce2	char	10		invoice_ce3	char	20	
	invoice_de1	date	8		invoice_fe1	float/dec	8	
	invoice_le1	bit/log	1		invoice_ne1	int	4	
	invoice_rid	int	4	PK_invoice	sch_yr	char	6	
	semester	char	2		soc_sec	char	9	FK_invoice_name
<b>ipedstat</b>	disabled	bit/log	1		iped_stat	char	2	
	iped_stat_txt	char	20		ipedstat_ce1	char	10	
	ipedstat_ce2	char	10		ipedstat_ce3	char	20	
	ipedstat_de1	date	8		ipedstat_fe1	float/dec	8	
	ipedstat_le1	bit/log	1		ipedstat_ne1	int	4	
<b>irp1098t</b>	academic_ind	char	1		acct_num	char	20	
	corrected_ind	char	1		foreign_ind	char	1	
	grad_ind	char	1		halftime_ind	char	1	
	irp_rid	int	4	PK_irp_rid	irp1098t_ce1	char	10	
	irp1098t_ce2	char	10		irp1098t_ce3	char	20	
	irp1098t_de1	date	8		irp1098t_fe1	float/dec	8	
	irp1098t_le1	bit/log	1		irp1098t_ne1	int	4	
	last_name	char	4		neg_amt	bit/log	1	
	neg_amt3	char	12		neg_amt5	char	12	
	pay_amt1	char	12		pay_amt2	char	12	
	pay_amt3	char	12		pay_amt4	char	12	
	pay_amt5	char	12		pay_amt6	char	12	
	pay_amt7	char	12		pay_amt8	char	12	
	pay_amt9	char	12		pay_amtA	char	12	
	pay_amtB	char	12		pay_amtC	char	12	
	pay_amtD	char	12		pay_amtE	char	12	
	payfield	char	1		payment_yr	char	4	
	soc_sec	char	9	FK_irp1098t_name	TIN	char	9	
	TIN_type	char	1		tot_cred	int	4	
	<b>job</b>	apply_by	date	8		city	char	35
country		char	25		county_cod	char	3	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	dept_cod	char	4		disabled	bit/log	1	
	duties_memo	memo	16		employer_contact_rid	int	4	FK_job_employer_contact
	employer_rid	int	4	FK_job_employer	expire_dt	date	8	
	fulltime	bit/log	1		job_ce1	char	10	
	job_ce2	char	10		job_ce3	char	20	
	job_class_cod	char	2	FK_job_job_class	job_de1	date	8	
	job_desc	char	50		job_fe1	float/dec	8	
	job_le1	bit/log	1		job_ne1	int	4	
	job_rid	int	4	PK_job	job_start_dt	date	8	
	job_title	char	30		posted	bit/log	1	
	require_memo	memo	16		salary_from	float/dec	8	
	salary_to	float/dec	8		salary_txt	char	40	
	state_abbr	char	2	FK_job_state				
<b>job_class</b>	disabled	bit/log	1		job_class_ce1	char	10	
	job_class_ce2	char	10		job_class_ce3	char	20	
	job_class_cod	char	2	PK_job_class_cod	job_class_de1	date	8	
	job_class_fe1	float/dec	8		job_class_le1	bit/log	1	
	job_class_ne1	int	4		job_class_txt	char	50	
<b>labels</b>	add_addr1	char	35		add_addr2	char	35	
	city	char	35		labels_ce1	char	10	
	labels_ce2	char	10		labels_ce3	char	20	
	labels_de1	date	8		labels_fe1	float/dec	8	
	labels_le1	bit/log	1		labels_ne1	int	4	
	labels_rid	int	4	PK_labels_rid	salutation	char	75	
	soc_sec	char	9		st_addr	char	35	
	state	char	2	FK_labels_state	token	char	16	
	zip	char	10					
<b>level_</b>	disabled	bit/log	1		level_	char	1	PK_level_
	level_ce1	char	10		level_ce2	char	10	
	level_ce3	char	20		level_de1	date	8	
	level_fe1	float/dec	8		level_le1	bit/log	1	
	level_ne1	int	4		level_txt	char	20	
<b>level_promotion</b>	credits	float/dec	8		disabled	bit/log	1	
	level_from	char	1		level_promotion_ce1	char	10	
	level_promotion_ce2	char	10		level_promotion_ce3	char	20	
	level_promotion_de1	date	8		level_promotion_fe1	float/dec	8	
	level_promotion_le1	bit/log	1		level_promotion_ne1	int	4	
	level_promotion_rid	int	4	PK_level_promotion	level_to	char	1	
	prg_cod	char	10					
<b>licenses</b>	desc_	char	25		disabled	bit/log	1	
	license	char	20	PK_licenses	licenses_ce1	char	10	
	licenses_ce2	char	10		licenses_ce3	char	20	
	licenses_de1	date	8		licenses_fe1	float/dec	8	
	licenses_le1	bit/log	1		licenses_ne1	int	4	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
<b>loarsn</b>	disabled	bit/log	1		loarsn_ce1	char	10	
	loarsn_ce2	char	10		loarsn_ce3	char	20	
	loarsn_de1	date	8		loarsn_fe1	float/dec	8	
	loarsn_le1	bit/log	1		loarsn_ne1	int	4	
	reason_cod	char	16		reason_id	int	4	PK_loarsn
<b>loatype</b>	disabled	bit/log	1		loa_cod	char	16	
	loa_cod_id	int	4	PK_loatype	loatype_ce1	char	10	
	loatype_ce2	char	10		loatype_ce3	char	20	
	loatype_de1	date	8		loatype_fe1	float/dec	8	
	loatype_le1	bit/log	1		loatype_ne1	int	4	
	loatypece1	char	10		loatypele1	bit/log	1	
	loatypene1	int	4		reentr_upd	bit/log	1	
	wthdrw_upd	bit/log	1					
<b>mailinglabels</b>	@token	char	16					
<b>major</b>	active_app_major	bit/log	1		disabled_maj	bit/log	1	
	disabled_min	bit/log	1		maj_ce1	char	10	
	maj_le1	bit/log	1		maj_ne1	int	4	
	major	char	30	PK_major	major_ce1	char	10	
	major_ce2	char	10		major_ce3	char	20	
	major_de1	date	8		major_fe1	float/dec	8	
	major_le1	bit/log	1		major_ne1	int	4	
<b>marital</b>	disabled	bit/log	1		mar_ce1	char	10	
	mar_cod	char	2	PK_marital	mar_le1	bit/log	1	
	mar_ne1	int	4		mar_txt	char	20	
	marital_ce1	char	10		marital_ce2	char	10	
	marital_ce3	char	20		marital_de1	date	8	
	marital_fe1	float/dec	8		marital_le1	bit/log	1	
	marital_ne1	int	4					
<b>master</b>	curr_desc	char	38		curric_id	char	16	
	curric_mem	memo	16		curriculum	char	8	
	deg_grant	char	10		degree	char	35	FK_master_degree
	depart	char	40		major	char	30	FK_master_major
	master_ce1	char	10		master_ce2	char	10	
	master_ce3	char	20		master_de1	date	8	
	master_fe1	float/dec	8		master_le1	bit/log	1	
	master_ne1	int	4		program	char	10	
<b>message</b>	mess_ce1	char	10		mess_le1	bit/log	1	
	mess_ne1	int	4		message_ce1	char	10	
	message_ce2	char	10		message_ce3	char	20	
	message_de1	date	8		message_fe1	float/dec	8	
	message_le1	bit/log	1		message_ne1	int	4	
	messagecod	char	4	PK_message	messagedef	memo	16	
	messageusr	memo	16					
<b>MM_StudsApps</b>	@token	char	16					



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
MM_StudsAppsRB	@token	char	16					
MMTemp	activity_cod	char	3		add_add2	char	35	
	add_addr	char	35		Agency_txt	char	60	
	city	char	35		country	char	25	
	date_rec	date	8		dept_cod	char	4	
	first_name	char	30		gender	char	1	
	Inqtypetxt	char	30		last_name	char	30	
	major_ap	char	30		MMTemp_rid	int	4	
	nickname	char	30		soc_sec	char	9	
	st_addr	char	35		state	char	2	
	term_int	char	15		zip	char	10	
modstat	mod_ce1	char	10		mod_le1	bit/log	1	
	mod_ne1	int	4		mod_stat	char	2	PK_modstat
	mod_txt	char	12		modstat_ce1	char	10	
	modstat_ce2	char	10		modstat_ce3	char	20	
	modstat_de1	date	8		modstat_fe1	float/dec	8	
	modstat_le1	bit/log	1		modstat_ne1	int	4	
	sortorder	int	4					
name	acadstat_cod	char	8	FK_name_acadstat	affiliation_cod	char	2	FK_name_affiliation
	birthdate	date	8		camp_cod	char	10	FK_name_campus
	citizen	bit/log	1		dec_date	date	8	
	deceased	bit/log	1		dept_cod	char	4	FK_name_dept
	disabled	bit/log	1		div_cod	char	2	FK_name_division
	ethnic_cod	char	2	FK_name_ethnic	exam_id	char	9	
	excl_billing	bit/log	1		excl_blk_trans	bit/log	1	
	excl_mailing	bit/log	1		first_name	char	30	
	fund_stat	char	2		gender	char	1	FK_name_gender
	incl_directory	bit/log	1		iped_stat	char	2	
	last_name	char	30		level_	char	1	FK_name_level_
	maiden	char	22		mar_cod	char	2	FK_name_marital
	mi	char	15		name_ce1	char	10	
	name_ce2	char	10		name_ce3	char	10	
	name_de1	date	8		name_fe1	float/dec	8	
	name_le1	bit/log	1		name_mem	memo	16	
	name_ne1	int	4		namebit1	bit/log	1	
	namebit2	bit/log	1		namebit3	bit/log	1	
	namebit4	bit/log	1		namebit5	bit/log	1	
	nickname	char	20		notpubname	bit/log	1	
	nsch_block	bit/log	1		nsch_block_date	date	8	
	online_hld	bit/log	1		photo	char	25	
	pin	char	6		prefix	char	20	FK_name_prefix
	releas_dt	date	8		releas_inf	bit/log	1	
	retries	float/dec	8		show_addr	bit/log	1	
	show_email	bit/log	1		show_phone	bit/log	1	
	show_wkphn	bit/log	1		soc_sec	char	9	PK_name
	sonis_id	char	9		ssn	char	9	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	suffix	char	20		transmem	memo	16	
	tuit_stat	char	2		veteran	bit/log	1	
<b>nameadd</b>	acadstat_cod	char	8		affiliation_cod	char	2	
	birthdate	date	8		camp_cod	char	10	
	citizen	bit/log	1		dec_date	date	8	
	deceased	bit/log	1		dept_cod	char	4	
	disabled	bit/log	1		div_cod	char	2	
	ethnic_cod	char	2		exam_id	char	9	
	excl_billing	bit/log	1		excl_blk_trans	bit/log	1	
	excl_mailing	bit/log	1		first_name	char	30	
	fund_stat	char	2		gender	char	1	
	incl_directory	bit/log	1		iped_stat	char	2	
	last_name	char	30		level_	char	1	
	maiden	char	22		mar_cod	char	2	
	mi	char	15		name_ce1	char	10	
	name_ce2	char	10		name_ce3	char	10	
	name_de1	date	8		name_fe1	float/dec	8	
	name_le1	bit/log	1		name_mem	memo	16	
	name_ne1	int	4		namebit1	bit/log	1	
	namebit2	bit/log	1		namebit3	bit/log	1	
	namebit4	bit/log	1		namebit5	bit/log	1	
	nickname	char	20		notpubname	bit/log	1	
	nsrch_block	bit/log	1		nsrch_block_date	date	8	
	online_hld	bit/log	1		photo	char	25	
	pin	char	6		prefix	char	20	
	releas_dt	date	8		releas_inf	bit/log	1	
	retries	float/dec	8		show_addr	bit/log	1	
	show_email	bit/log	1		show_phone	bit/log	1	
	show_wkphn	bit/log	1		soc_sec	char	9	
	sonis_id	char	9		ssn	char	9	
	suffix	char	20		transmem	memo	16	
	tuit_stat	char	2		veteran	bit/log	1	
<b>namedup</b>	acadstat_cod	char	8		affiliation_cod	char	2	
	birthdate	date	8		camp_cod	char	10	
	citizen	bit/log	1		dec_date	date	8	
	deceased	bit/log	1		dept_cod	char	4	
	disabled	bit/log	1		div_cod	char	2	
	ethnic_cod	char	2		exam_id	char	9	
	excl_billing	bit/log	1		excl_blk_trans	bit/log	1	
	excl_mailing	bit/log	1		first_name	char	30	
	fund_stat	char	2		gender	char	1	
	incl_directory	bit/log	1		iped_stat	char	2	
	last_name	char	30		level_	char	1	
	maiden	char	22		mar_cod	char	2	
	mi	char	15		name_ce1	char	10	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	name_ce2	char	10		name_ce3	char	10	
	name_de1	date	8		name_fe1	float/dec	8	
	name_le1	bit/log	1		name_mem	memo	16	
	name_ne1	int	4		namebit1	bit/log	1	
	namebit2	bit/log	1		namebit3	bit/log	1	
	namebit4	bit/log	1		namebit5	bit/log	1	
	nickname	char	20		notpubname	bit/log	1	
	nsrch_block	bit/log	1		nsrch_block_date	date	8	
	online_hld	bit/log	1		photo	char	25	
	pin	char	6		prefix	char	20	
	releas_dt	date	8		releas_inf	bit/log	1	
	retries	float/dec	8		show_addr	bit/log	1	
	show_email	bit/log	1		show_phone	bit/log	1	
	show_wkphn	bit/log	1		soc_sec	char	9	
	sonis_id	char	9		ssn	char	9	
	suffix	char	20		transmem	memo	16	
	tuit_stat	char	2		veteran	bit/log	1	
<b>NameSearch</b>	camp_cod	char	10		dept_cod	char	4	
	div_cod	char	2		level_	char	1	
	mod_stat	char	2					
<b>Nm_Waitlist</b>	@id	char	9		@sem	char	2	
	@sy	char	6					
<b>nmact</b>	act_date	date	8		act_desc	char	30	
	act_done	bit/log	1		act_memo	memo	16	
	activity_cod	char	3	FK_nmact_activity	done_date	date	8	
	nmact_ce1	char	10		nmact_ce2	char	10	
	nmact_ce3	char	20		nmact_cod	char	16	PK_nmact
	nmact_de1	date	8		nmact_fe1	float/dec	8	
	nmact_le1	bit/log	1		nmact_ne1	int	4	
	quantity	int	4		soc_sec	char	9	FK_nmact_name
	stop_date	date	8					
<b>nmadv</b>	active	bit/log	1		adv_rid	char	16	PK_nmadv
	adv_ssn	char	9		memo	memo	16	
	nmadv_ce1	char	10		nmadv_ce2	char	10	
	nmadv_ce3	char	20		nmadv_de1	date	8	
	nmadv_fe1	float/dec	8		nmadv_le1	bit/log	1	
	nmadv_ne1	float/dec	8		soc_sec	char	9	FK_nmadv_name2
	start_dt	date	8		stop_dt	date	8	
<b>nmappchk</b>	appchk_cod	char	2	FK_nmappchk_appchk_cod	chk_comp	bit/log	1	
	comp_dt	date	8		edu_rid	char	16	FK_nmappchk_nmedu
	entry_dt	date	8		inst_cod	char	16	FK_nmappchk_institut
	inst_txt	char	50		memo	memo	16	
	nmappchk_ce1	char	10		nmappchk_ce2	char	10	
	nmappchk_ce3	char	20		nmappchk_de1	date	8	
	nmappchk_fe1	float/dec	8		nmappchk_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	nmappchk_ne1	int	4		nmappchk_rid	int	4	PK_nmappchk
	prg_cod	char	10		ref_rid	char	16	FK_nmappchk_nmref
	sat_rid	char	16	FK_nmappchk_nmsact	soc_sec	char	9	FK_nmappchk_name
	test_rid	char	16					
<b>nmattend</b>	attend_txt	char	2		date_of_cl	date	8	
	nmattend_ce1	char	10		nmattend_ce2	char	10	
	nmattend_ce3	char	20		nmattend_de1	date	8	
	nmattend_fe1	float/dec	8		nmattend_le1	bit/log	1	
	nmattend_ne1	int	4		sid	char	16	
	soc_sec	char	9	FK_nmattend_name				
<b>nmbldtask</b>	bldtask_cod	char	3	FK_nmbldtask_bldtask	nmbldtask_ce1	char	10	
	nmbldtask_ce2	char	10		nmbldtask_ce3	char	20	
	nmbldtask_de1	date	8		nmbldtask_fe1	float/dec	8	
	nmbldtask_le1	bit/log	1		nmbldtask_ne1	float/dec	8	
	nmbldtask_rid	int	4	PK_nmbldtask	prof_cod	char	10	FK_nmbldtask_webprof
	soc_sec	char	9	FK_nmbldtask_name	user_id	char	8	FK_nmbldtask_security
<b>nmcat</b>	categr_cod	char	15	FK_nmcat_category	nmcat_ce1	char	10	
	nmcat_de1	date	8		nmcat_fe1	float/dec	8	
	nmcat_le1	bit/log	1		nmcat_ne1	int	4	
	nmcat_rid	int	4	PK_nmcat_rid	soc_sec	char	9	FK_nmcat_name
<b>nmcit</b>	birth_country	char	25		citizen_country	char	25	
	ISEAS_no	char	25		nmcit_ce1	char	10	
	nmcit_ce2	char	10		nmcit_ce3	char	20	
	nmcit_de1	date	8		nmcit_fe1	float/dec	8	
	nmcit_le1	bit/log	1		nmcit_ne1	int	4	
	nmcit_rid	int	4	PK_nmcit_rid	soc_sec	char	9	FK_nmcit_name
	visa_cod	char	3	FK_nmcit_visa	visa_issue_date	date	8	
<b>nmcitizen</b>	birth_country	char	25		citizen_country	char	25	
	ISEAS_no	char	25		nmcitizen_ce1	char	10	
	nmcitizen_ce2	char	10		nmcitizen_ce3	char	20	
	nmcitizen_de1	date	8		nmcitizen_fe1	float/dec	8	
	nmcitizen_le1	bit/log	1		nmcitizen_ne1	int	4	
	nmcitizen_rid	int	4	PK_Nmcitizen_rid	soc_sec	char	9	FK_Nmcitizen_name
	visa_issue_date	date	8		visa_type	char	20	
<b>nmconstit</b>	assets	float/dec	8		attorney	char	50	
	attorney_phone	char	15		constit_rating	char	10	FK_nmconstit_constit_rating
	executor	bit/log	1		executor_phone	char	15	
	giving_level	char	30	FK_nmconstit_giving_level	income_level	float/dec	8	
	memo	memo	16		nmconstit_rid	int	4	PK_nmconstit_rid
	potential_pledge	float/dec	8		power_of_attorney	bit/log	1	
	soc_sec	char	9	FK_nmconstit_name	staff_soc_sec	char	9	
<b>nmconstit_cod</b>	constit_type_cod	char	2	FK_nmconstit_cod_constit_type	nmconstit_cod_rid	int	4	PK_nmconstit_cod_rid

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	soc_sec	char	9	FK_nmconstit_cod_name				
<b>nmcrs</b>	aclas_grad	char	2		addfee	bit/log	1	
	auth_date	date	8		auth_received	bit/log	1	
	ce_creds	float/dec	8		class_grad	float/dec	8	
	class_hrs	float/dec	8		clin_grade	char	3	
	course	char	8		cred_rec	float/dec	8	
	crs_authorize_cod	char	1	FK_nmcrs_crs_authorize_cod	crs_txt	char	50	
	crstypcod	char	2		date_comp	date	8	
	del_flag	bit/log	1		dropfee	bit/log	1	
	edu_rid	char	16	FK_nmcrs_nmedu	enrol_date	date	8	
	enrollcode	char	2		grade	char	5	FK_nmcrs_grades
	incqpa	bit/log	1		institut	char	50	
	invoice_no	char	16		mid_term	char	5	FK_nmcrs_grades1
	nmcrs_ce1	char	10		nmcrs_ce2	char	10	
	nmcrs_ce3	char	10		nmcrs_de1	date	8	
	nmcrs_fe1	float/dec	8		nmcrs_le1	bit/log	1	
	nmcrs_mem	memo	16		nmcrs_ne1	float/dec	8	
	nmcrs_rid	char	16	PK_nmcrs	no_repeat	bit/log	1	
	occurance	float/dec	8		ocp	char	6	
	officialg	bit/log	1		orig_cred	float/dec	8	
	pf	bit/log	1		post_date	date	8	
	posted	bit/log	1		practice	float/dec	8	
	qlty_pnts	float/dec	8		replace_course	char	8	
	replace_id	char	16		replace_txt	char	50	
	rpt_grd	bit/log	1		rpt_schlyr	char	7	
	rpt_sem	char	2		rpt_semyr	char	9	
	rpt_sid	char	16		rpt_with_sid	char	16	
	rtr	bit/log	1		rtr_completed	date	8	
	rtr_requested	date	8		sch_yr	char	6	
	section	char	2	FK_nmcrs_section	semester	char	2	FK_nmcrs_semester
	sid	char	16	FK_nmcrs_crssect	sm_desc	char	10	
	soc_sec	char	9	FK_nmcrs_name1	trans_no	char	16	
	transfer	bit/log	1		wait_date	date	8	
	weight_id	char	10	FK_nmcrs_weight	with_date	date	8	
<b>nmcrstype</b>	crstypcod	char	2	FK_nmcrstype_crstype	disabled	bit/log	1	
	nmcrstype_ce1	char	10		nmcrstype_ce2	char	10	
	nmcrstype_ce3	char	20		nmcrstype_de1	date	8	
	nmcrstype_fe1	float/dec	8		nmcrstype_le1	bit/log	1	
	nmcrstype_ne1	int	4		nmcrstype_rid	int	4	PK_nmcrstype
	prof_cod	char	10	FK_nmcrstype_webprof	soc_sec	char	9	FK_nmcrstype_name
	user_id	char	8	FK_nmcrstype_security				
<b>nmculactivities</b>	active	bit/log	1		ca_rid	int	4	FK_nmculactivities_culactivities
	nmcul_ce1	char	10		nmcul_de	memo	16	
	nmcul_le1	bit/log	1		nmcul_ne1	float/dec	8	
	nmcul_rid	int	4	PK_nmculactivities	nmculactivities_ce1	char	10	
	nmculactivities_ce2	char	10		nmculactivities_ce3	char	20	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	nmcuactivities_de1	date	8		nmcuactivities_fe1	float/dec	8	
	nmcuactivities_le1	bit/log	1		nmcuactivities_ne1	int	4	
	soc_sec	char	9	FK_nmcuactivities_name	start_dt	date	8	
	stop_dt	date	8					
<b>nmedu</b>	active	bit/log	1		ant_grad_date	date	8	
	cqpa	float/dec	8		credits	float/dec	8	
	cur_cod	char	10	FK_nmedu_curriculumcode	date_rec	date	8	
	degree	char	35	FK_nmedu_degree	edu_active	bit/log	1	
	edu_rid	char	16	PK_nmedu	educmem	memo	16	
	eduinsttyp	char	1		enr_age	int	4	
	enter_date	date	8		grad_date	date	8	
	grad_mo	char	2		grad_stud	bit/log	1	
	grad_year	char	4		graduated	bit/log	1	
	inst_cod	char	16	FK_nmedu_institut	leav_date	date	8	
	matric_dt	date	8		nmedu_ce1	char	10	
	nmedu_ce2	char	10		nmedu_ce3	char	20	
	nmedu_de1	date	8		nmedu_fe1	float/dec	8	
	nmedu_le1	bit/log	1		nmedu_ne1	float/dec	8	
	orig_grad	char	4		override	bit/log	1	
	prog_desc	char	35		qlty_pnts	float/dec	8	
	rankclass	float/dec	8		rankstud	float/dec	8	
	soc_sec	char	9	FK_nmedu_name	trans_rec	bit/log	1	
	transferred	bit/log	1					
<b>nmemp</b>	contact	bit/log	1		emp_add1	char	35	
	emp_add2	char	35		emp_add3	char	35	
	emp_city	char	20		emp_county	char	3	
	emp_employ	char	50		emp_mem	memo	16	
	emp_pos	char	25		emp_rid	char	16	PK_nmemp
	emp_state	char	2		emp_super	char	25	
	emp_zip	char	10		empcountry	char	25	
	homeinst	bit/log	1		hrs_week	float/dec	8	
	inprofession	bit/log	1		n_area	char	15	
	nmemp_ce1	char	10		nmemp_ce2	char	10	
	nmemp_ce3	char	20		nmemp_de1	date	8	
	nmemp_fe1	float/dec	8		nmemp_le1	bit/log	1	
	nmemp_ne1	float/dec	8		soc_sec	char	9	FK_nmemp_name
	start_dt	date	8		stop_dt	date	8	
	when_code	char	3	FK_nmemp_when_				
<b>nmessay</b>	nmessay_ce1	char	10		nmessay_ce2	char	10	
	nmessay_ce3	char	20		nmessay_de1	date	8	
	nmessay_fe1	float/dec	8		nmessay_le1	bit/log	1	
	nmessay_memo	memo	16		nmessay_ne1	int	4	
	nmessay_rid	int	4		soc_sec	char	9	FK_nmessay_name
<b>nmfinaid</b>	depend_stat_cod	char	1	FK_nmfinaid_depend_stat	house_stat_cod	char	1	FK_nmfinaid_house_stat
	nmfinaid_ce1	char	10		nmfinaid_ce2	char	20	
	nmfinaid_ce3	char	30		nmfinaid_de1	date	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	nmfinaid_fe1	float/dec	8		nmfinaid_le1	bit/log	1	
	nmfinaid_ne1	float/dec	8		nmfinaid_rid	char	16	PK_nmfinaid_rid
	sch_yr	char	6		soc_sec	char	9	FK_nmfinaid_name
	VeteranCheck	bit/log	1					
<b>nmfinmemo</b>	fam_cont	float/dec	8		finmemo	memo	16	
	finmemo_ce1	char	10		finmemo_ce2	char	10	
	finmemo_ce3	char	20		finmemo_de1	date	8	
	finmemo_fe1	float/dec	8		finmemo_le1	bit/log	1	
	finmemo_ne1	int	4		finmemo_rid	int	4	PK_finmemo_rid
	nmfinmemo_ce1	char	10		nmfinmemo_ce2	char	10	
	nmfinmemo_ce3	char	20		nmfinmemo_de1	date	8	
	nmfinmemo_fe1	float/dec	8		nmfinmemo_le1	bit/log	1	
	nmfinmemo_ne1	int	4		soc_sec	char	9	FK_nmfinmemo_name
<b>nmfundraising</b>	active	bit/log	1		end_dt	date	8	
	nmfundraising_rid	int	4		soc_sec	char	9	FK_nmfundraising_name
	start_dt	date	8					
<b>nmheal</b>	exp_date	date	8		hlthmem	memo	16	
	item	char	30		item_dt	date	8	
	item_no	int	4	FK_nmheal_health	nmheal_ce1	char	10	
	nmheal_ce2	char	10		nmheal_ce3	char	20	
	nmheal_de1	date	8		nmheal_fe1	float/dec	8	
	nmheal_le1	bit/log	1		nmheal_ne1	int	4	
	nmheal_rid	int	4	PK_nmheal	received	bit/log	1	
	result	char	40		soc_sec	char	9	FK_nmheal_name
<b>nmhold</b>	active	bit/log	1		authorized	char	9	
	hld_cod	char	12	FK_nmhold_hold	hld_mem	memo	16	
	hld_rid	char	16	PK_nmhold	nmhold_ce1	char	10	
	nmhold_ce2	char	10		nmhold_ce3	char	20	
	nmhold_de1	date	8		nmhold_fe1	float/dec	8	
	nmhold_le1	bit/log	1		nmhold_ne1	float/dec	8	
	soc_sec	char	9	FK_nmhold_name	start_dt	date	8	
	stop_dt	date	8					
<b>nmhouse</b>	disabled	bit/log	1		house_cod	char	10	FK_nmhouse_house
	invoice_no	char	16		moved	int	4	
	nmhouse_ce1	char	10		nmhouse_ce2	char	10	
	nmhouse_ce3	char	20		nmhouse_de1	date	8	
	nmhouse_fe1	float/dec	8		nmhouse_le1	bit/log	1	
	nmhouse_ne1	int	4		post_date	date	8	
	posted	bit/log	1		sch_yr	char	6	
	semester	char	2		soc_sec	char	9	FK_nmhouse_name
	trans_no	char	16					
<b>nmhouse_inc</b>	end_date	char	10		house_inc_rid	int	4	FK_nmhouse_inc_house_inc
	nmhouse_inc_ce1	char	10		nmhouse_inc_ce2	char	10	
	nmhouse_inc_ce3	char	20		nmhouse_inc_de1	date	8	
	nmhouse_inc_fe1	float/dec	8		nmhouse_inc_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	nmhouse_inc_memo	memo	16		nmhouse_inc_ne1	int	4	
	nmhouse_rid	int	4	PK_nmhouse_inc	soc_sec	char	9	FK_nmhouse_inc_name
	start_date	char	10					
<b>nmhousenotes</b>	nmhousenotes_ce1	char	10		nmhousenotes_ce2	char	10	
	nmhousenotes_ce3	char	20		nmhousenotes_de1	date	8	
	nmhousenotes_fe1	float/dec	8		nmhousenotes_le1	bit/log	1	
	nmhousenotes_ne1	int	4		notes1	memo	16	
	notes2	memo	16		soc_sec	char	9	FK_nmhousenotes_name
<b>nmhousepref</b>	houseattr_cod	char	2	FK_nmhousepref_houseattr	nmhousepref_ce1	char	10	
	nmhousepref_ce2	char	10		nmhousepref_ce3	char	20	
	nmhousepref_de1	date	8		nmhousepref_fe1	float/dec	8	
	nmhousepref_le1	bit/log	1		nmhousepref_ne1	int	4	
	soc_sec	char	9	FK_nmhousepref_name				
<b>nmint</b>	int_from	date	8		int_mem	memo	16	
	int_rid	char	16	PK_nmint	int_to	date	8	
	interest	char	30	FK_nmint_intrsts	nmint_ce1	char	10	
	nmint_ce2	char	10		nmint_ce3	char	20	
	nmint_de1	date	8		nmint_fe1	float/dec	8	
	nmint_le1	bit/log	1		nmint_ne1	float/dec	8	
	posn_held	char	30		sch_yr	char	6	
	semester	char	1		soc_sec	char	9	FK_nmint_name
<b>nmjobapply</b>	app_date	date	8		avail_date	date	8	
	contact_time	char	75		contacted_date	date	8	
	disabled	bit/log	1		e_mail	char	50	
	interview1_date	date	8		interview2_date	date	8	
	intro_memo	memo	16		job_rid	int	4	FK_nmjobapply_job
	nmjobapply_ce1	char	10		nmjobapply_de1	date	8	
	nmjobapply_fe1	float/dec	8		nmjobapply_le1	bit/log	1	
	nmjobapply_ne1	int	4		nmjobapply_rid	int	4	PK_nmjobapply
	phone	char	15		soc_sec	char	9	FK_nmjobapply_name
	train_memo	memo	16					
<b>nmlic</b>	date_exp	date	8		date_rec	date	8	
	lic_mem	memo	16		lic_rid	char	16	PK_nmlic
	license	char	20	FK_nmlic_licenses	nmlic_ce1	char	10	
	nmlic_ce2	char	10		nmlic_ce3	char	20	
	nmlic_de1	date	8		nmlic_fe1	float/dec	8	
	nmlic_le1	bit/log	1		nmlic_ne1	float/dec	8	
	soc_sec	char	9	FK_nmlic_name				
<b>nmloa</b>	active	bit/log	1		from_dt	date	8	
	loa_cod	char	16		loa_mem	memo	16	
	loa_rid	char	16	PK_nmloa	nmloa_ce1	char	10	
	nmloa_ce2	char	10		nmloa_ce3	char	20	
	nmloa_de1	date	8		nmloa_fe1	float/dec	8	
	nmloa_le1	bit/log	1		nmloa_ne1	float/dec	8	
	prj_dt	date	8		reason_cod	char	16	



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	sch_yr	char	6		semester	char	2	
	soc_sec	char	9	FK_nmloa_name	to_dt	date	8	
<b>nmmaj</b>	active	bit/log	1		adv_ssn	char	9	
	edu_rid	char	16		maj_rid	char	16	PK_nmmaj
	major	char	30	FK_nmmaj1_major	minor	char	30	FK_nmmaj2_major
	nmmaj_ce1	char	10		nmmaj_ce2	char	10	
	nmmaj_ce3	char	20		nmmaj_de1	date	8	
	nmmaj_fe1	float/dec	8		nmmaj_le1	bit/log	1	
	nmmaj_ne1	float/dec	8		soc_sec	char	9	FK_nmmaj_name
	start_dt	date	8		stop_dt	date	8	
<b>nmmisc</b>	card_no	float/dec	8		flag	char	10	
	flag2	char	1		k_card	bit/log	1	
	locker	char	5		mailbox	char	5	
	nmmisc_ce1	char	10		nmmisc_ce2	char	10	
	nmmisc_ce3	char	20		nmmisc_de1	date	8	
	nmmisc_fe1	float/dec	8		nmmisc_le1	bit/log	1	
	nmmisc_ne1	int	4		nmmisc_rid	int	4	PK_nmmisc
	soc_sec	char	9	FK_nmmisc_name	status	char	1	
<b>nmmodst</b>	end_date	date	8		mod_stat	char	2	FK_nmmodst_modstat
	nmmod_ce1	char	10		nmmod_le1	bit/log	1	
	nmmod_ne1	float/dec	8		nmmod_rid	char	16	PK_nmmodst
	nmmodst_ce1	char	10		nmmodst_ce2	char	10	
	nmmodst_ce3	char	20		nmmodst_de1	date	8	
	nmmodst_fe1	float/dec	8		nmmodst_le1	bit/log	1	
	nmmodst_ne1	int	4		soc_sec	char	9	FK_nmmodst_name1
	start_date	date	8					
<b>nmmodstadd</b>	end_date	date	8		mod_stat	char	2	
	nmmod_ce1	char	10		nmmod_le1	bit/log	1	
	nmmod_ne1	float/dec	8		nmmod_rid	char	16	
	nmmodst_ce1	char	10		nmmodst_ce2	char	10	
	nmmodst_ce3	char	20		nmmodst_de1	date	8	
	nmmodst_fe1	float/dec	8		nmmodst_le1	bit/log	1	
	nmmodst_ne1	int	4		soc_sec	char	9	
	start_date	date	8					
<b>nmpark</b>	license_number	char	10		nmpark_active	bit/log	1	
	nmpark_ce1	char	10		nmpark_ce2	char	10	
	nmpark_ce3	char	20		nmpark_de1	date	8	
	nmpark_fe1	float/dec	8		nmpark_le1	bit/log	1	
	nmpark_memo	memo	16		nmpark_ne1	int	4	
	nmpark_rid	int	4	PK_nmpark	permit_num	char	20	
	sch_yr	char	6		semester	char	2	
	soc_sec	char	9	FK_nmpark_name	st	char	10	
	zone_rid	int	4	FK_nmpark_zone				
<b>nmpark_inc</b>	end_date	char	10		nmpark_inc_ce1	char	10	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	nmpark_inc_ce2	char	10		nmpark_inc_ce3	char	20	
	nmpark_inc_de1	date	8		nmpark_inc_fe1	float/dec	8	
	nmpark_inc_le1	bit/log	1		nmpark_inc_memo	memo	16	
	nmpark_inc_ne1	int	4		nmpark_rid	int	4	PK_nmpark_inc
	park_inc_rid	int	4	FK_nmpark_inc_park_inc	soc_sec	char	9	FK_nmpark_inc_name
	start_date	char	10					
<b>nmpayplan</b>	nmpayplan_ce1	char	10		nmpayplan_ce2	char	10	
	nmpayplan_ce3	char	10		nmpayplan_de1	date	8	
	nmpayplan_le1	bit/log	1		nmpayplan_ne1	int	4	
	nmpayplan_rid	int	4	PK_nmpayplan_rid	payplan_amt	float/dec	8	
	payplan_code	char	9		payplan_date	date	8	
	payplan_percent	float/dec	8		soc_sec	char	9	FK_nmpayplan_name
<b>nmpayplan_detail</b>	nmpayplan_detail_AGREE_AMT	int	4		nmpayplan_detail_ce1	char	10	
	nmpayplan_detail_ce2	char	10		nmpayplan_detail_ce3	char	20	
	nmpayplan_detail_de1	date	8		nmpayplan_detail_fe1	float/dec	8	
	nmpayplan_detail_le1	bit/log	1		nmpayplan_detail_PP_code	char	5	
	nmpayplan_detail_rid	int	4	PK_nmpayplan_detail_nmpayplan_detail_rid	nmpayplan_detail_SD	date	8	
	nmpayplan_plan_ne1	int	4		soc_sec	char	9	
<b>nmpayplan_plan</b>	nmpayplan_plan_AD	date	8		nmpayplan_plan_AGREE_AMT	int	4	
	nmpayplan_plan_ce1	char	10		nmpayplan_plan_ce2	char	10	
	nmpayplan_plan_ce3	char	20		nmpayplan_plan_de1	date	8	
	nmpayplan_plan_fe1	float/dec	8		nmpayplan_plan_le1	bit/log	1	
	nmpayplan_plan_ne1	int	4		nmpayplan_plan_PP_code	char	5	
	nmpayplan_plan_PP_txt	char	35		nmpayplan_plan_SD	date	8	
	nmpayplan_plan_YEAR	char	6		soc_sec	char	9	
<b>nmprg</b>	active	bit/log	1		approg	bit/log	1	
	edu_rid	char	16	FK_nmprg_nmedu	grad_prog	bit/log	1	
	nmprg_ce1	char	10		nmprg_ce2	char	10	
	nmprg_ce3	char	20		nmprg_de1	date	8	
	nmprg_fe1	float/dec	8		nmprg_le1	bit/log	1	
	nmprg_ne1	float/dec	8		prg_cod	char	10	FK_nmprg_program
	prg_rid	char	16	PK_nmprg	soc_sec	char	9	FK_nmprg_name1
	start_dt	date	8		stop_dt	date	8	
<b>nmproj_enrl</b>	enstat_cod	char	2	FK_nmproj_enrl_enrlistat	nmproj_enrl_ce1	char	10	
	nmproj_enrl_ce2	char	20		nmproj_enrl_ce3	char	30	
	nmproj_enrl_de1	date	8		nmproj_enrl_fe1	float/dec	8	
	nmproj_enrl_le1	bit/log	1		nmproj_enrl_ne1	float/dec	8	
	nmproj_enrl_rid	int	4	PK_nmproj_enrl_rid	sch_yr	char	6	
	semester	char	2	FK_nmproj_enrl_semester	soc_sec	char	9	FK_nmproj_enrl_name
<b>nmrec</b>	active	bit/log	1		nmrec_ce1	char	10	
	nmrec_ce2	char	10		nmrec_ce3	char	20	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	nmrec_de1	date	8		nmrec_fe1	float/dec	8	
	nmrec_le1	bit/log	1		nmrec_ne1	float/dec	8	
	rec_rid	char	16	PK_nmrec	rec_ssn	char	9	
	soc_sec	char	9	FK_nmrec_name1	start_dt	date	8	
	stop_dt	date	8					
<b>nmref</b>	date_rec	date	8		nmref_ce1	char	10	
	nmref_ce2	char	10		nmref_ce3	char	20	
	nmref_de1	date	8		nmref_fe1	float/dec	8	
	nmref_le1	bit/log	1		nmref_ne1	float/dec	8	
	rec_cod	int	4	FK_nmref_webrecom	ref_add1	char	35	
	ref_add2	char	35		ref_add3	char	35	
	ref_city	char	20		ref_county	char	3	
	ref_email	char	50		ref_fax	char	15	
	ref_inst	char	50		ref_mem	memo	16	
	ref_name	char	35		ref_phone	char	15	
	ref_rec	bit/log	1		ref_rid	char	16	PK_nmref
	ref_state	char	2		ref_title	char	35	
	ref_type	char	20		ref_zip	char	10	
	refcountry	char	25		soc_sec	char	9	FK_nmref_name1
<b>nmrefby</b>	disabled	bit/log	1		nmrefby_ce1	char	10	
	nmrefby_ce2	char	10		nmrefby_ce3	char	20	
	nmrefby_de1	date	8		nmrefby_fe1	float/dec	8	
	nmrefby_le1	bit/log	1		nmrefby_ne1	int	4	
	nmrefby_rid	int	4	PK_nmrefby	refer_by	char	30	
	soc_sec	char	9	FK_nmrefby_name				
<b>nmrel</b>	nmrel_ce1	char	10		nmrel_ce2	char	10	
	nmrel_ce3	char	20		nmrel_de1	date	8	
	nmrel_fe1	float/dec	8		nmrel_le1	bit/log	1	
	nmrel_mem	memo	16		nmrel_ne1	int	4	
	nmrel_rid	int	4	PK_nmrel	reljoin_rid	int	4	FK_nmrel_reljoin
	soc_sec	char	9	FK_nmrel_name	soc_sec2	char	9	
<b>nmsap</b>	date_ran	date	8		enstat_cod	char	2	FK_nmsap_enrlstat
	good_standing	bit/log	1		nmsap_ce1	char	10	
	nmsap_ce2	char	10		nmsap_ce3	char	10	
	nmsap_de1	date	8		nmsap_fe1	float/dec	8	
	nmsap_le1	bit/log	1		nmsap_memo	memo	16	
	nmsap_ne1	int	4		nmsap_rid	int	4	PK_nmsap
	sch_yr	char	6		semester	char	2	
	soc_sec	char	9	FK_nmsap_name				
<b>nmsatact</b>	act_comp	int	4		act_comp_pc	float/dec	8	
	act_cumm	int	4		act_eng	int	4	
	act_eng_pc	float/dec	8		act_math	int	4	
	act_math_pc	float/dec	8		act_nat_rank_comp	int	4	
	act_nat_rank_eng	int	4		act_nat_rank_math	int	4	
	act_nat_rank_sci	int	4		act_nat_rank_soc	int	4	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	act_sci	int	4		act_sci_pc	float/dec	8	
	act_soc	int	4		act_soc_pc	float/dec	8	
	nmsat_ce1	char	10		nmsat_le1	bit/log	1	
	nmsat_ne1	int	4		nmsatact_ce1	char	10	
	nmsatact_ce2	char	10		nmsatact_ce3	char	20	
	nmsatact_de1	date	8		nmsatact_fe1	float/dec	8	
	nmsatact_le1	bit/log	1		nmsatact_ne1	int	4	
	sat	bit/log	1		sat_dt	date	8	
	sat_math	int	4		sat_recent	bit/log	1	
	sat_rid	char	16	PK_nmsatact	sat_verb	int	4	
	SAT_writing	int	4		SAT_writing_essay	int	4	
	SAT_writing_mc	int	4		soc_sec	char	9	FK_nmsatact_name1
<b>nmspneed</b>	nmspnedce1	char	10		nmspnedle1	bit/log	1	
	nmspnedne1	float/dec	8		nmspneed_ce1	char	10	
	nmspneed_ce2	char	10		nmspneed_ce3	char	20	
	nmspneed_de1	date	8		nmspneed_fe1	float/dec	8	
	nmspneed_le1	bit/log	1		nmspneed_ne1	int	4	
	soc_sec	char	9	FK_nmspneed_name	spn_active	bit/log	1	
	spn_mem	memo	16		spn_rid	char	16	PK_nmspneed
	spneed_cod	char	2	FK_nmspneed_spneed				
<b>nmtask</b>	nmtask_ce1	char	10		nmtask_ce2	char	10	
	nmtask_ce3	char	20		nmtask_de1	date	8	
	nmtask_fe1	float/dec	8		nmtask_le1	bit/log	1	
	nmtask_ne1	float/dec	8		nmtask_rid	char	16	PK_nmtask
	prof_cod	char	10	FK_nmtask_webprof	soc_sec	char	9	FK_nmtask_name
	task_cod	char	3	FK_nmtask_sectask	user_id	char	8	FK_nmtask_security
<b>nmtest</b>	dt_taken	date	8		nmtest_ce1	char	10	
	nmtest_ce2	char	10		nmtest_ce3	char	20	
	nmtest_de1	date	8		nmtest_fe1	float/dec	8	
	nmtest_le1	bit/log	1		nmtest_ne1	int	4	
	nmtst_ce1	char	10		nmtst_le1	bit/log	1	
	nmtst_ne1	float/dec	8		pass	bit/log	1	
	per_cent	float/dec	8		remarks	char	12	
	score	float/dec	8		soc_sec	char	9	FK_nmtest_name
	state_abbr	char	2	FK_nmtest_state	test_cod	char	2	FK_nmtest_test
	test_rid	char	16	PK_nmtest	test_stat	char	20	
	test_txt	char	15		testmemo	memo	16	
<b>nmtmp</b>	act_comp	float/dec	8		act_eng	float/dec	8	
	act_math	float/dec	8		act_sci	float/dec	8	
	act_soc	float/dec	8		add_add2	char	35	
	add_addr	char	35		birthdate	date	8	
	bs_degree	bit/log	1		card_no	float/dec	8	
	citizen	bit/log	1		city	char	35	
	country	char	25	FK_nmtmp_country	county	char	15	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	degree	char	35	FK_nmtmp_degree	depart	char	30	
	division	char	1		e_mail	char	50	
	emer_cont	char	25		emer_phone	char	15	
	enr_age	float/dec	8		entry_dt	date	8	
	ethnic	char	1		fac_ssn	char	9	
	fax	char	15		fin_aid	bit/log	1	
	first_name	char	10		ged	bit/log	1	
	gender	char	1	FK_nmtmp_gender	grad_mo	char	2	
	grad_year	char	4		graduated	bit/log	1	
	hs_grad	bit/log	1		inactive	bit/log	1	
	k_card	bit/log	1		last_name	char	15	
	level_	char	1		locker	char	5	
	maiden	char	22		mailbox	char	5	
	major	char	30	FK_nmtmp_major	married	bit/log	1	
	mi	char	15		nmtmp_ce1	char	10	
	nmtmp_ce2	char	10		nmtmp_ce3	char	20	
	nmtmp_de1	date	8		nmtmp_fe1	float/dec	8	
	nmtmp_le1	bit/log	1		nmtmp_ne1	int	4	
	nmtmp_rid	int	4	PK_nmtmp	orig_grad	char	4	
	prefix	char	20	FK_nmtmp_prefix	program	char	20	
	reentry_dt	date	8		sat	bit/log	1	
	sat_dt	date	8		sat_math	float/dec	8	
	sat_verb	float/dec	8		selected	char	1	
	slp_code	float/dec	8		soc_sec	char	9	FK_nmtmp_name
	st_memo	memo	16		st_name	char	30	
	st_num	char	6		state	char	2	FK_nmtmp_state
	suffix	char	3		telephone	char	15	
	unsap	bit/log	1		with_dt	date	8	
	with_memo	memo	16		with_oth	char	3	
	with_reas	float/dec	8		withdrawn	bit/log	1	
	work_phone	char	15		zip	char	10	
<b>nmvolunteer</b>	active	bit/log	1		ev_rid	int	4	FK_nmvolunteer_events
	nmvol_ce1	char	10		nmvol_le1	bit/log	1	
	nmvol_ne1	float/dec	8		nmvol_rid	int	4	PK_nmvolunteer
	nmvolunteer_ce1	char	10		nmvolunteer_ce2	char	10	
	nmvolunteer_ce3	char	20		nmvolunteer_de1	date	8	
	nmvolunteer_fe1	float/dec	8		nmvolunteer_le1	bit/log	1	
	nmvolunteer_ne1	int	4		soc_sec	char	9	FK_nmvolunteer_name
	start_dt	date	8		stop_dt	date	8	
<b>nmwait</b>	nmwait_ce1	char	10		nmwait_ce2	char	10	
	nmwait_ce3	char	20		nmwait_de1	date	8	
	nmwait_fe1	float/dec	8		nmwait_le1	bit/log	1	
	nmwait_ne1	int	4		nmwait_rid	int	4	PK_nmwait
	notified	bit/log	1		notified_dt	date	8	
	sid	char	16	FK_nmwait_crsect	soc_sec	char	9	FK_nmwait_name

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	wait_dt	date	8		wait_time	char	8	
<b>nslch</b>	add_addr	char	30		antic_grad	date	8	
	birthdate	date	8		city	char	20	
	country	char	25		end_term	date	8	
	enroll_status	char	1		first_name	char	20	
	last_name	char	20		maiden	char	20	
	mi	char	15		nslch_block	bit/log	1	
	nslch_ce1	char	10		nslch_ce2	char	10	
	nslch_ce3	char	20		nslch_de1	date	8	
	nslch_fe1	float/dec	8		nslch_le1	bit/log	1	
	nslch_ne1	int	4		sch_yr	char	6	
	semester	char	2		soc_sec	char	9	FK_nslch_name
	ssn	char	9		st_addr	char	30	
	st_stat	date	8		st_term	date	8	
	state	char	2	FK_nslch_state	suffix	char	5	
	zip	char	9					
<b>pagenote</b>	pagenote_ce1	char	10		pagenote_ce2	char	10	
	pagenote_ce3	char	20		pagenote_cod	char	8	PK_pagenote
	pagenote_de1	date	8		pagenote_fe1	float/dec	8	
	pagenote_le1	bit/log	1		pagenote_memo	memo	16	
	pagenote_ne1	int	4					
<b>park_inc</b>	disabled	bit/log	1		park_inc_ce1	char	10	
	park_inc_ce2	char	10		park_inc_ce3	char	20	
	park_inc_de1	date	8		park_inc_fe1	float/dec	8	
	park_inc_le1	bit/log	1		park_inc_ne1	int	4	
	park_inc_rid	int	4	PK_park_inc	park_inc_txt	char	40	
<b>payee</b>	add_add2	char	35		add_addr	char	35	
	batchnum_rc	char	18		check_no	char	12	
	city	char	35		date	date	8	
	first_name	char	30		last_name	char	30	
	memo	memo	16		mi	char	1	
	payee_ce1	char	10		payee_ce2	char	20	
	payee_ce3	char	30		payee_de1	date	8	
	payee_fe1	float/dec	8		payee_le1	bit/log	1	
	payee_ne1	float/dec	8		payee_rid	int	4	PK_payee_rid
	post_date	date	8		pstd_2gl	bit/log	1	
	ref_id	char	50		soc_sec	char	9	FK_payee_name
	st_addr	char	35		state	char	2	FK_payee_state
	tcodes	char	2	FK_payee_tcodes	trans_no	char	16	
	zip	char	10					
<b>payplan_codes</b>	disabled	bit/log	1		payplan_code	char	5	PK_payplan
	payplan_code_ce1	char	10		payplan_code_ce2	char	10	
	payplan_code_ce3	char	10		payplan_code_de1	date	8	
	payplan_code_le1	bit/log	1		payplan_code_ne1	int	4	
	payplan_txt	char	35					

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
payplan_detail	days_from_StartDt	int	4		payplan_code	char	5	FK_payplan_detail_payplan_codes
	payplan_detail_ce1	char	10		payplan_detail_ce2	char	10	
	payplan_detail_ce3	char	10		payplan_detail_de1	date	8	
	payplan_detail_le1	bit/log	1		payplan_detail_ne1	int	4	
	payplan_detail_rid	int	4	PK_payplan_detail_rid	payplan_percent	float/dec	8	
payplan_tcodes	nmpayplan_detail_ce1	char	10		nmpayplan_detail_ce2	char	10	
	nmpayplan_detail_ce3	char	20		nmpayplan_detail_de1	date	8	
	nmpayplan_detail_fe1	float/dec	8		nmpayplan_detail_le1	bit/log	1	
	nmpayplan_plan_ne1	int	4		payplan_code	char	5	
	payplan_tcodes_rid	int	4	PK_payplan_tcodes_payplan_tcodes_rid	tcodes	char	2	
pellfull	high_coe	float/dec	8		high_etc	float/dec	8	
	low_coe	float/dec	8		low_etc	float/dec	8	
	pell_amt	float/dec	8		pell_rid	int	4	
	pellfull_ce1	char	10		pellfull_ce2	char	10	
	pellfull_ce3	char	20		pellfull_de1	date	8	
	pellfull_fe1	float/dec	8		pellfull_le1	bit/log	1	
	pellfull_ne1	int	4					
pellhalf	high_coe	float/dec	8		high_etc	float/dec	8	
	low_coe	float/dec	8		low_etc	float/dec	8	
	pell_amt	float/dec	8		pell_rid	int	4	
	pellhalf_ce1	char	10		pellhalf_ce2	char	10	
	pellhalf_ce3	char	20		pellhalf_de1	date	8	
	pellhalf_fe1	float/dec	8		pellhalf_le1	bit/log	1	
	pellhalf_ne1	int	4					
pellless	high_coe	float/dec	8		high_etc	float/dec	8	
	low_coe	float/dec	8		low_etc	float/dec	8	
	pell_amt	float/dec	8		pell_rid	int	4	
	pellless_ce1	char	10		pellless_ce2	char	10	
	pellless_ce3	char	20		pellless_de1	date	8	
	pellless_fe1	float/dec	8		pellless_le1	bit/log	1	
	pellless_ne1	int	4					
pelltre	high_coe	float/dec	8		high_etc	float/dec	8	
	low_coe	float/dec	8		low_etc	float/dec	8	
	pell_amt	float/dec	8		pell_rid	int	4	
	pelltre_ce1	char	10		pelltre_ce2	char	10	
	pelltre_ce3	char	20		pelltre_de1	date	8	
	pelltre_fe1	float/dec	8		pelltre_le1	bit/log	1	
	pelltre_ne1	int	4					
pledgeacts	activity_cod	char	3	FK_pledgeacts_activity	ev_rid	int	4	FK_pledgeacts_events
	fdtcodes	char	2	FK_pledgeacts_fd_tcodes	pledgeacts_ce1	char	10	
	pledgeacts_ce2	char	10		pledgeacts_ce3	char	20	
	pledgeacts_de1	date	8		pledgeacts_fe1	float/dec	8	
	pledgeacts_le1	bit/log	1		pledgeacts_ne1	int	4	
	pledgeacts_rid	int	4	PK_pledgeacts				
practicl	day_cod	char	3		end_ampm	char	2	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	end_hr	int	4		end_min	int	4	
	end_time	int	4		feature	char	15	
	instrctp	char	15		pract_mem	memo	16	
	pract_rid	char	16	PK_practicl	practicl_ce1	char	10	
	practicl_ce2	char	10		practicl_ce3	char	20	
	practicl_de1	date	8		practicl_fe1	float/dec	8	
	practicl_le1	bit/log	1		practicl_ne1	int	4	
	room_cod	char	10	FK_practicl_room	section	char	2	FK_practicl_section
	sid	char	16	FK_practicl_crssect	ssn	char	9	FK_practicl_name
	start_ampm	char	2		start_hr	int	4	
	start_min	int	4		start_time	int	4	
<b>practssn</b>	CLASS	char	10		practssn_ce1	char	10	
	practssn_ce2	char	10		practssn_ce3	char	20	
	practssn_de1	date	8		practssn_fe1	float/dec	8	
	practssn_le1	bit/log	1		practssn_ne1	int	4	
	practssn_rid	int	4	PK_practssn	SID	char	16	FK_practssn_crssect
	SSN	char	9	FK_practssn_name				
<b>prefix</b>	disabled	bit/log	1		prefix	char	20	PK_prefix
	prefix_ce1	char	10		prefix_ce2	char	10	
	prefix_ce3	char	20		prefix_de1	date	8	
	prefix_fe1	float/dec	8		prefix_le1	bit/log	1	
	prefix_ne1	int	4					
<b>prereq</b>	crs_id	char	16		disabled	bit/log	1	
	prereq	char	16		prereq_ce1	char	10	
	prereq_ce2	char	10		prereq_ce3	char	20	
	prereq_de1	date	8		prereq_fe1	float/dec	8	
	prereq_le1	bit/log	1		prereq_ne1	int	4	
	prereq_rid	int	4	PK_prereq	skip_equivalents	bit/log	1	
<b>program</b>	charge	float/dec	8		cip_code	char	7	
	disabled	bit/log	1		exclude_prg	bit/log	1	
	prg_ce1	char	10		prg_cod	char	10	PK_program
	prg_le1	bit/log	1		prg_ne1	int	4	
	prg_txt	char	40		program_ce1	char	10	
	program_ce2	char	10		program_ce3	char	20	
	program_de1	date	8		program_fe1	float/dec	8	
	program_le1	bit/log	1		program_ne1	int	4	
	programtype_cod	char	3		programtype_rid	int	4	FK_Program_programtype_rid
<b>programcategory</b>	cater_cod	char	15	FK_programcategory_category	country	char	25	FK_programcategory_country
	prg_cod	char	10	FK_programcategory_program	programcategory_rid	char	50	PK_programcategory_rid
	term_int	char	15	FK_programcategory_termint				
<b>programfilter</b>	agency_cod	char	10	FK_programfilter_agency	dept_cod	char	4	FK_programfilter_dept
	div_cod	char	2	FK_programfilter_division	prg_cod	char	10	FK_programfilter_program
	programfilter_rid	char	26	PK_programfilter_rid				
<b>ProgramType</b>	disabled	bit/log	1		level_	char	1	FK_PROGRAMTYPE_LEVEL_



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	pref_flag	int	4		pref_txt	char	50	
	programtype_amt_cred	float/dec	8		ProgramType_ce1	char	10	
	ProgramType_ce2	char	10		ProgramType_ce3	char	20	
	programtype_cod	char	3		ProgramType_de1	date	8	
	ProgramType_fe1	float/dec	8		ProgramType_le1	bit/log	1	
	programtype_max_amt_sem	float/dec	8		ProgramType_ne1	int	4	
	programtype_rid	int	4	PK_ProgramType	programtype_txt	char	25	
	tcodes	char	2	FK_programtype_Tcodes				
<b>prospect</b>	agency_cod	char	10	FK_prospect_agency	app_rec	bit/log	1	
	comments	memo	16		date_inq	date	8	
	date_rec	date	8		enstat_cod	char	2	FK_prospect_enr1stat
	inqtypecod	char	2	FK_prospect_inqtype	intrlevcod	char	10	FK_prospect_interlev
	move2app	bit/log	1		prospectce1	char	10	
	prospectle1	bit/log	1		prospectne1	int	4	
	prospect_ce1	char	10		prospect_ce10	char	20	
	prospect_ce2	char	10		prospect_ce3	char	20	
	prospect_ce4	char	10		prospect_ce5	char	10	
	prospect_ce6	char	10		prospect_ce7	char	20	
	prospect_ce8	char	20		prospect_ce9	char	20	
	prospect_de1	date	8		prospect_fe1	float/dec	8	
	prospect_le1	bit/log	1		prospect_ne1	int	4	
	soc_sec	char	9	PK to PK	term_int	char	15	FK_prospect_trmint
<b>psextra</b>	cl_prereq	bit/log	1		contact	bit/log	1	
	cur_emp	bit/log	1		cur_emp_inst_cod	char	16	FK_psextra_institut
	cur_emp_inst_txt	char	50		disabled	bit/log	1	
	enroll_month	char	2		enroll_yr	char	4	
	hs_prereq	bit/log	1		level_comp	char	35	
	LPN	bit/log	1		LPN_years	int	4	
	pref_inst_cod	char	16		pref_inst_txt	char	50	
	prereqenrolled	bit/log	1		prg_intrest	char	35	
	psextra_ce1	char	10		psextra_ce2	char	10	
	psextra_ce3	char	20		psextra_de1	date	8	
	psextra_fe1	float/dec	8		psextra_le1	bit/log	1	
	psextra_ne1	int	4		psextra_rid	int	4	PK_psextra
	ref_other	char	50		soc_sec	char	9	
<b>psprereq</b>	psprereq_ce1	char	10		psprereq_ce2	char	10	
	psprereq_ce3	char	20		psprereq_de1	date	8	
	psprereq_fe1	float/dec	8		psprereq_le1	bit/log	1	
	psprereq_ne1	int	4		psprereq_rid	int	4	PK_psprereq
	psprereqcrs_cod	char	4		soc_sec	char	9	
<b>psprereqcrs</b>	disabled	bit/log	1		psprereqcrs_ce1	char	10	
	psprereqcrs_ce2	char	10		psprereqcrs_ce3	char	20	
	psprereqcrs_cod	char	4	PK_psprereqcrs	psprereqcrs_de1	date	8	
	psprereqcrs_fe1	float/dec	8		psprereqcrs_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	psprereqcrs_ne1	int	4		psprereqcrs_txt	char	60	
<b>psprg</b>	active	bit/log	1		approg	bit/log	1	
	prg_cod	char	10	FK_psprg_program	prg_rid	char	16	PK_psprg
	psprg_ce1	char	10		psprg_ce2	char	10	
	psprg_ce3	char	20		psprg_de1	date	8	
	psprg_fe1	float/dec	8		psprg_le1	bit/log	1	
	psprg_ne1	int	4		soc_sec	char	9	
	start_dt	date	8		stop_dt	date	8	
<b>psrefby</b>	psrefby_ce1	char	10		psrefby_ce2	char	10	
	psrefby_ce3	char	20		psrefby_de1	date	8	
	psrefby_fe1	float/dec	8		psrefby_le1	bit/log	1	
	psrefby_ne1	int	4		psrefby_rid	int	4	PK_psrefby_rid
	refer_by	char	30		soc_sec	char	9	FK_psrefby_webps
<b>qry_billing_tots</b>	@sch_yr	char	6		@semester	char	2	
<b>qry_nmwait</b>	@crsid	char	16		@sid	char	16	
	@ssn	char	9					
<b>recruitplan</b>	activity_cod	char	3	FK_recruitplan_activity	categr_cod	char	15	FK_recruitplan_category
	recruitplan_ce1	char	10		recruitplan_ce2	char	10	
	recruitplan_ce3	char	20		recruitplan_de1	date	8	
	recruitplan_fe1	float/dec	8		recruitplan_le1	bit/log	1	
	recruitplan_ne1	int	4		recruitplan_rid	int	4	PK_recruitplan
<b>referby</b>	disabled	bit/log	1		exclude_rfb	bit/log	1	
	refer_by	char	30		refer_by_cod	int	4	PK_referby
	referby_ce1	char	10		referby_ce2	char	10	
	referby_ce3	char	20		referby_de1	date	8	
	referby_fe1	float/dec	8		referby_le1	bit/log	1	
	referby_ne1	int	4		sortorder	int	4	
<b>refund_filter</b>	camp_flag	bit/log	1		dept_flag	bit/log	1	
	div_flag	bit/log	1		level_flag	bit/log	1	
	refund_filter_rid	int	4					
<b>refundable</b>	camp_cod	char	10	FK_refundable_campus	dept_cod	char	4	FK_refundable_dept
	div_cod	char	2	FK_refundable_div	level_	char	1	FK_refundable_level
	maximum_days	int	4		minimum_days	int	4	
	refundable_ce1	char	10		refundable_de1	date	8	
	refundable_fe1	float/dec	8		refundable_id	char	30	PK_refundable
	refundable_le1	bit/log	1		refundable_ne1	int	4	
	refundable_percentage	float/dec	8		refundable_txt	char	30	
	rtr	bit/log	1		tcodes	char	2	FK_refundable_tcodes
<b>REFUNDAFF</b>	affiliation_cod	char	2	FK_REFUNDAFF_affiliation	disabled	bit/log	1	
	refundable_id	char	30	FK_REFUNDAFF_refundable	REFUNDAFF_ce1	char	10	
	REFUNDAFF_fe1	float/dec	8		REFUNDAFF_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	REFUNDAFF_ne1	int	4		refundaff_percentage	float/dec	8	
	REFUNDAFF_rid	int	4	PK_REFUNDAFF_rid	tcodes	char	2	FK_REFUNDAFF_tcodes
<b>reg_campus</b>	camp_cod	char	10	FK_reg_campus_campus	reg_campus_ce1	char	10	
	reg_campus_ce2	char	10		reg_campus_ce3	char	20	
	reg_campus_de1	date	8		reg_campus_fe1	float/dec	8	
	reg_campus_le1	bit/log	1		reg_campus_ne1	int	4	
	reg_campus_rid	int	4	PK_reg_campus_rid	soc_sec	char	9	FK_reg_campus_name
<b>regacts</b>	activity_cod	char	3	FK_regacts_activity	regacts_ce1	char	10	
	regacts_ce2	char	10		regacts_ce3	char	20	
	regacts_de1	date	8		regacts_fe1	float/dec	8	
	regacts_le1	bit/log	1		regacts_ne1	int	4	
	regacts_rid	int	4	PK_regacts_rid				
<b>relatnsh</b>	disabled	bit/log	1		gender_cod	char	1	
	relation	char	10	PK_relatnsh	relatnsh_ce1	char	10	
	relatnsh_ce2	char	10		relatnsh_ce3	char	20	
	relatnsh_de1	date	8		relatnsh_fe1	float/dec	8	
	relatnsh_le1	bit/log	1		relatnsh_ne1	int	4	
<b>reljoin</b>	relation	char	10	FK_reljoin_relatnsh	relation2	char	10	FK_reljoin_relatnsh2
	reljoin_ce1	char	10		reljoin_ce2	char	10	
	reljoin_ce3	char	20		reljoin_de1	date	8	
	reljoin_fe1	float/dec	8		reljoin_le1	bit/log	1	
	reljoin_ne1	int	4		reljoin_rid	int	4	PK_reljoin
<b>reqcode</b>	disabled	bit/log	1		req_cod	char	4	PK_reqcode
	reqcod_ce1	char	10		reqcod_le1	bit/log	1	
	reqcod_ne1	int	4		reqcod_txt	char	40	
	reqcode_ce1	char	10		reqcode_ce2	char	10	
	reqcode_ce3	char	20		reqcode_de1	date	8	
	reqcode_fe1	float/dec	8		reqcode_le1	bit/log	1	
	reqcode_ne1	int	4					
<b>reqcodeoverview</b>	crstypcod	char	2		dept_cod	char	4	FK_reqcodeoverview_dept
	disabled	bit/log	1		level_	char	1	
	memo	memo	16		rco_ce1	char	10	
	rco_le1	bit/log	1		rco_ne1	int	4	
	req_cod	char	4	FK_reqcodeoverview_req_cod	reqcoddef_gpa	float/dec	8	
	reqcoddef_num	float/dec	8		reqcodeoverview_ce1	char	10	
	reqcodeoverview_ce2	char	10		reqcodeoverview_ce3	char	20	
	reqcodeoverview_de1	date	8		reqcodeoverview_fe1	float/dec	8	
	reqcodeoverview_le1	bit/log	1		reqcodeoverview_ne1	int	4	
	reqcodeoverview_rid	int	4	PK_reqcodeoverview	reqtype_cod	char	2	FK_reqcodeoverview_reqtype_cod
<b>reqtype</b>	disabled	bit/log	1		reqtype_ce1	char	10	
	reqtype_ce2	char	10		reqtype_ce3	char	20	
	reqtype_cod	char	2	PK_reqtype	reqtype_de1	date	8	
	reqtype_fe1	float/dec	8		reqtype_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	reqtype_ne1	int	4		reqtype_txt	char	40	
<b>Results</b>	ac_sem	char	50		ac_year	char	50	
	addr	char	50		amt_1	float/dec	8	
	bal	float/dec	8		bill_memo	memo	16	
	c_bal	float/dec	8		check_no	char	12	
	csz	char	254		d_bal	float/dec	8	
	due_date	date	8		invoice_no	char	16	
	name	char	254		p_bal	float/dec	8	
	posted	bit/log	1		ref_id	char	35	
	Results_ce1	char	10		Results_ce2	char	10	
	Results_ce3	char	20		Results_de1	date	8	
	Results_fe1	float/dec	8		Results_le1	bit/log	1	
	Results_ne1	int	4		results_rid	int	4	PK_Results
	sch_addr1	char	254		sch_addr2	char	254	
	sch_addr3	char	254		sch_yr	char	6	
	semester	char	2		soc_sec	char	9	
	token	char	16		trans_date	date	8	
<b>room</b>	bldg_cod	char	10	FK_room_building	disabled	bit/log	1	
	hndcap_fac	bit/log	1		hndcap_sts	int	4	
	room_ce1	char	10		room_ce2	char	10	
	room_ce3	char	20		room_cod	char	10	PK_room
	room_de1	date	8		room_fe1	float/dec	8	
	room_le1	bit/log	1		room_mem	memo	16	
	room_ne1	int	4		room_seats	int	4	
	room_txt	char	30					
<b>roomattributes</b>	disabled	bit/log	1		roomattr_ce1	char	10	
	roomattr_ce2	char	10		roomattr_ce3	char	20	
	roomattr_cod	char	2	pk_roomattr_cod	roomattr_de1	date	8	
	roomattr_fe1	float/dec	8		roomattr_le1	bit/log	1	
	roomattr_ne1	int	4					
<b>roomroomattr</b>	room_cod	char	10	fk_rrattr_room	roomattr_cod	char	2	fk_rrattr_roomattributes
	rr_cod	int	4		rrattr_ce1	char	10	
	rrattr_ce2	char	10		rrattr_ce3	char	20	
	rrattr_de1	date	8		rrattr_fe1	float/dec	8	
	rrattr_le1	bit/log	1		rrattr_ne1	int	4	
<b>rpt_1098T_HT</b>	HT	bit/log	1		rpt_1098T_HT_ce1	char	10	
	rpt_1098T_HT_ce2	char	10		rpt_1098T_HT_ce3	char	20	
	rpt_1098T_HT_de1	date	8		rpt_1098T_HT_fe1	float/dec	8	
	rpt_1098T_HT_le1	bit/log	1		rpt_1098T_HT_ne1	int	4	
	rpt_1098T_HT_rid	int	4		soc_sec	char	9	
	token	char	16					
<b>rpt_actv</b>	activity_cod	char	3		rpt_actv_ce1	char	10	
	rpt_actv_ce2	char	10		rpt_actv_ce3	char	20	
	rpt_actv_de1	date	8		rpt_actv_fe1	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	rpt_actv_le1	bit/log	1		rpt_actv_ne1	int	4	
	rpt_actv_rid	int	4	PK_rpt_actv	token	char	16	
<b>rpt_addrtype</b>	rpt_addrtype_ce1	char	10		rpt_addrtype_ce2	char	10	
	rpt_addrtype_ce3	char	20		rpt_addrtype_de1	date	8	
	rpt_addrtype_fe1	float/dec	8		rpt_addrtype_le1	bit/log	1	
	rpt_addrtype_ne1	int	4		rpt_addrtype_rid	int	4	
	token	char	16		type	char	10	
<b>rpt_adv</b>	rpt_adv_ce1	char	10		rpt_adv_ce2	char	10	
	rpt_adv_ce3	char	20		rpt_adv_de1	date	8	
	rpt_adv_fe1	float/dec	8		rpt_adv_le1	bit/log	1	
	rpt_adv_ne1	int	4		rpt_adv_rid	int	4	PK_rpt_adv
	soc_sec	char	9		token	char	16	
<b>rpt_agency</b>	agency_cod	char	10		rpt_agency_ce1	char	10	
	rpt_agency_ce2	char	10		rpt_agency_ce3	char	20	
	rpt_agency_de1	date	8		rpt_agency_fe1	float/dec	8	
	rpt_agency_le1	bit/log	1		rpt_agency_ne1	int	4	
	rpt_date_rid	int	4		token	char	16	
<b>rpt_appentrydt</b>	entry_date	date	8		rpt_appentrydt_ce1	char	10	
	rpt_appentrydt_ce2	char	10		rpt_appentrydt_ce3	char	20	
	rpt_appentrydt_de1	date	8		rpt_appentrydt_fe1	float/dec	8	
	rpt_appentrydt_le1	bit/log	1		rpt_appentrydt_ne1	int	4	
	rpt_appentrydt_rid	int	4		token	char	16	
<b>rpt_asof</b>	asofdate	date	8		rpt_asof_ce1	char	10	
	rpt_asof_ce2	char	10		rpt_asof_ce3	char	20	
	rpt_asof_de1	date	8		rpt_asof_fe1	float/dec	8	
	rpt_asof_le1	bit/log	1		rpt_asof_ne1	int	4	
	rpt_asof_rid	int	4		token	char	16	
<b>rpt_award</b>	awd_cod	char	9		rpt_award_ce1	char	10	
	rpt_award_ce2	char	10		rpt_award_ce3	char	20	
	rpt_award_de1	date	8		rpt_award_fe1	float/dec	8	
	rpt_award_le1	bit/log	1		rpt_award_ne1	int	4	
	rpt_award_rid	int	4		token	char	16	
<b>rpt_calyear</b>	calyear	char	4		rpt_calyear_ce1	char	10	
	rpt_calyear_ce2	char	10		rpt_calyear_ce3	char	20	
	rpt_calyear_de1	date	8		rpt_calyear_fe1	float/dec	8	
	rpt_calyear_le1	bit/log	1		rpt_calyear_ne1	int	4	
	rpt_calyear_rid	int	4		token	char	16	
<b>rpt_camp</b>	camp_cod	char	10		rpt_camp_ce1	char	10	
	rpt_camp_ce2	char	10		rpt_camp_ce3	char	20	
	rpt_camp_de1	date	8		rpt_camp_fe1	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	rpt_camp_le1	bit/log	1		rpt_camp_ne1	int	4	
	rpt_camp_rid	int	4	PK_rpt_camp	token	char	16	
<b>rpt_category</b>	categr_cod	char	15		token	char	16	
<b>rpt_crs</b>	crs_id	char	16		rpt_crs_ce1	char	10	
	rpt_crs_ce2	char	10		rpt_crs_ce3	char	20	
	rpt_crs_de1	date	8		rpt_crs_fe1	float/dec	8	
	rpt_crs_le1	bit/log	1		rpt_crs_ne1	int	4	
	rpt_crs_rid	int	4	PK_rpt_crs	token	char	16	
<b>rpt_date</b>	rpt_date_ce1	char	10		rpt_date_ce2	char	10	
	rpt_date_ce3	char	20		rpt_date_de1	date	8	
	rpt_date_fe1	float/dec	8		rpt_date_le1	bit/log	1	
	rpt_date_ne1	int	4		rpt_date_rid	int	4	
	rundate	date	8		token	char	16	
<b>rpt_dept</b>	dept_cod	char	4		rpt_dept_ce1	char	10	
	rpt_dept_ce2	char	10		rpt_dept_ce3	char	20	
	rpt_dept_de1	date	8		rpt_dept_fe1	float/dec	8	
	rpt_dept_le1	bit/log	1		rpt_dept_ne1	int	4	
	rpt_dept_rid	int	4	PK_rpt_dept	token	char	16	
<b>rpt_disp</b>	dispos	char	15		rpt_date_rid	int	4	
	rpt_disp_ce1	char	10		rpt_disp_ce2	char	10	
	rpt_disp_ce3	char	20		rpt_disp_de1	date	8	
	rpt_disp_fe1	float/dec	8		rpt_disp_le1	bit/log	1	
	rpt_disp_ne1	int	4		token	char	16	
<b>rpt_div</b>	div_cod	char	2		rpt_div_ce1	char	10	
	rpt_div_ce2	char	10		rpt_div_ce3	char	20	
	rpt_div_de1	date	8		rpt_div_fe1	float/dec	8	
	rpt_div_le1	bit/log	1		rpt_div_ne1	int	4	
	rpt_div_rid	int	4	PK_rpt_div	token	char	16	
<b>rpt_dts</b>	from_dt	date	8		rpt_dts_ce1	char	10	
	rpt_dts_ce2	char	10		rpt_dts_ce3	char	20	
	rpt_dts_de1	date	8		rpt_dts_fe1	float/dec	8	
	rpt_dts_le1	bit/log	1		rpt_dts_ne1	int	4	
	rpt_dts_rid	int	4	PK_rpt_dts	to_dt	date	8	
	token	char	16					
<b>rpt_events</b>	ev_rid	int	4		rpt_events_rid	int	4	
	token	char	16					
<b>rpt_fdtcodes</b>	fdtcodes	char	2		rpt_fdtcodes_rid	int	4	
	token	char	16					
<b>rpt_fieldname</b>	fieldname_code	char	300		rpt_fieldname_ce1	char	10	
	rpt_fieldname_ce2	char	10		rpt_fieldname_ce3	char	20	
	rpt_fieldname_de1	date	8		rpt_fieldname_fe1	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	rpt_fieldname_le1	bit/log	1		rpt_fieldname_ne1	int	4	
	rpt_fieldname_rid	int	4	PK_rpt_fieldname_rpt_fieldname_rid	token	char	16	
<b>rpt_funds</b>	funds_cod	char	3		rpt_funds_rid	int	4	
	token	char	16					
<b>rpt_grad_yr</b>	grad_yr_code	char	30		rpt_grad_yr_ce1	char	10	
	rpt_grad_yr_ce2	char	10		rpt_grad_yr_ce3	char	20	
	rpt_grad_yr_de1	date	8		rpt_grad_yr_fe1	float/dec	8	
	rpt_grad_yr_le1	bit/log	1		rpt_grad_yr_plan_ne1	int	4	
	rpt_grad_yr_rid	int	4	PK_rpt_grad_yr_rpt_grad_yr_rid	token	char	16	
<b>rpt_graduate</b>	graduate_code	bit/log	1		rpt_grad_yr_ce1	char	10	
	rpt_grad_yr_ce2	char	10		rpt_grad_yr_ce3	char	20	
	rpt_grad_yr_de1	date	8		rpt_grad_yr_fe1	float/dec	8	
	rpt_grad_yr_le1	bit/log	1		rpt_grad_yr_plan_ne1	int	4	
	rpt_graduate_rid	int	4	PK_rpt_graduate_rpt_graduate_rid	token	char	16	
<b>rpt_health</b>	item_no	int	4		token	char	16	
<b>rpt_holds</b>	hld_cod	char	12		rpt_holds_ce1	char	10	
	rpt_holds_ce2	char	10		rpt_holds_ce3	char	20	
	rpt_holds_de1	date	8		rpt_holds_fe1	float/dec	8	
	rpt_holds_le1	bit/log	1		rpt_holds_ne1	int	4	
	rpt_holds_rid	int	4		token	char	16	
<b>rpt_inst</b>	rpt_inst_ce1	char	10		rpt_inst_ce2	char	10	
	rpt_inst_ce3	char	20		rpt_inst_de1	date	8	
	rpt_inst_fe1	float/dec	8		rpt_inst_le1	bit/log	1	
	rpt_inst_ne1	int	4		rpt_inst_rid	int	4	PK_rpt_inst
	soc_sec	char	9		token	char	16	
<b>rpt_insttypcod</b>	insttypcod	char	1		rpt_insttypcod_ce1	char	10	
	rpt_insttypcod_ce2	char	10		rpt_insttypcod_ce3	char	20	
	rpt_insttypcod_de1	date	8		rpt_insttypcod_fe1	float/dec	8	
	rpt_insttypcod_le1	bit/log	1		rpt_insttypcod_ne1	int	4	
	rpt_insttypcod_rid	int	4	PK_rpt_insttypcod_rpt_insttypcod_rid	token	char	16	
<b>rpt_intrst</b>	interest	char	30		rpt_intrst_ce1	char	10	
	rpt_intrst_ce2	char	10		rpt_intrst_ce3	char	20	
	rpt_intrst_de1	date	8		rpt_intrst_fe1	float/dec	8	
	rpt_intrst_le1	bit/log	1		rpt_intrst_ne1	int	4	
	rpt_intrst_rid	int	4		token	char	16	
<b>rpt_jobs</b>	employer_rid	int	4		rpt_jobs_rid	int	4	PK_rpt_jobs_employer_rid
	token	char	16					

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
<b>rpt_labels</b>	labels	bit/log	1		rpt_labels_ce1	char	10	
	rpt_labels_ce2	char	10		rpt_labels_ce3	char	20	
	rpt_labels_de1	date	8		rpt_labels_fe1	float/dec	8	
	rpt_labels_le1	bit/log	1		rpt_labels_ne1	int	4	
	rpt_labels_rid	int	4		token	char	16	
<b>rpt_labels2</b>	labels2	bit/log	1		rpt_labels2_ce1	char	10	
	rpt_labels2_ce2	char	10		rpt_labels2_ce3	char	20	
	rpt_labels2_de1	date	8		rpt_labels2_fe1	float/dec	8	
	rpt_labels2_le1	bit/log	1		rpt_labels2_ne1	int	4	
	rpt_labels2_rid	int	4		token	char	16	
<b>rpt_lic</b>	license	char	20		token	char	16	
<b>rpt_lvl</b>	level_	char	1		rpt_lvl_ce1	char	10	
	rpt_lvl_ce2	char	10		rpt_lvl_ce3	char	20	
	rpt_lvl_de1	date	8		rpt_lvl_fe1	float/dec	8	
	rpt_lvl_le1	bit/log	1		rpt_lvl_ne1	int	4	
	rpt_lvl_rid	int	4	PK_rpt_lvl	token	char	16	
<b>rpt_mdst</b>	mod_stat	char	2		rpt_mdst_ce1	char	10	
	rpt_mdst_ce2	char	10		rpt_mdst_ce3	char	20	
	rpt_mdst_de1	date	8		rpt_mdst_fe1	float/dec	8	
	rpt_mdst_le1	bit/log	1		rpt_mdst_ne1	int	4	
	rpt_mdst_rid	int	4	PK_rpt_mdst	token	char	16	
<b>rpt_operator</b>	operator_code	char	300		rpt_operator_ce1	char	10	
	rpt_operator_ce2	char	10		rpt_operator_ce3	char	20	
	rpt_operator_de1	date	8		rpt_operator_fe1	float/dec	8	
	rpt_operator_le1	bit/log	1		rpt_operator_ne1	int	4	
	rpt_operator_rid	int	4	PK_rpt_operator_rpt_operator_rid	token	char	16	
<b>rpt_payplan</b>	nmpayplan_plan_ne1	int	4		payplan_code	char	30	
	rpt_payplan_ce1	char	10		rpt_payplan_ce2	char	10	
	rpt_payplan_ce3	char	20		rpt_payplan_de1	date	8	
	rpt_payplan_fe1	float/dec	8		rpt_payplan_le1	bit/log	1	
	rpt_payplan_rid	int	4	PK_rpt_payplan_rpt_payplan_rid	token	char	16	
<b>rpt_prog</b>	prg_cod	char	10		rpt_prog_ce1	char	10	
	rpt_prog_ce2	char	10		rpt_prog_ce3	char	20	
	rpt_prog_de1	date	8		rpt_prog_fe1	float/dec	8	
	rpt_prog_le1	bit/log	1		rpt_prog_ne1	int	4	
	rpt_prog_rid	int	4	PK_rpt_prog	token	char	16	
<b>rpt_radio</b>	radio_off	bit/log	1		radio_on	bit/log	1	
	rpt_radio_ce1	char	10		rpt_radio_ce2	char	10	
	rpt_radio_ce3	char	20		rpt_radio_de1	date	8	



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	rpt_radio_fe1	float/dec	8		rpt_radio_le1	bit/log	1	
	rpt_radio_ne1	int	4		rpt_radio_rid	int	4	
	token	char	16					
<b>rpt_rltr</b>	mod_stat	char	2		rpt_rltr_ce1	char	10	
	rpt_rltr_ce2	char	10		rpt_rltr_ce3	char	20	
	rpt_rltr_de1	date	8		rpt_rltr_fe1	float/dec	8	
	rpt_rltr_le1	bit/log	1		rpt_rltr_ne1	int	4	
	rpt_rltr_rid	int	4	PK_rpt_rltr	token	char	16	
	tr_ltr	char	8					
<b>rpt_schy</b>	rpt_schy_ce1	char	10		rpt_schy_ce2	char	10	
	rpt_schy_ce3	char	20		rpt_schy_de1	date	8	
	rpt_schy_fe1	float/dec	8		rpt_schy_le1	bit/log	1	
	rpt_schy_ne1	int	4		rpt_schy_rid	int	4	PK_rpt_schy
	sch_yr	char	6		token	char	16	
<b>rpt_sem</b>	rpt_sem_ce1	char	10		rpt_sem_ce2	char	10	
	rpt_sem_ce3	char	20		rpt_sem_de1	date	8	
	rpt_sem_fe1	float/dec	8		rpt_sem_le1	bit/log	1	
	rpt_sem_ne1	int	4		rpt_sem_rid	int	4	PK_rpt_sem
	semester	char	2		token	char	16	
<b>rpt_session</b>	rpt_session_ce1	char	10		rpt_session_ce2	char	10	
	rpt_session_ce3	char	20		rpt_session_de1	date	8	
	rpt_session_fe1	float/dec	8		rpt_session_le1	bit/log	1	
	rpt_session_ne1	int	4		rpt_session_rid	int	4	PK_rpt_session_rpt_session_rid
	session_code	char	10		token	char	16	
<b>rpt_socs</b>	rpt_socs_ce1	char	10		rpt_socs_ce2	char	10	
	rpt_socs_ce3	char	20		rpt_socs_de1	date	8	
	rpt_socs_fe1	float/dec	8		rpt_socs_le1	bit/log	1	
	rpt_socs_ne1	int	4		rpt_socs_rid	int	4	PK_rpt_socs
	soc_sec	char	9		token	char	16	
<b>rpt_startdt</b>	rpt_startdt_ce1	char	10		rpt_startdt_ce2	char	10	
	rpt_startdt_ce3	char	20		rpt_startdt_de1	date	8	
	rpt_startdt_fe1	float/dec	8		rpt_startdt_le1	bit/log	1	
	rpt_startdt_ne1	int	4		rpt_startdt_rid	int	4	
	start_date	date	8		token	char	16	
<b>rpt_teds</b>	rpt_teds_ce1	char	10		rpt_teds_ce2	char	10	
	rpt_teds_ce3	char	20		rpt_teds_de1	date	8	
	rpt_teds_fe1	float/dec	8		rpt_teds_le1	bit/log	1	
	rpt_teds_ne1	int	4		rpt_teds_rid	int	4	PK_rpt_teds
	tcodes	char	2		token	char	16	
<b>rpt_term</b>	rpt_term_ce1	char	10		rpt_term_ce2	char	10	
	rpt_term_ce3	char	20		rpt_term_de1	date	8	
	rpt_term_fe1	float/dec	8		rpt_term_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	rpt_term_ne1	int	4		rpt_term_rid	int	4	PK_rpt_term
	term_int	char	15		token	char	16	
<b>rpt_transcript_reqs</b>	nmact_cod	char	16		soc_sec	char	9	
	token	char	16		transcript_reqs_memo	memo	16	
<b>rpt_transfer</b>	rpt_transfer_rid	int	4	PK_rpt_transfer_rid	token	char	16	
	transfer_off	bit/log	1		transfer_on	bit/log	1	
<b>rpt_year</b>	rpt_year_ce1	char	10		rpt_year_ce2	char	10	
	rpt_year_ce3	char	20		rpt_year_de1	date	8	
	rpt_year_fe1	float/dec	8		rpt_year_le1	bit/log	1	
	rpt_year_ne1	int	4		rpt_year_rid	int	4	PK_rpt_year_rpt_year_rid
	token	char	16		year_code	char	10	
<b>sallie</b>	amount	float/dec	8		date	date	8	
	sch_yr	char	6		semester	char	1	
	soc_sec	char	9		ssn	char	9	
<b>sapgpa</b>	from_credit	float/dec	8		gpa	float/dec	8	
	sapgpa_ce1	char	10		sapgpa_ce2	char	10	
	sapgpa_ce3	char	10		sapgpa_de1	date	8	
	sapgpa_fe1	float/dec	8		sapgpa_le1	bit/log	1	
	sapgpa_ne1	int	4		sapgpa_rid	int	4	PK_sapgpa
	to_credit	float/dec	8					
<b>SAT</b>	birthdate	char	6		blank1	char	1	
	blank2	char	1		blank3	char	5	
	blank4	char	5		blank5	char	4	
	city	char	15		college_code	char	6	
	enroll_plan_serv	char	4		first	char	12	
	foreign_add_ind	char	1		foreign_country	char	25	
	hd_grad_date	char	4		last	char	15	
	M_AA_Blank1	char	6		M_AA_Blank2	char	3	
	M_AA_Num_Ques	char	2		M_AA_Percentile	char	2	
	M_GR_Blank1	char	6		M_GR_Blank2	char	3	
	M_GR_Blank3	char	2		M_GR_Num_Ques	char	2	
	M_GR_Percentile	char	2		mi	char	15	
	num_street	char	25		SAT_ce1	char	10	
	SAT_ce2	char	10		SAT_ce3	char	20	
	SAT_de1	date	8		SAT_fe1	float/dec	8	
	SAT_le1	bit/log	1		SAT_ne1	int	4	
	SAT1_M_Blank1	char	8		SAT1_M_Nat_Percentile	char	2	
	SAT1_M_State_Percentile	char	2		SAT1_Scores_1_Blank	char	7	
	SAT1_Scores_1_Date	char	4		SAT1_Scores_1_EL	char	1	
	SAT1_Scores_1_MS	char	3		SAT1_Scores_1_NI	char	1	
	SAT1_Scores_1_RS	char	1		SAT1_Scores_1_VS	char	3	
	SAT1_Scores_2_Blank	char	7		SAT1_Scores_2_Date	char	4	
	SAT1_Scores_2_EL	char	1		SAT1_Scores_2_MS	char	3	

Table	Column	Type	Len.	Keys	Table	Column	Type	Len.	Keys
	SAT1_Scores_2_NI	char	1			SAT1_Scores_2_RS	char	1	
	SAT1_Scores_2_VS	char	3			SAT1_Scores_3_Blank	char	7	
	SAT1_Scores_3_Date	char	4			SAT1_Scores_3_EL	char	1	
	SAT1_Scores_3_MS	char	3			SAT1_Scores_3_NI	char	1	
	SAT1_Scores_3_RS	char	1			SAT1_Scores_3_VS	char	3	
	SAT1_Scores_4_Blank	char	7			SAT1_Scores_4_Date	char	4	
	SAT1_Scores_4_EL	char	1			SAT1_Scores_4_MS	char	3	
	SAT1_Scores_4_NI	char	1			SAT1_Scores_4_RS	char	1	
	SAT1_Scores_4_VS	char	3			SAT1_Scores_5_Blank	char	7	
	SAT1_Scores_5_Date	char	4			SAT1_Scores_5_EL	char	1	
	SAT1_Scores_5_MS	char	3			SAT1_Scores_5_NI	char	1	
	SAT1_Scores_5_RS	char	1			SAT1_Scores_5_VS	char	3	
	SAT1_Scores_6_Blank	char	7			SAT1_Scores_6_Date	char	4	
	SAT1_Scores_6_EL	char	1			SAT1_Scores_6_MS	char	3	
	SAT1_Scores_6_NI	char	1			SAT1_Scores_6_RS	char	1	
	SAT1_Scores_6_VS	char	3			SAT1_V_Nat_Percentile	char	2	
	SAT1_V_State_Percentile	char	2			SAT2_Scores_1_Date	char	4	
	SAT2_Scores_1_EL	char	1			SAT2_Scores_1_NI	char	1	
	SAT2_Scores_1_RS	char	1			SAT2_Scores_1_S1_T1	char	2	
	SAT2_Scores_1_S1_T2	char	2			SAT2_Scores_1_S1_T3	char	2	
	SAT2_Scores_1_S2_T1	char	2			SAT2_Scores_1_S2_T2	char	2	
	SAT2_Scores_1_S2_T3	char	2			SAT2_Scores_1_S3_T1	char	2	
	SAT2_Scores_1_S3_T2	char	2			SAT2_Scores_1_S3_T3	char	2	
	SAT2_Scores_1_TC1	char	2			SAT2_Scores_1_TC2	char	2	
	SAT2_Scores_1_TC3	char	2			SAT2_Scores_1_TS1	char	3	
	SAT2_Scores_1_TS2	char	3			SAT2_Scores_1_TS3	char	3	
	SAT2_Scores_2_Date	char	4			SAT2_Scores_2_EL	char	1	
	SAT2_Scores_2_NI	char	1			SAT2_Scores_2_RS	char	1	
	SAT2_Scores_2_S1_T1	char	2			SAT2_Scores_2_S1_T2	char	2	
	SAT2_Scores_2_S1_T3	char	2			SAT2_Scores_2_S2_T1	char	2	
	SAT2_Scores_2_S2_T2	char	2			SAT2_Scores_2_S2_T3	char	2	
	SAT2_Scores_2_S3_T1	char	2			SAT2_Scores_2_S3_T2	char	2	
	SAT2_Scores_2_S3_T3	char	2			SAT2_Scores_2_TC1	char	2	
	SAT2_Scores_2_TC2	char	2			SAT2_Scores_2_TC3	char	2	
	SAT2_Scores_2_TS1	char	3			SAT2_Scores_2_TS2	char	3	
	SAT2_Scores_2_TS3	char	3			SAT2_Scores_3_Date	char	4	
	SAT2_Scores_3_EL	char	1			SAT2_Scores_3_NI	char	1	
	SAT2_Scores_3_RS	char	1			SAT2_Scores_3_S1_T1	char	2	
	SAT2_Scores_3_S1_T2	char	2			SAT2_Scores_3_S1_T3	char	2	
	SAT2_Scores_3_S2_T1	char	2			SAT2_Scores_3_S2_T2	char	2	
	SAT2_Scores_3_S2_T3	char	2			SAT2_Scores_3_S3_T1	char	2	
	SAT2_Scores_3_S3_T2	char	2			SAT2_Scores_3_S3_T3	char	2	
	SAT2_Scores_3_TC1	char	2			SAT2_Scores_3_TC2	char	2	
	SAT2_Scores_3_TC3	char	2			SAT2_Scores_3_TS1	char	3	
	SAT2_Scores_3_TS2	char	3			SAT2_Scores_3_TS3	char	3	
	SAT2_Scores_4_Date	char	4			SAT2_Scores_4_EL	char	1	
	SAT2_Scores_4_NI	char	1			SAT2_Scores_4_RS	char	1	

Table	Column	Type	Len.	Keys	Table	Column	Type	Len.	Keys
	SAT2_Scores_4_S1_T1	char	2			SAT2_Scores_4_S1_T2	char	2	
	SAT2_Scores_4_S1_T3	char	2			SAT2_Scores_4_S2_T1	char	2	
	SAT2_Scores_4_S2_T2	char	2			SAT2_Scores_4_S2_T3	char	2	
	SAT2_Scores_4_S3_T1	char	2			SAT2_Scores_4_S3_T2	char	2	
	SAT2_Scores_4_S3_T3	char	2			SAT2_Scores_4_TC1	char	2	
	SAT2_Scores_4_TC2	char	2			SAT2_Scores_4_TC3	char	2	
	SAT2_Scores_4_TS1	char	3			SAT2_Scores_4_TS2	char	3	
	SAT2_Scores_4_TS3	char	3			SAT2_Scores_5_Date	char	4	
	SAT2_Scores_5_EL	char	1			SAT2_Scores_5_NI	char	1	
	SAT2_Scores_5_RS	char	1			SAT2_Scores_5_S1_T1	char	2	
	SAT2_Scores_5_S1_T2	char	2			SAT2_Scores_5_S1_T3	char	2	
	SAT2_Scores_5_S2_T1	char	2			SAT2_Scores_5_S2_T2	char	2	
	SAT2_Scores_5_S2_T3	char	2			SAT2_Scores_5_S3_T1	char	2	
	SAT2_Scores_5_S3_T2	char	2			SAT2_Scores_5_S3_T3	char	2	
	SAT2_Scores_5_TC1	char	2			SAT2_Scores_5_TC2	char	2	
	SAT2_Scores_5_TC3	char	2			SAT2_Scores_5_TS1	char	3	
	SAT2_Scores_5_TS2	char	3			SAT2_Scores_5_TS3	char	3	
	SAT2_Scores_6_Date	char	4			SAT2_Scores_6_EL	char	1	
	SAT2_Scores_6_NI	char	1			SAT2_Scores_6_RS	char	1	
	SAT2_Scores_6_S1_T1	char	2			SAT2_Scores_6_S1_T2	char	2	
	SAT2_Scores_6_S1_T3	char	2			SAT2_Scores_6_S2_T1	char	2	
	SAT2_Scores_6_S2_T2	char	2			SAT2_Scores_6_S2_T3	char	2	
	SAT2_Scores_6_S3_T1	char	2			SAT2_Scores_6_S3_T2	char	2	
	SAT2_Scores_6_S3_T3	char	2			SAT2_Scores_6_TC1	char	2	
	SAT2_Scores_6_TC2	char	2			SAT2_Scores_6_TC3	char	2	
	SAT2_Scores_6_TS1	char	3			SAT2_Scores_6_TS2	char	3	
	SAT2_Scores_6_TS3	char	3			SAT2_Test_Blank1	char	10	
	SAT2_Test1_Nat_Percentile	char	2			SAT2_Test1_Subscore1	char	2	
	SAT2_Test1_Subscore2	char	2			SAT2_Test1_Subscore3	char	2	
	SAT2_Test2_Nat_Percentile	char	2			SAT2_Test2_Subscore1	char	2	
	SAT2_Test2_Subscore2	char	2			SAT2_Test2_Subscore3	char	2	
	SAT2_Test3_Nat_Percentile	char	2			SAT2_Test3_Subscore1	char	2	
	SAT2_Test3_Subscore2	char	2			SAT2_Test3_Subscore3	char	2	
	SAT2_W_IP_Blank1	char	6			SAT2_W_IP_Blank2	char	3	
	SAT2_W_IP_Num_Ques	char	2			SAT2_W_IP_Percentile	char	2	
	SAT2_W_IS_Blank1	char	6			SAT2_W_IS_Blank2	char	3	
	SAT2_W_IS_Num_Ques	char	2			SAT2_W_IS_Percentile	char	2	
	SAT2_W_ISE_Blank1	char	6			SAT2_W_ISE_Blank2	char	3	
	SAT2_W_ISE_Num_Ques	char	2			SAT2_W_ISE_Percentile	char	2	
	SAT2_W_WS_Blank1	char	2			SAT2_W_WS_Blank2	char	1	
	SAT2_W_WS_Blank3	char	2			SAT2_W_WS_Percentile	char	2	
	src	char	5			SDQ_1L	char	1	
	SDQ_2_4_SCH_2	char	1			SDQ_2_4_SCH_4	char	1	
	SDQ_2_4_SCH_U	char	1			SDQ_2_4_SCH_V	char	1	
	SDQ_Act_Date	char	4			SDQ_AG_AM	char	1	
	SDQ_AG_EN	char	1			SDQ_AG_FL	char	1	
	SDQ_AG_MA	char	1			SDQ_AG_NS	char	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	SDQ_AG_SS	char	1		SDQ_AM_AH	char	1	
	SDQ_AM_AP	char	1		SDQ_AM_DA	char	1	
	SDQ_AM_DR	char	1		SDQ_AM_MH	char	1	
	SDQ_AM_MI	char	1		SDQ_AM_NE	char	1	
	SDQ_AM_PF	char	1		SDQ_AM_SA	char	1	
	SDQ_AP_A	char	1		SDQ_AP_B	char	1	
	SDQ_AP_C	char	1		SDQ_AP_D	char	1	
	SDQ_AP_E	char	1		SDQ_AP_F	char	1	
	SDQ_AP_G	char	1		SDQ_AP_H	char	1	
	SDQ_AP_I	char	1		SDQ_AP_J	char	1	
	SDQ_AP_K	char	1		SDQ_AP_L	char	1	
	SDQ_BL	char	1		SDQ_Blank_1	char	2	
	SDQ_Blank_2	char	16		SDQ_Blank_3	char	5	
	SDQ_CA_A	char	1		SDQ_CA_B	char	1	
	SDQ_CA_C	char	1		SDQ_CA_D	char	1	
	SDQ_CA_E	char	1		SDQ_CA_F	char	1	
	SDQ_CA_G	char	1		SDQ_CA_H	char	1	
	SDQ_CA_I	char	1		SDQ_CA_J	char	1	
	SDQ_CA_K	char	1		SDQ_CA_L	char	1	
	SDQ_CA_M	char	1		SDQ_CA_N	char	1	
	SDQ_CA_O	char	1		SDQ_CA_P	char	1	
	SDQ_CA_Q	char	1		SDQ_CA_R	char	1	
	SDQ_CA_S	char	1		SDQ_CA_T	char	1	
	SDQ_CA_U	char	1		SDQ_CE_FC	char	1	
	SDQ_CI	char	1		SDQ_CO_BC	char	1	
	SDQ_CO_CG	char	1		SDQ_CO_CP	char	1	
	SDQ_CO_IA	char	1		SDQ_CO_NE	char	1	
	SDQ_CO_US	char	1		SDQ_CO_WP	char	1	
	SDQ_CT_AL	char	1		SDQ_CT_CO	char	1	
	SDQ_CT_UN	char	1		SDQ_DG	char	1	
	SDQ_EN_AL	char	1		SDQ_EN_BL	char	1	
	SDQ_EN_CO	char	1		SDQ_EN_ES	char	1	
	SDQ_EN_GR	char	1		SDQ_EN_LD	char	1	
	SDQ_EN_LO	char	1		SDQ_EN_SL	char	1	
	SDQ_ETHNIC	char	1		SDQ_FA	char	1	
	SDQ_FC_MJ	char	3		SDQ_Filler	char	6	
	SDQ_FL_CH	char	2		SDQ_FL_FR	char	2	
	SDQ_FL_GE	char	2		SDQ_FL_GR	char	2	
	SDQ_FL_HE	char	2		SDQ_FL_IT	char	2	
	SDQ_FL_JA	char	2		SDQ_FL_KO	char	2	
	SDQ_FL_LA	char	2		SDQ_FL_OL	char	2	
	SDQ_FL_RU	char	2		SDQ_FL_SP	char	2	
	SDQ_GPA	char	1		SDQ_HP	char	1	
	SDQ_HS_A1	char	30		SDQ_HS_A1_10	char	1	
	SDQ_HS_A1_11	char	1		SDQ_HS_A1_12	char	1	
	SDQ_HS_A1_9	char	1		SDQ_HS_A1_D	char	1	
	SDQ_HS_A1_OA	char	1		SDQ_HS_A10_10	char	1	

Table	Column	Type	Len.	Keys	Table	Column	Type	Len.	Keys
	SDQ_HS_A10_11	char	1			SDQ_HS_A10_12	char	1	
	SDQ_HS_A10_9	char	1			SDQ_HS_A10_D	char	1	
	SDQ_HS_A10_OA	char	1			SDQ_HS_A2	char	30	
	SDQ_HS_A2_10	char	1			SDQ_HS_A2_11	char	1	
	SDQ_HS_A2_12	char	1			SDQ_HS_A2_9	char	1	
	SDQ_HS_A2_D	char	1			SDQ_HS_A2_OA	char	1	
	SDQ_HS_A3	char	30			SDQ_HS_A3_10	char	1	
	SDQ_HS_A3_11	char	1			SDQ_HS_A3_12	char	1	
	SDQ_HS_A3_9	char	1			SDQ_HS_A3_D	char	1	
	SDQ_HS_A3_OA	char	1			SDQ_HS_A4_10	char	1	
	SDQ_HS_A4_11	char	1			SDQ_HS_A4_12	char	1	
	SDQ_HS_A4_9	char	1			SDQ_HS_A4_D	char	1	
	SDQ_HS_A4_OA	char	1			SDQ_HS_A5_10	char	1	
	SDQ_HS_A5_11	char	1			SDQ_HS_A5_12	char	1	
	SDQ_HS_A5_9	char	1			SDQ_HS_A5_D	char	1	
	SDQ_HS_A5_OA	char	1			SDQ_HS_A6_10	char	1	
	SDQ_HS_A6_11	char	1			SDQ_HS_A6_12	char	1	
	SDQ_HS_A6_9	char	1			SDQ_HS_A6_D	char	1	
	SDQ_HS_A6_OA	char	1			SDQ_HS_A7_10	char	1	
	SDQ_HS_A7_11	char	1			SDQ_HS_A7_12	char	1	
	SDQ_HS_A7_9	char	1			SDQ_HS_A7_D	char	1	
	SDQ_HS_A7_OA	char	1			SDQ_HS_A8_10	char	1	
	SDQ_HS_A8_11	char	1			SDQ_HS_A8_12	char	1	
	SDQ_HS_A8_9	char	1			SDQ_HS_A8_D	char	1	
	SDQ_HS_A8_OA	char	1			SDQ_HS_A9_10	char	1	
	SDQ_HS_A9_11	char	1			SDQ_HS_A9_12	char	1	
	SDQ_HS_A9_9	char	1			SDQ_HS_A9_D	char	1	
	SDQ_HS_A9_OA	char	1			SDQ_HS_AP	char	2	
	SDQ_HS_C	char	6			SDQ_HS_DR	char	6	
	SDQ_HS_HC	char	1			SDQ_HS_LO	char	1	
	SDQ_HS_N	char	30			SDQ_HS_PS	char	1	
	SDQ_HS_Rank	char	1			SDQ_HS_Response	char	1	
	SDQ_HS_SC	char	1			SDQ_HS_TN	char	10	
	SDQ_HS_TY	char	1			SDQ_HS_UG	char	4	
	SDQ_LO_BS	char	1			SDQ_LO_CH	char	1	
	SDQ_LO_HS	char	1			SDQ_LO_OU	char	1	
	SDQ_LO_SB	char	1			SDQ_LO_UN	char	1	
	SDQ_MY_AL	char	2			SDQ_MY_CA	char	2	
	SDQ_MY_CM	char	2			SDQ_MY_GE	char	2	
	SDQ_MY_OM	char	2			SDQ_MY_PR	char	2	
	SDQ_MY_TR	char	2			SDQ_NS_BI	char	2	
	SDQ_NS_CH	char	2			SDQ_NS_GE	char	2	
	SDQ_NS_OS	char	2			SDQ_NS_PH	char	2	
	SDQ_OM_1	char	3			SDQ_OM_2	char	3	
	SDQ_OM_3	char	3			SDQ_OM_4	char	3	
	SDQ_PI_PR_N	char	1			SDQ_PI_PR_R	char	1	
	SDQ_PI_PU	char	1			SDQ_PI_UN	char	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	SDQ_PT	char	1		SDQ_RE	char	2	
	SDQ_RS_A	char	1		SDQ_RS_B	char	1	
	SDQ_RS_C	char	1		SDQ_RS_D	char	1	
	SDQ_RS_E	char	1		SDQ_RS_F	char	1	
	SDQ_RS_G	char	1		SDQ_SE_LC	char	1	
	SDQ_SE_ME	char	1		SDQ_SE_RU	char	1	
	SDQ_SE_SC	char	1		SDQ_SE_SU	char	1	
	SDQ_SE_UN	char	1		SDQ_SI_A	char	1	
	SDQ_SI_B	char	1		SDQ_SI_C	char	1	
	SDQ_SI_D	char	1		SDQ_SI_E	char	1	
	SDQ_SI_F	char	1		SDQ_SP_1	char	1	
	SDQ_SP_2	char	1		SDQ_SP_3	char	1	
	SDQ_SP_4	char	1		SDQ_SP_5	char	1	
	SDQ_SP_6	char	1		SDQ_SP_Response	char	1	
	SDQ_SS_AH	char	2		SDQ_SS_AN	char	2	
	SDQ_SS_EC	char	2		SDQ_SS_EH	char	2	
	SDQ_SS_GE	char	2		SDQ_SS_OS	char	2	
	SDQ_SS_PS	char	2		SDQ_SS_SO	char	2	
	SDQ_SS_UG	char	2		SDQ_SS_UH	char	2	
	SDQ_SS_WH	char	2		SDQ_TYS_AM	char	2	
	SDQ_TYS_EN	char	2		SDQ_TYS_FL	char	2	
	SDQ_TYS_MA	char	2		SDQ_TYS_NS	char	2	
	SDQ_TYS_SS	char	2		sex	char	1	
	ssn	char	9		state	char	2	
	telephone	char	10		V_AN_Blank1	char	6	
	V_AN_Blank2	char	3		V_AN_Num_Ques	char	2	
	V_AN_Percentile	char	2		V_CR_Blank1	char	6	
	V_CR_Blank2	char	3		V_CR_Num_Ques	char	2	
	V_CR_Percentile	char	2		V_SC_Blank1	char	6	
	V_SC_Blank2	char	3		V_SC_Num_Ques	char	2	
	V_SC_Percentile	char	2		zip	char	9	
<b>schoolvar1098T</b>	address	char	40		city	char	40	
	contact_email	char	35		contact_name	char	40	
	contact_phone	char	19		control_name	char	4	
	foreign_entity	char	1		name	char	40	
	name2	char	40		schoolvar1098T_ce1	char	10	
	schoolvar1098T_ce2	char	10		schoolvar1098T_ce3	char	20	
	schoolvar1098T_de1	date	8		schoolvar1098T_fe1	float/dec	8	
	schoolvar1098T_le1	bit/log	1		schoolvar1098T_ne1	int	4	
	state	char	2	FK_schoolvar1098T_state	tcc	char	5	
	tin	char	13		zip	char	10	
<b>scores</b>	course	char	8		dt_taken	date	8	
	element_rid	int	4	FK_scores_element	exclude	bit/log	1	
	possible	float/dec	8		sch_yr	char	6	
	scor_desc	char	25		score	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	scores_ce1	char	10		scores_ce2	char	10	
	scores_ce3	char	20		scores_de1	date	8	
	scores_fe1	float/dec	8		scores_le1	bit/log	1	
	scores_ne1	int	4		scores_rid	int	4	PK_scores
	section	char	2		semester	char	2	
	sid	char	16	FK_scores_crsect	sid_element_ct	char	25	
	soc_sec	char	9	FK_scores_name				
<b>scripts</b>	date_error	date	8		date_mod	date	8	
	date_ran	date	8		disable_bit	bit/log	1	
	disable_date	date	8		disable_operator	char	8	
	error_flag	bit/log	1		file_name	char	50	
	script_rid	int	4	PK_script_rid	scripts_ce1	char	10	
	scripts_ce2	char	10		scripts_ce3	char	20	
	scripts_de1	date	8		scripts_fe1	float/dec	8	
	scripts_le1	bit/log	1		scripts_memo	memo	16	
	scripts_ne1	int	4					
<b>SECFEEAFF</b>	affiliation_cod	char	2	FK_SECFEEAFF_affiliation	amount	float/dec	8	
	disabled	bit/log	1		enrollcode	char	2	FK_SECFEEAFF_enrollcode
	SECFEEAFF_ce1	char	10		SECFEEAFF_fe1	float/dec	8	
	SECFEEAFF_le1	bit/log	1		SECFEEAFF_ne1	int	4	
	SECFEEAFF_rid	int	4	PK_SECFEEAFF_rid	sid	char	16	
	tcodes	char	2	FK_SECFEEAFF_tcodes				
<b>sectask</b>	sectask_ce1	char	10		sectask_ce2	char	10	
	sectask_ce3	char	20		sectask_de1	date	8	
	sectask_fe1	float/dec	8		sectask_le1	bit/log	1	
	sectask_ne1	int	4		task_ce1	char	10	
	task_cod	char	3	PK_sectask	task_le1	bit/log	1	
	task_ne1	int	4		task_txt	char	30	
<b>section</b>	disabled	bit/log	1		section	char	2	PK_section
	section_ce1	char	10		section_ce2	char	10	
	section_ce3	char	20		section_de1	date	8	
	section_fe1	float/dec	8		section_le1	bit/log	1	
	section_ne1	int	4		sortorder	int	4	
<b>sectwght</b>	sectwght_ce1	char	10		sectwght_ce2	char	10	
	sectwght_ce3	char	20		sectwght_de1	date	8	
	sectwght_fe1	float/dec	8		sectwght_le1	bit/log	1	
	sectwght_ne1	int	4		sectwght_rid	int	4	PK_sectwght
	sid	char	16	FK_sectwght_crsect	weight_id	char	10	FK_sectwght_weight
<b>security</b>	disabled	bit/log	1		logged_in	bit/log	1	
	password	char	6		prof_cod	char	10	FK_security_webprof
	reg_prompt	bit/log	1		retries	int	4	
	security_ce1	char	10		security_ce2	char	10	
	security_ce3	char	20		security_de1	date	8	
	security_fe1	float/dec	8		security_le1	bit/log	1	



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	security_ne1	int	4		soc_sec	char	9	FK_security_name
	user_id	char	8	PK_security				
<b>semester</b>	disabled	bit/log	1		report_skip	bit/log	1	
	semester	char	2	PK_semester	semester_ce1	char	10	
	semester_ce2	char	10		semester_ce3	char	20	
	semester_de1	date	8		semester_fe1	float/dec	8	
	semester_le1	bit/log	1		semester_ne1	int	4	
	sm_desc	char	10		smend_dt	date	8	
	smst_dt	date	8					
<b>sessions</b>	disabled	bit/log	1		session	char	2	PK_session
	sessions_ce1	char	10		sessions_ce2	char	10	
	sessions_ce3	char	20		sessions_de1	date	8	
	sessions_end_dt	date	8		sessions_fe1	float/dec	8	
	sessions_le1	bit/log	1		sessions_ne1	int	4	
	sessions_start_dt	date	8					
<b>sonrequiredfields</b>	acadstat_cod	char	8	FK_sonrequiredfields_acadstat	activity_cod	char	3	<b>PK to PK</b>
	appchk_cod	char	2	FK_sonrequiredfields_appchk_cod	awd_cod	char	8	FK_sonrequiredfields_awd_cod
	blgd_cod	char	10	FK_sonrequiredfields_building	blgdtype_cod	char	2	FK_sonrequiredfields_bldgtype
	camp_cod	char	10	FK_sonrequiredfields_campus	caption_id	char	50	FK_sonrequiredfields_caption_id
	categr_cod	char	15	FK_sonrequiredfields_category	constit_rating	char	10	FK_sonrequiredfields_constit_rating
	constit_type_cod	char	2	FK_sonrequiredfields_constit_type	day_rid	char	1	FK_sonrequiredfields_day_rid
	dept_cod	char	4	FK_sonrequiredfields_dept	div_cod	char	2	FK_sonrequiredfields_division
	enrollcode	char	2	FK_sonrequiredfields_enrollcode	enstat_cod	char	2	FK_sonrequiredfields_enrlstat
	funds_cod	char	3	FK_sonrequiredfields_funds_cod	gender_cod	char	1	
	giving_level	char	30	FK_sonrequiredfields_giving_level	grade	char	5	FK_sonrequiredfields_grades
	hld_cod	char	12	FK_sonrequiredfields_hld_cod	inqtypecod	char	2	FK_sonrequiredfields_inqtype
	job_class_cod	char	2	FK_sonrequiredfields_job_class	level_	char	1	FK_sonrequiredfields_level
	mar_cod	char	2		mod_stat	char	2	FK_sonrequiredfields_modstat
	prg_cod	char	10	FK_sonrequiredfields_program	programtype_rid	int	4	FK_sonrequiredfields_programtype
	room_cod	char	10	FK_sonrequiredfields_room	section	char	2	FK_sonrequiredfields_section
	semester	char	2	FK_sonrequiredfields_semester	session	char	2	FK_sonrequiredfields_sessions
	soc_sec	char	9	FK_sonrequiredfields_name	sonrequiredfields_ce1	char	10	
	sonrequiredfields_ce2	char	10		sonrequiredfields_ce3	char	20	
	sonrequiredfields_de1	date	8		sonrequiredfields_fe1	float/dec	8	
	sonrequiredfields_le1	bit/log	1		sonrequiredfields_ne1	int	4	
	sonrequiredfields_rid	int	4	PK_sonrequiredfields	task_cod	char	3	FK_sonrequiredfields_task_cod
	tcodes	char	2	FK_sonrequiredfields_tcodes	type	char	10	FK_sonrequiredfields_type
	when_code	char	3	FK_sonrequiredfields_when_code				
<b>sp_taken</b>	@obc	int	4		@return_v	int	4	
<b>spneed</b>	disabled	bit/log	1		spneed_ce1	char	10	
	spneed_ce2	char	10		spneed_ce3	char	20	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	spneed_cod	char	2	PK_spneed	spneed_de1	date	8	
	spneed_fe1	float/dec	8		spneed_le1	bit/log	1	
	spneed_ne1	int	4		spneed_txt	char	20	
<b>srhcamp</b>	camp_cod	char	10	FK_srhcamp_campus	camp_rid	char	16	PK_srhcamp
	prof_cod	char	10	FK_srhcamp_webprof	scamp_ce1	char	10	
	scamp_le1	bit/log	1		scamp_ne1	int	4	
	soc_sec	char	9	FK_srhcamp_name	srhcamp_ce1	char	10	
	srhcamp_ce2	char	10		srhcamp_ce3	char	20	
	srhcamp_de1	date	8		srhcamp_fe1	float/dec	8	
	srhcamp_le1	bit/log	1		srhcamp_ne1	int	4	
	user_id	char	8	FK_srhcamp_security				
<b>srchdept</b>	dept_cod	char	4	FK_srchdept_dept	dept_rid	char	16	PK_srchdept
	prof_cod	char	10	FK_srchdept_webprof	sdept_ce1	char	10	
	sdept_le1	bit/log	1		sdept_ne1	int	4	
	soc_sec	char	9	FK_srchdept_name	srchdept_ce1	char	10	
	srchdept_ce2	char	10		srchdept_ce3	char	20	
	srchdept_de1	date	8		srchdept_fe1	float/dec	8	
	srchdept_le1	bit/log	1		srchdept_ne1	int	4	
	user_id	char	8	FK_srchdept_security				
<b>srchdiv</b>	div_cod	char	2	FK_srchdiv_division	div_rid	char	16	PK_srchdiv
	prof_cod	char	10	FK_srchdiv_webprof	sdiv_ce1	char	10	
	sdiv_le1	bit/log	1		sdiv_ne1	int	4	
	soc_sec	char	9	FK_srchdiv_name	srchdiv_ce1	char	10	
	srchdiv_ce2	char	10		srchdiv_ce3	char	20	
	srchdiv_de1	date	8		srchdiv_fe1	float/dec	8	
	srchdiv_le1	bit/log	1		srchdiv_ne1	int	4	
	user_id	char	8	FK_srchdiv_security				
<b>srchmod</b>	mod_rid	char	16	PK_srchmod	mod_stat	char	2	FK_srchmod_modstat
	prof_cod	char	10	FK_srchmod_webprof	smod_ce1	char	10	
	smod_le1	bit/log	1		smod_ne1	int	4	
	soc_sec	char	9	FK_srchmod_name	srchmod_ce1	char	10	
	srchmod_ce2	char	10		srchmod_ce3	char	20	
	srchmod_de1	date	8		srchmod_fe1	float/dec	8	
	srchmod_le1	bit/log	1		srchmod_ne1	int	4	
	user_id	char	8	FK_srchmod_security				
<b>state</b>	disabled	bit/log	1		state_abbr	char	2	PK_state
	state_ce1	char	10		state_ce2	char	10	
	state_ce3	char	20		state_de1	date	8	
	state_fe1	float/dec	8		state_le1	bit/log	1	
	state_name	char	50		state_ne1	int	4	
<b>std_fee</b>	amt_1	float/dec	8		disabled	bit/log	1	
	std_cod	char	8	PK_std_fee	std_fee_ce1	char	10	
	std_fee_ce2	char	10		std_fee_ce3	char	20	
	std_fee_de1	date	8		std_fee_fe1	float/dec	8	
	std_fee_le1	bit/log	1		std_fee_ne1	int	4	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	std_txt	char	35					
stud_booklists	@token	char	16					
stud_profile	@token	char	16					
studdirectory	@token	char	16					
studdirectory_lvls	@token	char	16					
studlist	@token	char	16					
subreqcodedet	req_cod	char	4	FK_subreqcodedet_req_cod	reqcodeoverview_rid	int	4	FK_subreqcodedet_reqcodeoverview_rid
	required	bit/log	1		subreqcodedet_ce1	char	10	
	subreqcodedet_ce2	char	10		subreqcodedet_ce3	char	20	
	subreqcodedet_de1	date	8		subreqcodedet_fe1	float/dec	8	
	subreqcodedet_le1	bit/log	1		subreqcodedet_ne1	int	4	
	subreqcodedet_rid	int	4	PK_subreqcodedet				
sysvar	adm_email	char	35		adminlck	bit/log	1	
	admiss_off	char	35		admiss_phn	char	15	
	admiss_ttl	char	35		best_rpt_grd	bit/log	1	
	bill_memo	memo	16		bill_only	bit/log	1	
	blnk_offic	bit/log	1		ck_awdstat	bit/log	1	
	clin_hrs	char	4		clin_incl	bit/log	1	
	comm_dt	bit/log	1		cur_schyr	char	6	
	cur_sem	char	2	FK_sysvar_semester	def_bldt	date	8	
	deg_tran	bit/log	1		dir_email	char	35	
	dir_phn	char	15		director	char	35	
	dirtitle	char	30		dorm_cost	float/dec	8	
	dup_nameck	bit/log	1		enter	date	8	FK_sysvar_appentrydate
	fa_email	char	35		fa_int	bit/log	1	
	fa_officer	char	35		fa_phone	char	15	
	fa_title	char	30		faculty	bit/log	1	
	fax	char	15		fice	char	7	
	flat_cred	float/dec	8		flat_fee	bit/log	1	
	flatfee_ref	char	7		gen_examid	bit/log	1	
	gen_id	bit/log	1		gen_prosid	bit/log	1	
	gl_int	bit/log	1		label_caps	bit/log	1	
	label_code	char	4		multi_gpa	bit/log	1	
	nln_pre	bit/log	1		nmers_transfer_edits	bit/log	1	
	noufta	float/dec	8		num_log	float/dec	8	
	ope_id	char	8		pell_hours	bit/log	1	
	phone	char	15		pintype	char	1	
	post92b	bit/log	1		Prospect_ED	date	8	
	regstr_off	char	35		regstr_phn	char	15	
	regstr_ttl	char	35		remarks	memo	16	
	rgs_email	char	35		schaddr1	char	60	
	schaddr2	char	45		schaddr3	char	35	
	schaddr4	char	35		schl_email	char	35	
	school_id	char	10	PK_sysvar	showexpp	bit/log	1	
	showexpt	bit/log	1		sql_password	char	20	
	sql_user	char	20		sys_menu	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	sysgrad	date	8		sysvar_ce1	char	10	
	sysvar_ce2	char	10		sysvar_ce3	char	20	
	sysvar_de1	date	8		sysvar_fe1	float/dec	8	
	sysvar_le1	bit/log	1		sysvar_ne1	int	4	
	terms	int	4		three_dec	bit/log	1	
	title	char	60		trace	bit/log	1	
	tran_order	char	1		transcript_ce	bit/log	1	
	transcript_IP	bit/log	1		truncate_3_gpa	bit/log	1	
	truncate_gpa	bit/log	1		version	char	5	
	xfergpa	bit/log	1		year_over	bit/log	1	
<b>tcodes</b>	act_code	char	1		act_type	char	1	
	chk_refund	bit/log	1		descript	char	35	
	disabled	bit/log	1		exit_pt	char	50	
	exit_rtm	bit/log	1		fed_rpt1	bit/log	1	
	fed_rpt2	bit/log	1		heading1	char	8	
	heading2	char	8		inc_bill	bit/log	1	
	inc_sum	bit/log	1		post_awd	bit/log	1	
	refer_id	char	35		refund1098T	bit/log	1	
	report_skip	bit/log	1		sequence	int	4	
	tcodes	char	2	PK_tcodes	tcodes_ce1	char	10	
	tcodes_ce2	char	10		tcodes_ce3	char	20	
	tcodes_de1	date	8		tcodes_fe1	float/dec	8	
	tcodes_le1	bit/log	1		tcodes_ne1	int	4	
<b>tenure_activities</b>	soc_sec	char	9	PK to PK	tenure_activities_ce1	char	10	
	tenure_activities_de1	date	8		tenure_activities_fe1	float/dec	8	
	tenure_activities_le1	bit/log	1		tenure_activities_memo	memo	16	
	tenure_activities_ne1	int	4					
<b>tenure_admin_assign</b>	soc_sec	char	9	PK to PK	tenure_admin_assign_ce1	char	10	
	tenure_admin_assign_de1	date	8		tenure_admin_assign_fe1	float/dec	8	
	tenure_admin_assign_le1	bit/log	1		tenure_admin_assign_memo	memo	16	
	tenure_admin_assign_ne1	int	4					
<b>tenure_awards</b>	soc_sec	char	9	PK to PK	tenure_awards_ce1	char	10	
	tenure_awards_de1	date	8		tenure_awards_fe1	float/dec	8	
	tenure_awards_le1	bit/log	1		tenure awards memo	memo	16	
	tenure_awards_ne1	int	4					
<b>tenure_committees</b>	soc_sec	char	9	PK to PK	tenure_committees_ce1	char	10	
	tenure_committees_de1	date	8		tenure_committees_fe1	float/dec	8	
	tenure_committees_le1	bit/log	1		tenure_committees_memo	memo	16	
	tenure_committees_ne1	int	4					
<b>tenure_grants</b>	soc_sec	char	9	PK to PK	tenure_grants_ce1	char	10	
	tenure_grants_de1	date	8		tenure_grants_fe1	float/dec	8	
	tenure_grants_le1	bit/log	1		tenure_grants_memo	memo	16	
	tenure_grants_ne1	int	4					
<b>tenure_publications</b>	soc_sec	char	9	PK to PK	tenure_publications_ce1	char	10	
	tenure_publications_de1	date	8		tenure_publications_fe1	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	tenure_publications_le1	bit/log	1		tenure_publications_memo	memo	16	
	tenure_publications_ne1	int	4					
<b>test</b>	disabled	bit/log	1		state	char	2	FK_test_state
	test_ce1	char	10		test_ce2	char	10	
	test_ce3	char	20		test_cod	char	2	PK_test
	test_de1	date	8		test_fe1	float/dec	8	
	test_le1	bit/log	1		test_ne1	int	4	
	test_txt	char	15					
<b>textbooks</b>	auth_first_name	char	30		auth_last_name	char	30	
	edition	char	20		fac_soc_sec	char	9	FK_textbooks_name
	ISBN	char	16		memo	memo	16	
	price	float/dec	8		pub_year	char	4	
	textbook_title	char	50		textbooks_ce1	char	10	
	textbooks_ce2	char	10		textbooks_ce3	char	20	
	textbooks_de1	date	8		textbooks_fe1	float/dec	8	
	textbooks_le1	bit/log	1		textbooks_ne1	int	4	
	textbooks_rid	int	4	PK_textbooks				
<b>textbooksrs</b>	crs_id	char	16	FK_textbooksrsrs course	textbooks_rid	int	4	FK_textbooksrsrs textbooks
	textbooksrsrs_ce1	char	10		textbooksrsrs_ce2	char	10	
	textbooksrsrs_ce3	char	20		textbooksrsrs_de1	date	8	
	textbooksrsrs_fe1	float/dec	8		textbooksrsrs_le1	bit/log	1	
	textbooksrsrs_ne1	int	4		textbooksrsrs_rid	int	4	PK_textbooksrsrs
<b>textbooksrssect</b>	sid	char	16	FK_textbooksrssect_crssect	textbooks_rid	int	4	FK_textbooksrssect_textbooks
	textbooksrssect_ce1	char	10		textbooksrssect_ce2	char	10	
	textbooksrssect_ce3	char	20		textbooksrssect_de1	date	8	
	textbooksrssect_fe1	float/dec	8		textbooksrssect_le1	bit/log	1	
	textbooksrssect_ne1	int	4		textbooksrssect_rid	int	4	PK_textbooksrssect
<b>tmp_actmap</b>	actmap_id	int	4		tmp_actmap_id	int	4	
	token	char	16					
<b>tmp_address</b>	city	char	35		country	char	25	
	county_cod	char	3		county_txt	char	30	
	soc_sec	char	9		state	char	2	
	token	char	16		zip	char	10	
<b>tmp_adv</b>	active	bit/log	1		adv_ssn	char	9	
	advisor_name	char	65		soc_sec	char	9	
	start_dt	date	8		stop_dt	date	8	
	token	char	16					
<b>tmp_advisor</b>	adv_ssn	char	9		soc_sec	char	9	
	token	char	16					
<b>tmp_approg</b>	app_date	date	8		prg_txt	char	40	
	soc_sec	char	9		token	char	16	
<b>tmp_course</b>	course	char	8		crs_id	char	16	
	soc_sec	char	9		token	char	16	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
<b>tmp_creds_cumm</b>	creds_cumm	float/dec	8		soc_sec	char	9	
	token	char	16					
<b>tmp_creds_sem</b>	creds_sem	float/dec	8		soc_sec	char	9	
	token	char	16					
<b>tmp_dispos</b>	disp_date	date	8		dispos	char	15	
	soc_sec	char	9		token	char	16	
<b>tmp_edu</b>	degree	char	35		enter_date	date	8	
	soc_sec	char	9		token	char	16	
<b>tmp_emp</b>	contact	bit/log	1		emp_employ	char	50	
	soc_sec	char	9		token	char	16	
	when_code	char	3					
<b>tmp_enrollstat</b>	enstat_cod	char	2		enstat_txt	char	20	
	soc_sec	char	9		token	char	16	
<b>tmp_fd_actmap</b>	fd_actmap_id	int	4		tmp_fd_actmap_id	int	4	PK tmp_fd_actmap
	token	char	16					
<b>tmp_fd_user_id</b>	acct_token	char	16		user_id	char	8	
<b>tmp_gpa_cumm</b>	gpa_cumm	float/dec	8		soc_sec	char	9	
	token	char	16					
<b>tmp_gpa_sem</b>	gpa_sem	float/dec	8		soc_sec	char	9	
	token	char	16					
<b>tmp_health</b>	exp_date	date	8		item	char	30	
	item_no	int	4		received	bit/log	1	
	soc_sec	char	9		token	char	16	
<b>tmp_int</b>	int_from	date	8		int_to	date	8	
	interest	char	30		posn_held	char	30	
	soc_sec	char	9		token	char	16	
<b>tmp_interest</b>	interest	char	30		soc_sec	char	9	
	token	char	16					
<b>tmp_lic</b>	date_exp	date	8		date_rec	date	8	
	desc_	char	25		license	char	20	
	soc_sec	char	9		token	char	16	
<b>tmp_major</b>	major	char	30		minor	char	30	
	soc_sec	char	9		token	char	16	
<b>tmp_maxdispos</b>	app_rid	char	16		maxdispsdate	date	8	
	soc_sec	char	9		tmp_maxdispos_rid	int	4	
	token	char	16					
<b>tmp_modst</b>	mod_stat	char	2		mod_txt	char	12	
	soc_sec	char	9		token	char	16	
<b>tmp_name</b>	birthdate	date	8		camp_cod	char	10	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	camp_txt	char	40		citizen	char	1	
	dept_cod	char	4		dept_txt	char	40	
	div_cod	char	2		div_txt	char	10	
	ethnic_cod	char	2		ethnic_txt	char	20	
	gender	char	1		level	char	1	
	level_txt	char	20		soc_sec	char	9	
	token	char	16					
<b>tmp_program</b>	prg_cod	char	10		prg_txt	char	40	
	soc_sec	char	9		token	char	16	
<b>tmp_prospect</b>	date_inq	date	8		soc_sec	char	9	
	token	char	16					
<b>tmp_satact</b>	act_eng	int	4		act_math	int	4	
	act_sci	int	4		act_soc	int	4	
	sat	bit/log	1		sat_math	int	4	
	sat_verb	int	4		soc_sec	char	9	
	token	char	16					
<b>tmp_spneed</b>	soc_sec	char	9		spn_active	bit/log	1	
	spneed_cod	char	2		spneed_txt	char	20	
	token	char	16					
<b>tmp_termint</b>	soc_sec	char	9		term_int	char	15	
	token	char	16					
<b>tmp_user_id</b>	acct_token	char	16		user_id	char	8	
<b>tmpCurdetailCRSOutput</b>	ce_creds	float/dec	8		course	char	8	
	cred_rec	float/dec	8		crs_id	char	16	
	crstypcod	char	2		crstypcod2	char	2	
	dept_cod	char	4		dept_cod2	char	4	
	enrol_date	date	8		enrollcode	char	2	
	enter_date	date	8		first_name	char	30	
	grade	char	5		incomp_grd	bit/log	1	
	institut	char	50		last_name	char	30	
	level_	char	1		level2	char	1	
	mi	char	15		nocnt_cred	bit/log	1	
	officialg	bit/log	1		origin	char	1	
	passing	bit/log	1		points	float/dec	8	
	qlty_pnts	float/dec	8		replace_id	char	16	
	replaced_course	char	8		req_cod	char	4	
	reqcoddef_gpa	float/dec	8		reqcoddef_num	int	4	
	reqtype_cod	char	2		required	bit/log	1	
	sch_yr	char	6		sec_id	char	25	
	semester	char	2		soc_sec	char	9	
	status	int	4		tmpCurdetailCRSOutput_ce1	char	10	
	tmpCurdetailCRSOutput_ce2	char	10		tmpCurdetailCRSOutput_ce3	char	20	
	tmpCurdetailCRSOutput_de1	date	8		tmpCurdetailCRSOutput_fe1	float/dec	8	
	tmpCurdetailCRSOutput_le1	bit/log	1		tmpCurdetailCRSOutput_ne1	int	4	
	tmpCurdetailCRSOutput_rid	int	4		weight_id	char	10	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
tmpcurplaners	course	char	8		crs_id	char	16	
	crstypcod	char	2		dept_cod	char	4	
	level_	char	1		origin	char	1	
	req_cod	char	4		reqcoddef_gpa	float/dec	8	
	reqcoddef_num	int	4		reqtype_cod	char	2	
	required	bit/log	1		sec_id	char	25	
	tmpcurplaners_ce1	char	10		tmpcurplaners_ce2	char	10	
	tmpcurplaners_ce3	char	20		tmpcurplaners_de1	date	8	
	tmpcurplaners_fe1	float/dec	8		tmpcurplaners_le1	bit/log	1	
	tmpcurplaners_ne1	int	4					
tmpDA_course1	ce_creds	float/dec	8		course	char	8	
	cred_rec	float/dec	8		credits	float/dec	8	
	crs_id	char	16		crs_txt	char	50	
	crstypcod	char	2		crstyptxt	char	20	
	dept_cod	char	4		dept_txt	char	40	
	ecourse	char	8		ecrs_id	char	16	
	edu_rid	char	16		enrol_date	date	8	
	enrollcode	char	2		enrolltext	char	25	
	grade	char	5		incomp_grd	bit/log	1	
	incqpa	bit/log	1		institut	char	50	
	level_	char	1		level_txt	char	20	
	nmcrs_crstypcod	char	2		nmcrs_crstyptxt	char	20	
	nmcrs_txt	char	50		nocnt_cred	bit/log	1	
	officialg	bit/log	1		passing	bit/log	1	
	pf	bit/log	1		plan_level	char	1	
	points	float/dec	8		qlty_pnts	float/dec	8	
	replace_course	char	8		replace_id	char	16	
	req_cod	char	4		reqcod_txt	char	40	
	reqtype_cod	char	2		reqtype_txt	char	40	
	required	bit/log	1		sch_yr	char	6	
semester	char	2		sid	char	16		
sm_desc	char	10		soc_sec	char	9		
soc_sec_crs_id	char	25		tmpDA_course1_rid	int	4		
token	char	16		top_req_cod	char	4		
top_req_txt	char	40						
tmpDA_course2	ce_creds	float/dec	8		course	char	8	
	cred_rec	float/dec	8		credits	float/dec	8	
	crs_id	char	16		crs_txt	char	50	
	crstypcod	char	2		crstyptxt	char	20	
	dept_cod	char	4		dept_cod2	char	4	
	dept_txt	char	40		dept_txt2	char	40	
	edu_rid	char	16		enrol_date	date	8	
	enrollcode	char	2		enrolltext	char	25	
	grade	char	5		incomp_grd	bit/log	1	
	incqpa	bit/log	1		institut	char	50	
level_	char	1		level_2	char	1		



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	level_txt	char	20		level_txt2	char	20	
	nmcrs_crstypcod	char	2		nmcrs_crstyptxt	char	20	
	nmcrs_txt	char	50		nocnt_cred	bit/log	1	
	officialg	bit/log	1		passing	bit/log	1	
	pf	bit/log	1		plan_level	char	1	
	points	float/dec	8		qlty_pnts	float/dec	8	
	replace_course	char	8		replace_id	char	16	
	req_cod	char	4		reqcod_txt	char	40	
	reqtype_cod	char	2		reqtype_txt	char	40	
	required	bit/log	1		sch_yr	char	6	
	semester	char	2		sid	char	16	
	sm_desc	char	10		soc_sec	char	9	
	soc_sec_crs_id	char	25		tmpDA_course2_rid	int	4	
	token	char	16		top_req_cod	char	4	
	top_reqcod_txt	char	40					
<b>tmpDA_Name</b>	camp_cod	char	10		camp_txt	char	40	
	cur_cod	char	10		dept_cod	char	4	
	dept_txt	char	40		div_cod	char	2	
	div_txt	char	10		first_name	char	30	
	last_name	char	30		level_	char	1	
	level_txt	char	20		mi	char	15	
	soc_sec	char	9		tmpDA_Name_ce1	char	10	
	tmpDA_Name_ce2	char	10		tmpDA_Name_ce3	char	20	
	tmpDA_Name_de1	date	8		tmpDA_Name_fe1	float/dec	8	
	tmpDA_Name_le1	bit/log	1		tmpDA_Name_ne1	int	4	
	token	char	16					
<b>tmpenrlstat</b>	sch_yr	char	6		sem1_stat	char	20	
	sem2_stat	char	20		sem3_stat	char	20	
	sem4_stat	char	20		soc_sec	char	9	
	token	char	16					
<b>tmpfinaid</b>	awd_id	char	8		ref_id	char	50	
	sch_yr	char	6		sem1_off	float/dec	8	
	sem1_off_gross	float/dec	8		sem2_off	float/dec	8	
	sem2_off_gross	float/dec	8		sem3_off	float/dec	8	
	sem3_off_gross	float/dec	8		sem4_off	float/dec	8	
	sem4_off_gross	float/dec	8		sem5_off	float/dec	8	
	sem6_off	float/dec	8		sem7_off	float/dec	8	
	sem8_off	float/dec	8		soc_sec	char	9	
	tmpfinaid_ce1	char	10		tmpfinaid_ce2	char	10	
	tmpfinaid_ce3	char	20		tmpfinaid_de1	date	8	
	tmpfinaid_fe1	float/dec	8		tmpfinaid_le1	bit/log	1	
	tmpfinaid_ne1	int	4		token	char	16	
	tot_off	float/dec	8		tot_off_gross	float/dec	8	
<b>tmpnmcrs</b>	aclas_grad	char	2		addfee	bit/log	1	
	ce_creds	float/dec	8		class_grad	float/dec	8	
	class_hrs	float/dec	8		clin_grade	char	2	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	course	char	8		cred_rec	float/dec	8	
	crs_authorize_cod	char	1	FK_tmpnmcrs_crs_authorize_cod	crs_txt	char	50	
	erstypecod	char	2		date_comp	date	8	
	del_flag	bit/log	1		dropfee	bit/log	1	
	edu_rid	char	16		enrol_date	date	8	
	enrollcode	char	2		grade	char	5	
	incqpa	bit/log	1		institut	char	50	
	invoice_no	char	16		nmcrs_ce1	char	10	
	nmcrs_ce2	char	10		nmcrs_ce3	char	10	
	nmcrs_le1	bit/log	1		nmcrs_mem	memo	16	
	nmcrs_ne1	float/dec	8		nmcrs_rid	char	16	PK_tmpnmcrs
	no_repeat	bit/log	1		occurance	float/dec	8	
	officialg	bit/log	1		orig_cred	float/dec	8	
	pf	bit/log	1		post_date	date	8	
	posted	bit/log	1		practice	float/dec	8	
	qlty_pnts	float/dec	8		rpt_grd	bit/log	1	
	rpt_schlyr	char	7		rpt_sem	char	2	
	rpt_semyr	char	8		sch_yr	char	6	
	sec_id	char	25		section	char	2	
	semester	char	2		sid	char	16	FK_tmpnmcrs_crssect
	sm_desc	char	10		soc_sec	char	9	FK_tmpnmcrs_name
	timeout	date	8		tmpnmcrs_ce1	char	10	
	tmpnmcrs_ce2	char	10		tmpnmcrs_ce3	char	20	
	tmpnmcrs_de1	date	8		tmpnmcrs_fe1	float/dec	8	
	tmpnmcrs_le1	bit/log	1		tmpnmcrs_ne1	int	4	
	trans_no	char	16		transfer	bit/log	1	
	wait_date	date	8		weight_id	char	10	
	with_date	date	8					
<b>tmpnmcrsarray</b>	ce_creds	float/dec	8		course	char	8	
	cred_rec	float/dec	8		crs_id	char	16	
	dept_cod	char	4		enrol_date	date	8	
	enrollcode	char	2		enter_date	date	8	
	first_name	char	30		grade	char	5	
	incomp_grd	bit/log	1		institut	char	50	
	last_name	char	30		level_	char	1	
	mi	char	15		nmcrs_crstypecod	char	2	
	nocnt_cred	bit/log	1		officialg	bit/log	1	
	passing	bit/log	1		points	float/dec	8	
	qlty_pnts	float/dec	8		replace_course	char	8	
	replace_id	char	16		sch_yr	char	6	
	sec_id	char	25		semester	char	2	
	soc_sec	char	9		tmpnmcrsarray_ce1	char	10	
	tmpnmcrsarray_ce2	char	10		tmpnmcrsarray_ce3	char	20	
	tmpnmcrsarray_de1	date	8		tmpnmcrsarray_fe1	float/dec	8	
	tmpnmcrsarray_le1	bit/log	1		tmpnmcrsarray_ne1	int	4	
	weight_id	char	10					

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
<b>tmptract</b>	ac_sem	char	50		ac_year	char	50	
	addr	char	50		amt_1	float/dec	8	
	asofdate	date	8		bal	float/dec	8	
	bill_memo	memo	16		c_bal	float/dec	8	
	check_no	char	12		csz	char	254	
	d_bal	float/dec	8		due_date	date	8	
	invoice_no	char	16		name	char	254	
	p_bal	float/dec	8		posted	bit/log	1	
	ref_id	char	50		sch_addr1	char	254	
	sch_addr2	char	254		sch_addr3	char	254	
	sch_yr	char	6		semester	char	2	
	soc_sec	char	9		tmptract_ce1	char	10	
	tmptract_ce2	char	10		tmptract_ce3	char	20	
	tmptract_de1	date	8		tmptract_fe1	float/dec	8	
	tmptract_le1	bit/log	1		tmptract_ne1	int	4	
	token	char	16		trans_date	date	8	
	<b>tmptrans</b>	accept	char	1		accepted	float/dec	8
amt_1		float/dec	8		awd_id	char	4	
batchnum		char	16		camp_cod	char	10	
check_no		char	12		course	char	8	
credits		float/dec	8		date	date	8	
div_cod		char	2		hours	int	4	
institut		char	50		invoice_no	char	16	
loan_fees		float/dec	8		offered	float/dec	8	
on_hold		int	4		posted	bit/log	1	
pstd_2gl		bit/log	1		received	float/dec	8	
ref_id		char	50		sch_yr	char	6	
sec_id		char	25		semester	char	2	
sid		char	16		soc_sec	char	9	
tcodes		char	2		tmptrans_ce1	char	10	
tmptrans_ce2		char	10		tmptrans_ce3	char	20	
tmptrans_de1		date	8		tmptrans_fe1	float/dec	8	
tmptrans_le1		bit/log	1		tmptrans_ne1	int	4	
trans_no	char	16		transact_rid	int	4	PK_tmptrans	
<b>tmsimport</b>	amount	float/dec	8		sch_yr	char	6	
	semester	char	1		soc_sec	char	9	
	ssn	char	9		tmsimport_ce1	char	10	
	tmsimport_ce2	char	10		tmsimport_ce3	char	20	
	tmsimport_de1	date	8		tmsimport_fe1	float/dec	8	
	tmsimport_le1	bit/log	1		tmsimport_ne1	int	4	
	transact_date	date	8					
<b>transact</b>	accept	char	1		awd_id	char	8	
	batchnum	char	18		camp_cod	char	10	FK_transact_campus
	check_no	char	12		chk_created	bit/log	1	
	chk_preview	bit/log	1		chk_refund	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	course	char	8		credits	float/dec	8	
	date	date	8		disbursement_no	int	4	
	div_cod	char	2	FK_transact_division	exclude_from_bill	bit/log	1	
	hours	int	4		institut	char	50	
	invoice_no	char	16		pay_trans_no	char	16	
	posted	bit/log	1		pstd_2gl	bit/log	1	
	ref_id	char	50		sch_yr	char	6	
	semester	char	2	FK_transact_semester	sid	char	16	
	soc_sec	char	9	FK_transact_name	tcodes	char	2	FK_transact_tcodes
	trans_no	char	16		trans_no_bu	char	16	
	transact_ce1	char	10		transact_ce2	char	10	
	transact_ce3	char	20		transact_de1	date	8	
	transact_fe1	float/dec	8		transact_le1	bit/log	1	
	transact_ne1	int	4		transact_rid	int	4	PK_transact
<b>transact_prebill</b>	accept	char	1		awd_id	char	8	
	batchnum	char	18		camp_cod	char	10	FK_transact_prebill_campus
	check_no	char	12		chk_refund	bit/log	1	
	course	char	8		credits	float/dec	8	
	date	date	8		disbursement_no	int	4	
	div_cod	char	2	FK_transact_prebill_division	exclude_from_bill	bit/log	1	
	hours	int	4		institut	char	50	
	invoice_no	char	16		pay_trans_no	char	16	
	posted	bit/log	1		pstd_2gl	bit/log	1	
	ref_id	char	50		sch_yr	char	6	
	semester	char	2	FK_transact_prebill_semester	sid	char	16	
	soc_sec	char	9	FK_transact_prebill_name	tcodes	char	2	FK_transact_prebill_tcodes
	trans_no	char	16		trans_no_bu	char	16	
	transact_ce1	char	10		transact_ce2	char	10	
	transact_ce3	char	20		transact_de1	date	8	
	transact_fe1	float/dec	8		transact_le1	bit/log	1	
	transact_ne1	int	4		transact_rid	int	4	PK_transact_prebill
<b>transact1</b>	accept	char	1		accepted	float/dec	8	
	amt_1	float/dec	8		awd_id	char	10	
	batchnum	char	18		camp_cod	char	10	
	check_no	char	12		chk_refund	bit/log	1	
	course	char	8		credits	float/dec	8	
	date	date	8		disbursement_no	int	4	
	div_cod	char	2		hours	int	4	
	institut	char	24		invoice_no	char	16	
	loan_fees	float/dec	8		offered	float/dec	8	
	pay_trans_no	char	16		posted	bit/log	1	
	pstd_2gl	bit/log	1		received	float/dec	8	
	ref_id	char	35		sch_yr	char	6	
	semester	char	2		sid	char	16	
	soc_sec	char	9		tcodes	char	2	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	trans_no	char	16		transact_rid	int	4	
	transact1_ce1	char	10		transact1_ce2	char	10	
	transact1_ce3	char	20		transact1_de1	date	8	
	transact1_fe1	float/dec	8		transact1_le1	bit/log	1	
	transact1_ne1	int	4					
<b>transcript_degrees</b>	cgpa1	float/dec	8		cgpa2	float/dec	8	
	cgpa3	float/dec	8		cgpa4	float/dec	8	
	cgpa5	float/dec	8		cgpa6	float/dec	8	
	degree1	char	35		degree10	char	35	
	degree11	char	35		degree12	char	35	
	degree2	char	35		degree3	char	35	
	degree4	char	35		degree5	char	35	
	degree6	char	35		degree7	char	35	
	degree8	char	35		degree9	char	35	
	educ_memo1	memo	16		educ_memo10	memo	16	
	educ_memo11	memo	16		educ_memo12	memo	16	
	educ_memo2	memo	16		educ_memo3	memo	16	
	educ_memo4	memo	16		educ_memo5	memo	16	
	educ_memo6	memo	16		educ_memo7	memo	16	
	educ_memo8	memo	16		educ_memo9	memo	16	
	enter_date1	date	8		enter_date10	date	8	
	enter_date11	date	8		enter_date12	date	8	
	enter_date2	date	8		enter_date3	date	8	
	enter_date4	date	8		enter_date5	date	8	
	enter_date6	date	8		enter_date7	date	8	
	enter_date8	date	8		enter_date9	date	8	
	grad_date1	date	8		grad_date10	date	8	
	grad_date11	date	8		grad_date12	date	8	
	grad_date2	date	8		grad_date3	date	8	
	grad_date4	date	8		grad_date5	date	8	
	grad_date6	date	8		grad_date7	date	8	
	grad_date8	date	8		grad_date9	date	8	
	institut1	char	50		institut10	char	50	
	institut11	char	50		institut12	char	50	
	institut2	char	50		institut3	char	50	
	institut4	char	50		institut5	char	50	
	institut6	char	50		institut7	char	50	
	institut8	char	50		institut9	char	50	
	prog_desc1	char	35		prog_desc10	char	35	
	prog_desc11	char	35		prog_desc12	char	35	
	prog_desc2	char	35		prog_desc3	char	35	
	prog_desc4	char	35		prog_desc5	char	35	
	prog_desc6	char	35		prog_desc7	char	35	
	prog_desc8	char	35		prog_desc9	char	35	
	program1	char	40		program10	char	40	
	program11	char	40		program12	char	40	
	program2	char	40		program3	char	40	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	program4	char	40		program5	char	40	
	program6	char	40		program7	char	40	
	program8	char	40		program9	char	40	
	soc_sec	char	9		token	char	16	
	transcript_degrees_ce1	char	10		transcript_degrees_ce2	char	10	
	transcript_degrees_ce3	char	20		transcript_degrees_de1	date	8	
	transcript_degrees_fe1	float/dec	8		transcript_degrees_le1	bit/log	1	
	transcript_degrees_ne1	int	4		transcript_degrees_rid	int	4	PK_transcript_degrees_rid
<b>transcript_home_educ</b>	degree1	char	35		degree2	char	35	
	degree3	char	35		degree4	char	35	
	degree5	char	35		degree6	char	35	
	grad_date1	date	8		grad_date2	date	8	
	grad_date3	date	8		grad_date4	date	8	
	grad_date5	date	8		grad_date6	date	8	
	prog_desc1	char	35		prog_desc2	char	35	
	prog_desc3	char	35		prog_desc4	char	35	
	prog_desc5	char	35		prog_desc6	char	35	
	soc_sec	char	9		token	char	16	
	transcript_educ_rid	int	4	PK_transcript_educ_rid	transcript_home_educ_ce1	char	10	
	transcript_home_educ_ce2	char	10		transcript_home_educ_ce3	char	20	
	transcript_home_educ_de1	date	8		transcript_home_educ_fe1	float/dec	8	
	transcript_home_educ_le1	bit/log	1		transcript_home_educ_ne1	int	4	
<b>transcript_summary</b>	activity_cod	char	16		cum_creds	float/dec	8	
	cum_gpa	float/dec	8		cum_pnts	float/dec	8	
	ecreds	float/dec	8		edu_rid	char	16	
	sch_yr	char	6		sem_creds	float/dec	8	
	sem_gpa	float/dec	8		sem_pnts	float/dec	8	
	semester	char	2		soc_sec	char	9	
	token	char	16		transcript_summary_ce1	char	10	
	transcript_summary_ce2	char	10		transcript_summary_ce3	char	20	
	transcript_summary_de1	date	8		transcript_summary_fe1	float/dec	8	
	transcript_summary_le1	bit/log	1		transcript_summary_ne1	int	4	
	transcript_summary_rid	int	4		transfer	bit/log	1	
<b>trmint</b>	disabled	bit/log	1		exclude_trm	bit/log	1	
	term_int	char	15	PK_trmint	trmint_ce1	char	10	
	trmint_ce2	char	10		trmint_ce3	char	20	
	trmint_de1	date	8		trmint_fe1	float/dec	8	
	trmint_le1	bit/log	1		trmint_ne1	int	4	
<b>tuitstat</b>	cost_cred	float/dec	8		disabled	bit/log	1	
	tuit_stat	char	2	PK_tuitstat	tuit_stat_txt	char	20	
	tuitstat_ce1	char	10		tuitstat_ce2	char	10	
	tuitstat_ce3	char	20		tuitstat_de1	date	8	
	tuitstat_fe1	float/dec	8		tuitstat_le1	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	tutstat_ne1	int	4					
<b>tut_tcodes</b>	disabled	bit/log	1		no_void	bit/log	1	
	refundable	bit/log	1		tcodes	char	2	FK_tut_tcodes_tcodes
	tut_tcodes_ce1	char	10		tut_tcodes_ce2	char	10	
	tut_tcodes_ce3	char	20		tut_tcodes_de1	date	8	
	tut_tcodes_fe1	float/dec	8		tut_tcodes_le1	bit/log	1	
	tut_tcodes_ne1	int	4		tut_tcodes_rid	int	4	PK_tut_tcodes
<b>unauth</b>	datedone	date	8		ip	char	25	
	page	char	50		soc_sec	char	9	FK_unauth_name
	timedone	char	8		unauth_ce1	char	10	
	unauth_ce2	char	10		unauth_ce3	char	20	
	unauth_de1	date	8		unauth_fe1	float/dec	8	
	unauth_le1	bit/log	1		unauth_ne1	int	4	
	unauth_rid	int	4	PK_unauth				
<b>vendor</b>	address	char	40		city	char	40	
	contact_email	char	35		contact_name	char	40	
	contact_phone	char	19		name	char	40	
	state	char	2	FK_vendor_state	vendor_ce1	char	10	
	vendor_ce2	char	10		vendor_ce3	char	20	
	vendor_de1	date	8		vendor_fe1	float/dec	8	
	vendor_le1	bit/log	1		vendor_ne1	int	4	
	zip	char	10					
<b>visa</b>	visa_ce1	char	10		visa_ce2	char	10	
	visa_ce3	char	20		visa_class	char	20	
	visa_cod	char	3	PK_visa	visa_de1	date	8	
	visa_desc	char	50		visa_fe1	float/dec	8	
	visa_le1	bit/log	1		visa_ne1	int	4	
<b>wagedbl</b>	bal30	float/dec	8		bal60	float/dec	8	
	bal90	float/dec	8		bal90p	float/dec	8	
	first_name	char	30		last_name	char	30	
	mi	char	15		soc_sec	char	9	FK_wagedbl_name
	total	float/dec	8		wagedbl_ce1	char	10	
	wagedbl_ce2	char	10		wagedbl_ce3	char	20	
	wagedbl_de1	date	8		wagedbl_fe1	float/dec	8	
	wagedbl_le1	bit/log	1		wagedbl_ne1	int	4	
	wagedbl_rid	int	4	PK_wagedbl				
<b>waitlist</b>	crs_id	char	16		sch_yr	char	6	
	semester	char	2	FK_waitlist_semester	soc_sec	char	9	FK_waitlist_name
	wait_rid	char	16	PK to PK	waitlist_ce1	char	10	
	waitlist_ce2	char	10		waitlist_ce3	char	20	
	waitlist_de1	date	8		waitlist_fe1	float/dec	8	
	waitlist_le1	bit/log	1		waitlist_ne1	int	4	
<b>webadmc</b>	col	char	20		dtype	char	5	
	keycol	bit/log	1		skip	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	sortcol	bit/log	1		sys	bit/log	1	
	table_	char	15		txt	char	35	
	webadm_cel	char	10		webadm_ce2	char	10	
	webadm_ce3	char	20		webadm_de1	date	8	
	webadm_fe1	float/dec	8		webadm_le1	bit/log	1	
	webadm_ne1	int	4		webadm_rid	int	4	PK_webadm_1
	width	int	4					
<b>webadmt</b>	blnk_rq	char	10		table_	char	15	PK_webadmt
	txt	char	35		webadmt_ce1	char	10	
	webadmt_ce2	char	10		webadmt_ce3	char	20	
	webadmt_de1	date	8		webadmt_fe1	float/dec	8	
	webadmt_le1	bit/log	1		webadmt_ne1	int	4	
<b>webbar</b>	bar	char	20		link	char	50	
	name	char	50		skip	bit/log	1	
	tabname	char	50		webbar_ce1	char	10	
	webbar_ce2	char	10		webbar_ce3	char	20	
	webbar_de1	date	8		webbar_fe1	float/dec	8	
	webbar_le1	bit/log	1		webbar_ne1	int	4	
	webbar_rid	int	4	PK_webbar				
<b>webbio</b>	add_addr2	char	35		add_addr	char	35	
	city	char	35		country	char	25	FK_webbio_country
	e_mail	char	50		fax	char	15	
	first_name	char	30		hide_name	bit/log	1	
	last_name	char	30		mi	char	15	
	mod_stat	char	2		notpubname	bit/log	1	
	nsrch_block	bit/log	1		phone	char	15	
	pin	char	6		show_addr	bit/log	1	
	show_email	bit/log	1		show_phone	bit/log	1	
	show_wkphn	bit/log	1		soc_sec	char	9	PK to PK
	st_addr	char	35		st_name	char	30	
	st_num	char	6		state	char	2	FK_webbio_state
	type	char	10		webbio_ce1	char	10	
	webbio_ce2	char	10		webbio_ce3	char	20	
	webbio_de1	date	8		webbio_fe1	float/dec	8	
	webbio_le1	bit/log	1		webbio_ne1	int	4	
	work_phone	char	15		zip	char	10	
<b>webcol</b>	column_	char	25	PK_webcol	def_val	char	20	
	default	bit/log	1		desc	char	75	
	dname	char	35		dropfile	char	30	
	dtype	char	4		gridselect	bit/log	1	
	itype	char	8		keycol	bit/log	1	
	maxlength	int	4		required	bit/log	1	
	size	int	4		skip	bit/log	1	
	sortcol	bit/log	1		uname	char	35	
	webcol_cel	char	10		webcol_ce2	char	10	



Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	webcol_ce3	char	20		webcol_de1	date	8	
	webcol_fe1	float/dec	8		webcol_le1	bit/log	1	
	webcol_ne1	int	4					
<b>webcolor</b>	color	char	50		display	char	50	PK_webcolor
	webcolor_ce1	char	10		webcolor_ce2	char	10	
	webcolor_ce3	char	20		webcolor_de1	date	8	
	webcolor_fe1	float/dec	8		webcolor_le1	bit/log	1	
	webcolor_ne1	int	4					
<b>webconv</b>	desc_	char	50		newname	char	50	
	orig	char	50		ref	char	50	PK_webconv
	webconv_ce1	char	10		webconv_ce2	char	10	
	webconv_ce3	char	20		webconv_de1	date	8	
	webconv_fe1	float/dec	8		webconv_le1	bit/log	1	
	webconv_ne1	int	4					
<b>webedit</b>	alumn	bit/log	1		display	bit/log	1	
	ref	char	50		user_edit	bit/log	1	
	webedit_ce1	char	10		webedit_ce2	char	10	
	webedit_ce3	char	20		webedit_de1	date	8	
	webedit_fe1	float/dec	8		webedit_le1	bit/log	1	
	webedit_ne1	int	4		webedit_rid	int	4	PK_webedit
<b>webfin</b>	fin_ce1	char	10		fin_le1	bit/log	1	
	fin_mes	char	75		fin_ne1	float/dec	8	
	fin_page	char	40		fin_txt	char	40	
	l_rid	char	16	PK to PK	webfin_ce1	char	10	
	webfin_ce2	char	10		webfin_ce3	char	20	
	webfin_de1	date	8		webfin_fe1	float/dec	8	
	webfin_le1	bit/log	1		webfin_ne1	int	4	
<b>webfuncs</b>	addpage	char	50		date	char	50	
	webfuncs_ce1	char	10		webfuncs_ce2	char	10	
	webfuncs_ce3	char	20		webfuncs_de1	date	8	
	webfuncs_fe1	float/dec	8		webfuncs_le1	bit/log	1	
	webfuncs_ne1	int	4		wtspage	char	50	PK_webfuncs
<b>webfunct</b>	function	char	15		id	float/dec	8	PK_webfunct
	page	char	25		webfunct_ce1	char	10	
	webfunct_ce2	char	10		webfunct_ce3	char	20	
	webfunct_de1	date	8		webfunct_fe1	float/dec	8	
	webfunct_le1	bit/log	1		webfunct_ne1	int	4	
<b>webhelp</b>	allow_em	bit/log	1		desc_	memo	16	
	page	char	50	PK_webhelp	skip	bit/log	1	
	webhelp_ce1	char	10		webhelp_ce2	char	10	
	webhelp_ce3	char	20		webhelp_de1	date	8	
	webhelp_fe1	float/dec	8		webhelp_le1	bit/log	1	
	webhelp_ne1	int	4					

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
webicons	image	char	50		link	char	254	
	page	char	50		skip	bit/log	1	
	title	char	50		webicons_ce1	char	10	
	webicons_ce2	char	10		webicons_ce3	char	20	
	webicons_de1	date	8		webicons_fe1	float/dec	8	
	webicons_le1	bit/log	1		webicons_ne1	int	4	
	webicons_rid	int	4	PK_webicons				
	weblist	disabled	bit/log	1		dismessage	char	50
	l_page	char	40		l_rid	char	16	FK_weblist_weblist0
	l_txt	char	40		ldisp_only	bit/log	1	
	list	char	2		mod_stat	char	2	
	position	char	2		prof_cod	char	10	FK_weblist_webprof
	weblist_ce1	char	10		weblist_ce2	char	10	
	weblist_ce3	char	20		weblist_de1	date	8	
	weblist_fe1	float/dec	8		weblist_le1	bit/log	1	
	weblist_ne1	int	4		weblist_rid	int	4	PK_weblist
	weblst_ce1	char	10		weblst_le1	bit/log	1	
	weblst_ne1	int	4					
weblist0	disabled	bit/log	1		dismessage	char	50	
	l_page	char	40		l_rid	char	16	PK_weblist0
	l_txt	char	40		ldisp_only	bit/log	1	
	list	char	2		mod_stat	char	2	
	position	char	2		prof_cod	char	10	FK_weblist0_webprof
	user_page	bit/log	1		weblist0_ce1	char	10	
	weblist0_ce2	char	10		weblist0_ce3	char	20	
	weblist0_de1	date	8		weblist0_fe1	float/dec	8	
	weblist0_le1	bit/log	1		weblist0_ne1	int	4	
	weblst_ce1	char	10		weblst_le1	bit/log	1	
	weblst_ne1	int	4					
weblog	action	char	2		descript	char	250	
	user_id	char	9		weblog_ce1	char	10	
	weblog_ce2	char	10		weblog_ce3	char	20	
	weblog_de1	date	8		weblog_fe1	float/dec	8	
	weblog_le1	bit/log	1		weblog_ne1	int	4	
	weblog_rid	int	4	PK_weblog				
	weblogin	dismessage	char	50		enable	bit/log	1
	home_	bit/log	1		Home_Sep_Color	char	15	
	loginpage	char	20	PK_weblogin	module	char	20	
	page_color	char	15		sepcolor	char	15	
	sess_mod	char	20		tabcolor	char	15	
	text	char	50		Title_Banner_color	char	15	
	web_rtn	char	75		weblogin_ce1	char	10	
	weblogin_ce2	char	10		weblogin_ce3	char	20	
	weblogin_de1	date	8		weblogin_fe1	float/dec	8	
	weblogin_le1	bit/log	1		weblogin_ne1	int	4	
webmods	enable	bit/log	1		module	char	20	PK_webmods

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	secpage	char	50		sepcolor	char	30	
	tabcolor	char	30		text	char	50	
	webmods_ce1	char	10		webmods_ce2	char	10	
	webmods_ce3	char	20		webmods_de1	date	8	
	webmods_fe1	float/dec	8		webmods_le1	bit/log	1	
	webmods_ne1	int	4					
<b>webnotes</b>	active	bit/log	1		memo	memo	16	
	page	char	50	PK_webnotes	webnotes_ce1	char	10	
	webnotes_ce2	char	10		webnotes_ce3	char	20	
	webnotes_de1	date	8		webnotes_fe1	float/dec	8	
	webnotes_le1	bit/log	1		webnotes_ne1	int	4	
<b>webopts</b>	adv_vw_all	bit/log	1		allowwd	bit/log	1	
	alphasp	char	1		alphast	char	1	
	alupd	bit/log	1		appupd	bit/log	1	
	archgrade	bit/log	1		auto_repeat	bit/log	1	
	batch_dir	char	150		blackbaud	bit/log	1	
	bodycolor	char	15		bodyfont	char	25	
	cachtime	int	4		crs_num_start	int	4	
	crystalrpt	bit/log	1		CSSFile	char	50	
	def_ys	char	3		demo	bit/log	1	
	e_cashier	bit/log	1		e_cashier_name	char	50	
	enroll_option	bit/log	1		exam_id	bit/log	1	
	fac_regAU	bit/log	1		FAC_REGCE	bit/log	1	
	fac_regmulti	bit/log	1		facupd	bit/log	1	
	findimport	char	1		gen_ap	int	4	
	gen_inv_no	bit/log	1		gen_st	int	4	
	home	char	75		key_	char	50	
	login_order	bit/log	1		login_retries	int	4	
	loginid	char	2		maxr	int	4	
	maxr2	int	4		maxregrow	int	4	
	pin_type	char	2		postbill	bit/log	1	
	reg_by_campus	bit/log	1		reg_cart timeout	int	4	
	regavailablemessage	char	12		reglimit	int	4	
	reglink	int	4		regnotavailablemessage	char	12	
	regsem	char	2		regstart	date	8	
	regstop	date	8		regyr	char	6	
	run_sems	bit/log	1		sa_email	char	100	
	scripts_all	bit/log	1		sem_disp	char	2	
	skip_actx	bit/log	1		sonistimeout	int	4	
	sql_srv	char	50		statuslinkcolor	char	12	
	stu_regAU	bit/log	1		stu_regCE	bit/log	1	
	stu_regmulti	bit/log	1		stud_fac waitlist	bit/log	1	
	stud_reg_email_memo	memo	16		stuupd	bit/log	1	
	syllabus	char	150		sysgenid	bit/log	1	
	toolbar	bit/log	1		unoff_grd_display	bit/log	1	
	waitlimit	int	4		wd_login	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	wdgrade	char	5	FK_webopts_grades	wdgradeflag	bit/log	1	
	webopts_ce1	char	10		webopts_ce2	char	10	
	webopts_ce3	char	20		webopts_de1	date	8	
	webopts_fe1	float/dec	8		webopts_le1	bit/log	1	
	webopts_ne1	int	4		webopts_rid	int	4	PK_webopts
<b>webopts_reg_crstype</b>	crstypcod	char	2	FK_webopts_reg_crstype_crstyp e	webopts_reg_crstype_ce1	char	10	
	webopts_reg_crstype_ce2	char	10		webopts_reg_crstype_ce3	char	20	
	webopts_reg_crstype_de1	date	8		webopts_reg_crstype_fe1	float/dec	8	
	webopts_reg_crstype_le1	bit/log	1		webopts_reg_crstype_ne1	int	4	
	webopts_reg_crstype_rid	int	4	PK_webopts_reg_crstype_rid				
<b>webopts_reg_levels</b>	level_	char	1	FK_webopts_reg_levels_level	webopts_reg_levels_ce1	char	10	
	webopts_reg_levels_ce2	char	10		webopts_reg_levels_ce3	char	20	
	webopts_reg_levels_de1	date	8		webopts_reg_levels_fe1	float/dec	8	
	webopts_reg_levels_le1	bit/log	1		webopts_reg_levels_ne1	int	4	
	webopts_reg_levels_rid	int	4	PK_webopts_reg_levels_rid				
<b>webpage</b>	background	char	30		bar	char	20	
	bgcolor	char	15		page	char	40	PK_webpage
	skipicons	bit/log	1		title	char	40	
	webpage_ce1	char	10		webpage_ce2	char	10	
	webpage_ce3	char	20		webpage_de1	date	8	
	webpage_fe1	float/dec	8		webpage_le1	bit/log	1	
	webpage_ne1	int	4		webpg_ce1	char	10	
	webpg_le1	bit/log	1		webpg_ne1	int	4	
<b>webprof</b>	l_list	char	50		l_page	char	50	
	l_rid	char	16		ldisp_only	bit/log	1	
	prof_cod	char	10	PK_webprof	profile	char	20	
	s_list	char	50		s_page	char	30	
	sdisp_only	bit/log	1		webpro_ce1	char	10	
	webpro_le1	bit/log	1		webpro_ne1	int	4	
	webprof_ce1	char	10		webprof_ce2	char	10	
	webprof_ce3	char	20		webprof_de1	date	8	
	webprof_fe1	float/dec	8		webprof_le1	bit/log	1	
	webprof_ne1	int	4					
<b>webps</b>	add_add2	char	35		add_addr	char	35	
	camp_cod	char	10	FK_webps_campus	city	char	35	
	comments	memo	16		contact	bit/log	1	
	country	char	25	FK_webps_country	date_inq	date	8	
	e_mail	char	50		enstat_cod	char	2	
	first_name	char	30		inqtypecod	char	2	
	institut	char	50		last_name	char	30	
	mi	char	15		move2app	bit/log	1	
	moved_dt	date	8		phone	char	15	
	skip_imp	bit/log	1		snd_app	bit/log	1	
	snd_brch	bit/log	1		snd_cat	bit/log	1	
	snd_f4	bit/log	1		snd_f5	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	snd_f6	bit/log	1		soc_sec	char	9	PK_webps
	st_addr	char	35		state	char	2	FK_webps_state
	term_int	char	15	FK_webps_trmint	webps_ce1	char	10	
	webps_ce2	char	10		webps_ce3	char	20	
	webps_de1	date	8		webps_fe1	float/dec	8	
	webps_le1	bit/log	1		webps_ne1	int	4	
	zip	char	10					
<b>webrecom</b>	disabled	bit/log	1		rec_cod	int	4	PK_webrecom
	recomm	char	25		webrecom_ce1	char	10	
	webrecom_ce2	char	10		webrecom_ce3	char	20	
	webrecom_de1	date	8		webrecom_fe1	float/dec	8	
	webrecom_le1	bit/log	1		webrecom_ne1	int	4	
<b>webretrn</b>	module	char	20	PK_webretrn	sess_mod	char	20	
	web_rtn	char	75		webretrn_ce1	char	10	
	webretrn_ce2	char	10		webretrn_ce3	char	20	
	webretrn_de1	date	8		webretrn_fe1	float/dec	8	
	webretrn_le1	bit/log	1		webretrn_ne1	int	4	
<b>webrpts</b>	active	bit/log	1		activity	bit/log	1	
	addr_type	bit/log	1		admin_sec	bit/log	1	
	advisor	bit/log	1		agency	bit/log	1	
	all_degrees	bit/log	1		alum_sec	bit/log	1	
	app_entry_date	bit/log	1		app_sec	bit/log	1	
	asofdate	bit/log	1		awd_type	bit/log	1	
	campus	bit/log	1		category	bit/log	1	
	checkboxlist	bit/log	1		course	bit/log	1	
	crystalpg	char	50		crystalpg_user	char	50	
	date_range	bit/log	1		dept	bit/log	1	
	dispos	bit/log	1		division	bit/log	1	
	dow	bit/log	1		email	bit/log	1	
	ev_rid	bit/log	1		fdtcodes	bit/log	1	
	FieldName	bit/log	1		funds_cod	bit/log	1	
	Grad_YR	int	4		Graduate	bit/log	1	
	health	bit/log	1		holds	bit/log	1	
	home_degrees	bit/log	1		instructor	bit/log	1	
	insttype	bit/log	1		interest	bit/log	1	
	jobs	bit/log	1		l_rid	char	16	PK to PK
	labels	bit/log	1		labels2	bit/log	1	
	lbls_rpt	bit/log	1		letter	bit/log	1	
	letters	bit/log	1		level_	bit/log	1	
	licenses	bit/log	1		location	bit/log	1	
	maxdispos	bit/log	1		modstat	bit/log	1	
	OutputSelect	int	4		payplan	bit/log	1	
	program	bit/log	1		request_activity	bit/log	1	
	room	bit/log	1		rpt_page	char	50	
	rpt_txt	char	50		rundate	bit/log	1	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	sch_yr	bit/log	1		sem_single	bit/log	1	
	semester	bit/log	1		Sessions	bit/log	1	
	sms_sec	bit/log	1		start_date	bit/log	1	
	student	bit/log	1		subrpt1	char	30	
	subrpt2	char	30		subrpt3	char	30	
	subrpt4	char	30		termofint	bit/log	1	
	trans_hold	bit/log	1		transact	bit/log	1	
	transcript	bit/log	1		transfer	bit/log	1	
	webrpts_ce1	char	10		webrpts_ce2	char	10	
	webrpts_ce3	char	20		webrpts_de1	date	8	
	webrpts_fe1	float/dec	8		webrpts_le1	bit/log	1	
	webrpts_ne1	int	4		year	bit/log	1	
	year_single	bit/log	1		zero_balances	bit/log	1	
<b>websec</b>	logout	bit/log	1		sec_id	char	50	PK_websec
	sessionid	char	50		websec_ce1	char	10	
	websec_ce2	char	10		websec_ce3	char	20	
	websec_de1	date	8		websec_fe1	float/dec	8	
	websec_le1	bit/log	1		websec_ne1	int	4	
<b>webtoolb</b>	b_page	char	60		b_rid	char	16	
	b_txt	char	20		disabled	bit/log	1	
	list	char	2		position	char	2	
	prof_cod	char	10	FK_webtoolb_webprof	webtolbce1	char	10	
	webtolble1	bit/log	1		webtolbne1	int	4	
	webtoolb_ce1	char	10		webtoolb_ce2	char	10	
	webtoolb_ce3	char	20		webtoolb_de1	date	8	
	webtoolb_fe1	float/dec	8		webtoolb_le1	bit/log	1	
	webtoolb_ne1	int	4		webtoolb_rid	int	4	PK_webtoolb
<b>weight</b>	complete	bit/log	1		disabled	bit/log	1	
	soc_sec	char	9	FK_weight_name	weight_ce1	char	10	
	weight_ce2	char	10		weight_ce3	char	20	
	weight_de1	date	8		weight_fe1	float/dec	8	
	weight_id	char	10	PK_weight	weight_le1	bit/log	1	
	weight_ne1	int	4		wght_desc	char	30	
<b>wghtdet</b>	direct	bit/log	1		element_rid	int	4	FK_wghtdet_element
	per_cent	float/dec	8		skip_lowest	bit/log	1	
	weight_id	char	10	FK_wghtdet_weight	wghtdet_ce1	char	10	
	wghtdet_ce2	char	10		wghtdet_ce3	char	20	
	wghtdet_de1	date	8		wghtdet_fe1	float/dec	8	
	wghtdet_le1	bit/log	1		wghtdet_ne1	int	4	
	wghtdet_rid	int	4	PK_wghtdet				
<b>when_</b>	disabled	bit/log	1		when_ce1	char	10	
	when_ce2	char	10		when_ce3	char	20	
	when_de1	date	8		when_fe1	float/dec	8	

Table	Column	Type	Len.	Keys	Column	Type	Len.	Keys
	when_le1	bit/log	1		when_ne1	int	4	
	when_code	char	3	PK_when_	when_txt	char	25	
<b>wregfees</b>	amount	float/dec	8		camp_cod	char	10	
	credfrom	float/dec	8		credto	float/dec	8	
	crg_type	char	50		crs_type	char	1	
	dept_cod	char	4	FK_wregfees_dept	div_cod	char	2	
	inactive	bit/log	1		included	char	50	
	level_	char	1		max_amt	char	50	
	tcodes	char	2	FK_wregfees_tcodes	wregfees_ce1	char	10	
	wregfees_ce2	char	10		wregfees_ce3	char	20	
	wregfees_de1	date	8		wregfees_fe1	float/dec	8	
	wregfees_le1	bit/log	1		wregfees_ne1	int	4	
	wregfees_rid	int	4	PK_wregfees				
<b>years</b>	disabled	bit/log	1		report_skip	bit/log	1	
	sch_years	char	6		sch_years_id	int	4	PK_years
	years_ce1	char	10		years_ce2	char	10	
	years_ce3	char	20		years_de1	date	8	
	years_fe1	float/dec	8		years_le1	bit/log	1	
	years_ne1	int	4					
<b>zipcode</b>	city	char	35		filler1	char	5	
	filler2	char	5		state	char	2	FK_zipcode_state
	zip_code	char	5	PK_zipcode	zipcode_ce1	char	10	
	zipcode_ce2	char	10		zipcode_ce3	char	20	
	zipcode_de1	date	8		zipcode_fe1	float/dec	8	
	zipcode_le1	bit/log	1		zipcode_ne1	int	4	
<b>zone</b>	disabled	bit/log	1		zone_ce1	char	10	
	zone_ce2	char	10		zone_ce3	char	20	
	zone_de1	date	8		zone_fe1	float/dec	8	
	zone_le1	bit/log	1		zone_ne1	int	4	
	zone_rid	int	4	PK_zone	zone_txt	char	40	

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>acadcal</b>	PK_acadcal				
<b>acadstat</b>	PK_acadstat				
<b>actcal</b>	actcal				
<b>activity</b>	PK_activity				
<b>actmap</b>	acct	PK_actmap			
<b>actmod</b>	PK_actmod_rid				
<b>address</b>	e_mail	PK_address	soc_sec	type	
<b>addressadd</b>	addressadd				
<b>addressdup</b>	addressdup				
<b>addrtype</b>	PK_addrtype	type			
<b>affiliation</b>	PK_affiliation				
<b>agency</b>	PK_agency				
<b>app_pages</b>	PK_app_pages_app_pages_rid				
<b>appacts</b>	PK_appacts				
<b>appchk</b>	PK_appchk_cod				
<b>appchklist</b>	PK_appchklist	prg_cod			
<b>appentrydate</b>	PK_appentrydate				
<b>appfee</b>	PK_appfee_1				
<b>applican</b>	PK_applican	soc_sec			
<b>appliedpmts</b>	PK_applied_pmts				
<b>approg</b>	PK_approg	soc_sec			
<b>archgrade</b>	archgrade				
<b>Audit</b>	PK_Audit_Audit_rid				
<b>award</b>	PK_award				
<b>batchnum</b>	PK_batchnum				
<b>batchnum_rc</b>	batchnum_rc				
<b>bldgattributes</b>	pk_bldgattr_cod				



<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>bldgtype</b>	PK_bldgtype				
<b>bldtask</b>	PK_bldtask				
<b>building</b>	PK_building				
<b>buildingbldgattr</b>	buildingbldgattr				
<b>calyear</b>	PK_Table1				
<b>campus</b>	PK_campus				
<b>caption</b>	PK_caption				
<b>category</b>	PK_category				
<b>color</b>	PK_color				
<b>conscod</b>	PK_conscod				
<b>constit_rating</b>	PK_constit_rating				
<b>constit_type</b>	PK_constit_type				
<b>corequisite</b>	PK_corequisite_rid				
<b>country</b>	PK_country				
<b>county</b>	PK_county				
<b>course</b>	course	dept_cod	level_	PK_course	replace_id
<b>coursedet</b>	crs_id	PK_coursedet	reqcodeoverview_rid		
<b>CRS_Authorize</b>	PK_crs_authorize_cod				
<b>CRSAFF</b>	PK_CRSAFF_rid				
<b>crsequiv</b>	PK_crsequiv				
<b>crssect</b>	crs_id	PK_crssect	sch_yr	semester	session
<b>crssectlev</b>	PK_crssectlev				
<b>crssectprg</b>	PK_crssectprg				
<b>crstype</b>	PK_crstype				
<b>culactivities</b>	PK_culactivities				
<b>curdetail</b>	crs_id	curover_rid	PK_curdetail		
<b>curover</b>	PK_curover				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
CurPlanMessage	CurPlanMessage				
curriculumcode	PK_curriculumcode				
dantest	PK_transact_rid				
dayweek	PK_dayweek				
degree	PK_degree				
depend_stat	PK_depend_stat				
dept	PK_dept				
dispacts	PK_dispacts				
dispcode	PK_dispcode				
displett	PK_displett				
dispos	PK_dispos				
disprans	PK_disprans_rid				
division	PK_division				
element	element	PK_element			
elmimport	elmimport				
ELMLoan	PK_ELMLoan_ELMLoan_cod				
emailmemo	PK_emailmemo				
employer	PK_employer				
employer_contact	PK_employer_contact				
enrlstat	PK_enrlstat				
enrollcode	PK_enrollcode				
ethnic	PK_ethnic				
events	PK_events				
facsal	PK_facsal				
faculty	PK_faculty				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>facultytype</b>	PK_FacultyType				
<b>fd_actmap</b>	PK_fd_actmap				
<b>fd_tcodes</b>	PK_fd_tcodes				
<b>fd_tmpract</b>	fd_tmpract				
<b>fd_trans</b>	PK_fd_trans				
<b>fdbatchnum</b>	PK_fdbatchnum				
<b>fees</b>	crs_id	PK_fees			
<b>feessec</b>	PK_feessec				
<b>finaidimport</b>	PK_fin_aid_rid				
<b>finaidsem</b>	IX_finaidsem	PK_finaidsem			
<b>finaidyear</b>	finaidyear				
<b>FLATAFF</b>	PK_FLATAFF_rid				
<b>flatfee</b>	PK_flatfee				
<b>flatfee_filter</b>	flatfee_filter				
<b>forum_post</b>	PK_forum_post				
<b>forum_topic</b>	PK_forum_topic				
<b>funds</b>	PK_funds_cod				
<b>gender</b>	PK_gender				
<b>giving_level</b>	PK_giving_level				
<b>grades</b>	grade	PK_grades			
<b>health</b>	item	PK_health			
<b>hidden_bits</b>	hidden_bits				
<b>hold</b>	PK_hold				
<b>holdlimit</b>	holdlimit				
<b>house</b>	PK_house				
<b>house_inc</b>	PK_house_inc				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>house_stat</b>	PK_house_stat				
<b>houseattr</b>	PK_housattr				
<b>housefees_addl</b>	PK_housefees_addl				
<b>househouseattr</b>	PK_househouseattr				
<b>Importer</b>	PK_Importer_Importer_cod				
<b>importtcodes</b>	PK_importtcodes_importtcodes_rid				
<b>inqtype</b>	PK_inqtype				
<b>institut</b>	PK_institut				
<b>instrctp</b>	PK_instrctp				
<b>insttype</b>	PK_insttype				
<b>interlev</b>	PK_interlev				
<b>intrsts</b>	PK_intrsts				
<b>invoice</b>	PK_invoice				
<b>ipedstat</b>	IX_ipedstat				
<b>irp1098t</b>	PK_irp_rid				
<b>job</b>	PK_job				
<b>job_class</b>	PK_job_class_cod				
<b>labels</b>	PK_labels_rid				
<b>level_</b>	PK_level_				
<b>level_promotion</b>	PK_level_promotion				
<b>licenses</b>	PK_licenses				
<b>loarsn</b>	PK_loarsn				
<b>loatype</b>	loa_cod	PK_loatype			
<b>major</b>	PK_major				
<b>marital</b>	PK_marital				
<b>master</b>	curric_id	master			
<b>message</b>	PK_message				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>MMTemp</b>	MMTemp				
<b>modstat</b>	PK_modstat				
<b>name</b>	birthdate	first_name	last_name	PK_name	ssn
<b>nameadd</b>	nameadd				
<b>namedup</b>	namedup				
<b>NameSearch</b>	NameSearch				
<b>nmact</b>	PK_nmact	soc_sec			
<b>nmadv</b>	PK_nmadv	soc_sec			
<b>nmappchk</b>	PK_nmappchk	soc_sec			
<b>nmattend</b>	PK_nmattend				
<b>nmbldtask</b>	PK_nmbldtask				
<b>nmcat</b>	PK_nmcat_rid				
<b>nmcit</b>	PK_nmcit_rid				
<b>nmcitizen</b>	PK_Nmcitizen_rid				
<b>nmconstit</b>	PK_nmconstit_rid				
<b>nmconstit_cod</b>	PK_nmconstit_cod_rid				
<b>nmcers</b>	crstypcod	enrollcode	grade	PK_nmcers	sch_yr
	sid	soc_sec	trans_no		
<b>nmcertype</b>	PK_nmcertype	soc_sec			
<b>nmcuactivities</b>	PK_nmcuactivities	soc_sec			
<b>nmedu</b>	PK_nmedu	soc_sec			
<b>nmemp</b>	PK_nmemp	soc_sec			
<b>nmessay</b>	nmessay				
<b>nmfinaid</b>	PK_nmfinaid_rid				
<b>nmfinmemo</b>	PK_finmemo_rid				
<b>nmfundraising</b>	nmfundraising				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>nmheal</b>	PK_nmheal	soc_sec			
<b>nmhold</b>	hld_cod	PK_nmhold	soc_sec		
<b>nmhouse</b>	PK_nmhouse	soc_sec			
<b>nmhouse_inc</b>	PK_nmhouse_inc	soc_sec			
<b>nmhousenotes</b>	PK_nmhousenotes	soc_sec			
<b>nmhousepref</b>	PK_nmhousepref	soc_sec			
<b>nmint</b>	PK_nmint	soc_sec			
<b>nmjobapply</b>	PK_nmjobapply				
<b>nmlic</b>	PK_nmlic	soc_sec			
<b>nmloa</b>	PK_nmloa	soc_sec			
<b>nmmaj</b>	PK_nmmaj	soc_sec			
<b>nmmisc</b>	PK_nmmisc	soc_sec			
<b>nmmodst</b>	mod_stat	PK_nmmodst	soc_sec		
<b>nmmodstadd</b>	nmmodstadd				
<b>nmpark</b>	PK_nmpark	soc_sec			
<b>nmpark_inc</b>	PK_nmpark_inc	soc_sec			
<b>nmpayplan</b>	PK_nmpayplan_rid				
<b>nmpayplan_detail</b>	PK_nmpayplan_detail_nmpayplan_detail_rid				
<b>nmpayplan_plan</b>	PK_nmpayplan_plan_nmpayplan_plan_rid				
<b>nmprg</b>	PK_nmprg	soc_sec			
<b>nmproj_enrl</b>	PK_nmproj_enrl_rid				
<b>nmrec</b>	PK_nmrec	soc_sec			
<b>nmref</b>	PK_nmref	soc_sec			
<b>nmrefby</b>	PK_nmrefby	soc_sec			

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>nmrel</b>	PK_nmrel				
<b>nmsap</b>	PK_nmsap				
<b>nmsatact</b>	PK_nmsatact	soc_sec			
<b>nmspneed</b>	PK_nmspneed	soc_sec			
<b>nmtask</b>	PK_nmtask	soc_sec	task_cod		
<b>nmtest</b>	PK_nmtest	soc_sec			
<b>nmtmp</b>	PK_nmtmp	soc_sec			
<b>nmvolunteer</b>	PK_nmvolunteer	soc_sec			
<b>nmwait</b>	PK_nmwait	soc_sec			
<b>nslch</b>	PK_nslch				
<b>pagenote</b>	PK_pagenote				
<b>park_inc</b>	PK_park_inc				
<b>payee</b>	PK_payee_rid				
<b>payplan_codes</b>	PK_payplan				
<b>payplan_detail</b>	PK_payplan_detail_rid				
<b>payplan_tcodes</b>	PK_payplan_tcodes_payplan_tcodes_rid				
<b>pellfull</b>	pellfull				
<b>pellhalf</b>	pellhalf				
<b>pellless</b>	pellless				
<b>pelltre</b>	pelltre				
<b>pledgeacts</b>	PK_pledgeacts				
<b>practicl</b>	PK_practicl	sid	ssn		
<b>practssn</b>	PK_practssn	SID	SSN		
<b>prefix</b>	PK_prefix				
<b>prereq</b>	PK_prereq				
<b>program</b>	PK_program				
<b>programcategory</b>	PK_programcategory_rid				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>programfilter</b>	PK_programfilter_rid				
<b>ProgramType</b>	PK_ProgramType				
<b>prospect</b>	PK_prospect				
<b>psextra</b>	PK_psextra				
<b>psprreq</b>	PK_psprreq				
<b>psprreqcrs</b>	PK_psprreqcrs				
<b>psprg</b>	PK_psprg	soc_sec			
<b>psrefby</b>	PK_psrefby_rid				
<b>recruitplan</b>	PK_recruitplan				
<b>referby</b>	PK_referby				
<b>refund_filter</b>	refund_filter				
<b>refundable</b>	PK_refundable				
<b>REFUNDAFF</b>	PK_REFUNDAFF_rid				
<b>reg_campus</b>	PK_reg_campus_rid				
<b>regacts</b>	PK_regacts_rid				
<b>relatnsh</b>	PK_relatnsh				
<b>reljoin</b>	PK_reljoin				
<b>reqcode</b>	PK_reqcode				
<b>reqcodeoverview</b>	crstypcod	dept_cod	PK_reqcodeoverview	req_cod	reqtype_cod
<b>reqtype</b>	PK_reqtype				
<b>Results</b>	PK_Results				
<b>room</b>	PK_room				
<b>roomattributes</b>	pk_roomattr_cod				
<b>roomroomattr</b>	roomroomattr				
<b>rpt_1098T_HT</b>	rpt_1098T_HT				



<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>rpt_actv</b>	PK_rpt_actv				
<b>rpt_addrtype</b>	rpt_addrtype				
<b>rpt_adv</b>	PK_rpt_adv				
<b>rpt_agency</b>	rpt_agency				
<b>rpt_appentrydt</b>	rpt_appentrydt				
<b>rpt_asof</b>	rpt_asof				
<b>rpt_award</b>	rpt_award				
<b>rpt_calyear</b>	rpt_calyear				
<b>rpt_camp</b>	PK_rpt_camp				
<b>rpt_category</b>	rpt_category				
<b>rpt_crs</b>	PK_rpt_crs				
<b>rpt_date</b>	rpt_date				
<b>rpt_dept</b>	PK_rpt_dept				
<b>rpt_disp</b>	rpt_disp				
<b>rpt_div</b>	PK_rpt_div				
<b>rpt_dts</b>	PK_rpt_dts				
<b>rpt_events</b>	rpt_events				
<b>rpt_fdtcodes</b>	rpt_fdtcodes				
<b>rpt_fieldname</b>	PK_rpt_fieldname_rpt_fieldname_rid				
<b>rpt_funds</b>	rpt_funds				
<b>rpt_grad_yr</b>	PK_rpt_grad_yr_rpt_grad_yr_rid				
<b>rpt_graduate</b>	PK_rpt_graduate_rpt_graduate_rid				
<b>rpt_health</b>	rpt_health				
<b>rpt_holds</b>	rpt_holds				
<b>rpt_inst</b>	PK_rpt_inst				
<b>rpt_insttypcod</b>	PK_rpt_insttypcod_rpt_insttypcod_rid				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>rpt_intrst</b>	rpt_intrst				
<b>rpt_jobs</b>	PK_rpt_jobs_employer_rid				
<b>rpt_labels</b>	rpt_labels				
<b>rpt_labels2</b>	rpt_labels2				
<b>rpt_lic</b>	rpt_lic				
<b>rpt_lvl</b>	PK_rpt_lvl				
<b>rpt_mdst</b>	PK_rpt_mdst				
<b>rpt_operator</b>	PK_rpt_operator_rpt_operator_rid				
<b>rpt_payplan</b>	PK_rpt_payplan_rpt_payplan_rid				
<b>rpt_prog</b>	PK_rpt_prog				
<b>rpt_radio</b>	rpt_radio				
<b>rpt_rltr</b>	PK_rpt_rltr				
<b>rpt_schy</b>	PK_rpt_schy				
<b>rpt_sem</b>	PK_rpt_sem				
<b>rpt_session</b>	PK_rpt_session_rpt_session_rid				
<b>rpt_soc</b>	PK_rpt_soc				
<b>rpt_startdt</b>	rpt_startdt				
<b>rpt_tcds</b>	PK_rpt_tcds				
<b>rpt_term</b>	PK_rpt_term				
<b>rpt_transcript_reqs</b>	rpt_transcript_reqs				
<b>rpt_transfer</b>	PK_rpt_transfer_rid				
<b>rpt_year</b>	PK_rpt_year_rpt_year_rid				
<b>sallie</b>	sallie				
<b>sapgpa</b>	PK_sapgpa				
<b>SAT</b>	SAT				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
schoolvar1098T	schoolvar1098T				
scores	PK_scores				
scripts	PK_script_rid				
SECFEEAFF	PK_SECFEEAFF_rid				
sectask	PK_sectask				
section	PK_section				
sectwght	PK_sectwght				
security	PK_security	soc_sec			
semester	PK_semester				
sessions	PK_session				
sonrequiredfields	PK_sonrequiredfields				
spneed	PK_spneed				
srchcamp	camp_cod	PK_srchcamp	soc_sec		
srchdept	dept_cod	PK_srchdept	soc_sec		
srchdiv	div_cod	PK_srchdiv	soc_sec		
srchmod	mod_stat	PK_srchmod	soc_sec		
state	PK_state				
std_fee	PK_std_fee				
subreqcodedet	PK_subreqcodedet	reqcodeoverview_rid	subreqcodedet_req_c od		
sysvar	PK_sysvar				
tcodes	PK_tcodes	tcodes			
tenure_activities	PK_tenure_activities_soc_sec				
tenure_admin_assign	PK_tenure_admin_assign_soc_sec				
tenure_awards	PK_tenure_awards_soc_sec				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>tenure_committees</b>	PK_tenure_committees_soc_sec				
<b>tenure_grants</b>	PK_tenure_grants_soc_sec				
<b>tenure_publications</b>	PK_tenure_publications_soc_sec				
<b>test</b>	PK_test				
<b>textbooks</b>	PK_textbooks				
<b>textbookscrs</b>	PK_textbookscrs				
<b>textbookscrssect</b>	PK_textbookscrssect				
<b>tmp_actmap</b>	tmp_actmap				
<b>tmp_address</b>	tmp_address				
<b>tmp_adv</b>	tmp_adv				
<b>tmp_advisor</b>	tmp_advisor				
<b>tmp_approg</b>	tmp_approg				
<b>tmp_course</b>	tmp_course				
<b>tmp_creds_cumm</b>	tmp_creds_cumm				
<b>tmp_creds_sem</b>	tmp_creds_sem				
<b>tmp_dispos</b>	tmp_dispos				
<b>tmp_edu</b>	tmp_edu				
<b>tmp_emp</b>	tmp_emp				
<b>tmp_enrollstat</b>	tmp_enrollstat				
<b>tmp_fd_actmap</b>	PK_tmp_fd_actmap				
<b>tmp_fd_user_id</b>	tmp_fd_user_id				
<b>tmp_gpa_cumm</b>	tmp_gpa_cumm				
<b>tmp_gpa_sem</b>	tmp_gpa_sem				
<b>tmp_health</b>	tmp_health				

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
tmp_int	tmp_int				
tmp_interest	tmp_interest				
tmp_lic	tmp_lic				
tmp_major	tmp_major				
tmp_maxdispos	tmp_maxdispos				
tmp_modst	tmp_modst				
tmp_name	tmp_name				
tmp_program	tmp_program				
tmp_prospect	tmp_prospect				
tmp_satact	tmp_satact				
tmp_spneed	tmp_spneed				
tmp_termint	tmp_termint				
tmp_user_id	tmp_user_id				
tmpCurdetailCRS Output	course	tmpCurdetailCRSOutput			
tmpcurplaners	tmpcurplaners				
tmpDA_course1	tmpDA_course1				
tmpDA_course2	tmpDA_course2				
tmpDA_Name	tmpDA_Name				
tmpenrlstat	tmpenrlstat				
tmpfinaid	tmpfinaid				
tmpnmcrs	PK_tmpnmcrs	sec_id	soc_sec		
tmpnmcrsarray	tmpnmcrsarray				
tmptract	soc_sec	tmptract			
tmptrans	PK_tmptrans	sec_id	soc_sec		
tmsimport	tmsimport				
transact	accept	awd_id	date	PK_transact	sch_yr
	soc_sec	tcodes	trans_no		
transact_prebill	accept	awd_id	date	PK_transact_p rebill	sch_yr

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
	soc_sec	tcodes	trans_no		
<b>transact1</b>	transact1				
<b>transcript_degrees</b>	PK_transcript_degrees_rid				
<b>transcript_home_educ</b>	PK_transcript_educ_rid				
<b>transcript_summary</b>	transcript_summary				
<b>trmint</b>	PK_trmint				
<b>tuitstat</b>	PK_tuitstat				
<b>tut_tcodes</b>	PK_tut_tcodes				
<b>unauth</b>	PK_unauth				
<b>vendor</b>	vendor				
<b>visa</b>	PK_visa				
<b>wagedbl</b>	PK_wagedbl				
<b>waitlist</b>	crs_id	PK_waitlist	semester	soc_sec	
<b>webadmc</b>	col	PK_webadmc_1	table_		
<b>webadmt</b>	PK_webadmt				
<b>webbar</b>	PK_webbar				
<b>webbio</b>	PK_webbio				
<b>webcol</b>	PK_webcol				
<b>webcolor</b>	PK_webcolor				
<b>webconv</b>	PK_webconv				
<b>webedit</b>	PK_webedit				
<b>webfin</b>	PK_webfin				
<b>webfuncs</b>	PK_webfuncs				
<b>webfunct</b>	PK_webfunct				
<b>webhelp</b>	PK_webhelp				
<b>webicons</b>	PK_webicons				
<b>weblast</b>	PK_weblast	weblast			
<b>weblast0</b>	PK_weblast0	weblast0			
<b>weblog</b>	action	PK_weblog	user_id		

<b>Table</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>	<b>Index</b>
<b>weblogin</b>	PK_weblogin				
<b>webmods</b>	PK_webmods				
<b>webnotes</b>	PK_webnotes				
<b>webopts</b>	PK_webopts				
<b>webopts_reg_crstype</b>	PK_webopts_reg_crstype_rid				
<b>webopts_reg_levels</b>	PK_webopts_reg_levels_rid				
<b>webpage</b>	PK_webpage				
<b>webprof</b>	PK_webprof				
<b>webps</b>	PK_webps				
<b>webrecom</b>	PK_webrecom				
<b>webretrn</b>	PK_webretrn				
<b>webrpts</b>	PK_webrpts				
<b>websec</b>	PK_websec				
<b>webtoolb</b>	PK_webtoolb				
<b>weight</b>	PK_weight				
<b>wghtdet</b>	PK_wghtdet				
<b>when_</b>	PK_when_				
<b>wregfees</b>	PK_wregfees				
<b>years</b>	PK_years				
<b>zipcode</b>	PK_zipcode				
<b>zone</b>	PK_zone				

Column	Default	User	Description	Column	Default	User	Description
ac_sem				ac_year			
acadcal_ce1				acadcal_ce2			
acadcal_ce3				acadcal_de1			
acadcal_fe1				acadcal_le1			
acadcal_ne1				acadcal_rid			
academic_ind	Academic Period			acadstat_ce1			
acadstat_ce2				acadstat_ce3			
acadstat_cod	Academic Status			acadstat_de1			
acadstat_desc				acadstat_fe1			
acadstat_le1				acadstat_ne1			
accept	Accept			accepted	Accepted		
account	Account			acct_act_code	Accounting Code		
acct_dept	Acct. Dept.			acct_num	Account Num		
acct_token			ack_date	Acknow. Date			
acknowledg	Acknowledged			aclas_grad	A Class Grade		
act_code	Activity Code			act_comp	ACT Composite Score		
act_comp_pc				act_cumm	Cumulative		
act_date	Activity Date			act_desc	Activity		
act_done	Completed			act_eng	ACT English		
act_eng_pc	ACT Eng. Perc.			act_letter	Letter		
act_math	ACT Math			act_math_pc	ACT Math Perc.		
act_mem	Memo			act_memo	Comments		
act_nat_rank_comp	National Ranking			act_nat_rank_eng	National Ranking		
act_nat_rank_math	National Ranking			act_nat_rank_sci	National Ranking		
act_nat_rank_soc	National Ranking			act_sci	ACT Science		
act_sci_pc	ACT Sci. Perc.			act_soc	ACT Social Studies		
act_soc_pc	ACT Soc. Perc.			act_txt	Acct. Code Desc.		
act_type				actcal_ce1			
actcal_ce2				actcal_ce3			
actcal_de1				actcal_fe1			
actcal_le1				actcal_ne1			
actcal_rid				active	Active		
active_app_major			activity	Activity			
activity_ce1				activity_ce2			



Column	Default	User	Description	Column	Default	User	Description
activity_ce3				activity_cod	Activity Code		
activity_de1				activity_fe1			
activity_le1				activity_ne1			
actmap_ce1				actmap_ce2			
actmap_ce3				actmap_de1			
actmap_fe1				actmap_id			
actmap_le1				actmap_ne1			
actmod_rid			add_add2	Street Address2			
add_addr	Street Address			add_addr1			
add_addr2				add_rid			
addfee	Add Fee			addpage			
addr				addr_ce1			
addr_ce2				addr_ce3			
addr_le1				addr_ne1			
addr_type				address			
address_ce1				address_ce2			
address_ce3				address_de1		Effective	
address_fe1				address_le1			
address_ne1				addrtype_ce1			
addrtype_ce2				addrtype_ce3			
addrtype_de1				addrtype_fe1			
addrtype_le1				addrtype_ne1			
adjustment	Adjustment			adm_email	Admin. Email Address		
adm_mailed				admin_sal			
admin_sec	Administration Section			adminlck	Admin. Lock		
admiss_off	Admiss. Officer			admiss_phn	Admiss. Phone		
admiss_ttl	Admiss. Officer			adv_rid			
adv_ssn	Advisor			adv_vw_all			
advisor	Advisor			advisor_name	Advisor		
affiliated	Affiliated			affiliation_ce1			
affiliation_ce2				affiliation_ce3			
affiliation_cod	Affiliation			affiliation_de1			
affiliation_fe1				affiliation_le1			
affiliation_ne1				affiliation_txt	Affiliation Description		
agency	Agency			agency_ce1			
agency_ce2				agency_ce3			
agency_cod	Agency	Recruiter		agency_de1			
agency_fe1				agency_le1			

Column	Default	User	Description	Column	Default	User	Description
agency_ne1				agency_txt	Agency	Recruiter	
agi	Adjusted Gross Income			all_degrees			
allocation	Allocation			allow_em			
allowwd				alphasp			
alphast				alum_access	Alumni Request		
alum_sec	Alumni Section			alumn			
alupd				amount	Amount		
amount_applied				amt			
amt_1	Amount			ann_sal	Annual Salary		
ant_grad_date	Anticip. Grad. Date			antic_grad	Anticipated Graduation		
apfee_dt	Date			app_completed	Application Completed		
app_date	App. Date			app_entry_date	Entry Date		
app_fee_rcvd	Application Fee Rcvd			app_pages_rid			
app_pages_txt	Online Application Page			app_pages_url			
app_rec	Application Received			app_rid	Application RowID		
app_sec	Applicant Section			app_stop	Stop On App.		
app_yr	App. Year			appacts_ce1			
appacts_ce2				appacts_ce3			
appacts_de1				appacts_fe1			
appacts_le1				appacts_ne1			
appacts_rid				appchk_ce1			
appchk_ce2				appchk_ce3			
appchk_cod				appchk_de1			
appchk_fe1				appchk_le1			
appchk_ne1				appchk_rid	Checklist Item		
appchk_txt				appchklist_ce1			
appchklist_ce2				appchklist_ce3			
appchklist_de1				appchklist_fe1			
appchklist_le1				appchklist_ne1			
appchklist_rid				appentrydate_ce1			
appentrydate_ce2			appentrydate_ce3				

Column	Default	User	Description	Column	Default	User	Description
appentrydate_de1			appentrydate_fe1				
appentrydate_le1			appentrydate_ne1				
appfee_ce1				appfee_ce2			
appfee_ce3				appfee_de1			
appfee_fe1				appfee_le1			
appfee_ne1				appfee_rid			
applican_ce1				applican_ce2			
applican_ce3				applican_de1			
applican_fe1				applican_le1			
applican_ne1				applican_rid			
applied_pmt_id				appliedpmts_ce1			
appliedpmts_ce2				appliedpmts_ce3			
appliedpmts_de1				appliedpmts_fe1			
appliedpmts_le1				appliedpmts_ne1			
apply_by	Apply By			approg			
approg_ce1				approg_ce2			
approg_ce3				approg_de1	Approg De1		
approg_fe1				approg_le1			
approg_ne1				appt_date	Curr. Appt.		
appt_stat				appupd			
archgrade	Archive Official Grade Changes			archgrade_ce1			
archgrade_ce2			archgrade_ce3				
archgrade_de1			archgrade_fe1				
archgrade_le1			archgrade_ne1				
archgrade_rid			asofdate				
assets	Assets			attachment	E-mail Attachment		
attend_txt				attorney	Attorney		
attorney_phone	Attorney Phone			Audit_ce1			
Audit_ce2			Audit_ce3				
Audit_de1			Audit_fe1				
Audit_le1			Audit_ne1				
Audit_rid			auth_date	Date			
auth_first_name	Author First Name			auth_last_name	Author Last Name		
auth_received	Received			author	Author		

Column	Default	User	Description	Column	Default	User	Description
authorized	Authorized By			auto_repeat			
avail_date	Availability Date			avl_inst	avl_inst		
avl_int	Interviewer			avl_lead	Instructor		
award_ce1				award_ce2			
award_ce3				award_de1			
award_fe1				award_le1			
award_ne1				awd_cod	Award Code		
awd_id	Award ID			awd_note	Memo		
awd_txt	Description			awd_type			
b_page				b_rid			
b_txt				background			
bad	Known Bad			bal			
bal30				bal60			
bal90				bal90p			
balance				bar			
batch_dir				batchnum			
batchnum_ce1				batchnum_ce2			
batchnum_ce3				batchnum_de1			
batchnum_fe1				batchnum_le1			
batchnum_ne1				batchnum_rc			
batchnum_rc_ce1			batchnum_rc_ce2				
batchnum_rc_ce3			batchnum_rc_de1				
batchnum_rc_fe1			batchnum_rc_le1				
batchnum_rc_ne1			batchnum_rc_rid				
batchnum_rid				bb_cod			
bb_percent				bb_project_no			
bbattr_ce1				bbattr_ce2			
bbattr_ce3				bbattr_de1			
bbattr_fe1				bbattr_le1			
bbattr_ne1				beds_max	Max Beds		
best_rpt_grd	Best Repeat Grade			bgcolor	Background Color		
bill_finaid			bill_memo	Billing Memo			
bill_only	Billing Only			birth_country	Birth Country		
birthdate	Birthdate			blackbaud	BlackBaud Acct.		
blby_clhr	Bill By Class Hrs			bldcountry	Country		

Column	Default	User	Description	Column	Default	User	Description
bldg_add1	Address			bldg_add2	Addr2		
bldg_add3	Addr3			bldg_cap	Capacity		
bldg_ce1				bldg_city	City		
bldg_cod	Building Code			bldg_cont	Contact		
bldg_le1				bldg_mem	Memo		
bldg_ne1				bldg_phone	Phone		
bldg_rooms	Rooms			bldg_state	State		
bldg_txt	Building			bldg_zip	Zip		
bldgattr_ce1				bldgattr_ce2			
bldgattr_ce3				bldgattr_cod	Attribute Code		
bldgattr_de1				bldgattr_fe1			
bldgattr_le1				bldgattr_ne1			
bldgattr_txt	Attribute			bldgcounty	County		
bldgtype_ce1				bldgtype_ce2			
bldgtype_ce3				bldgtype_cod	Building Type		
bldgtype_de1				bldgtype_fe1			
bldgtype_le1				bldgtype_ne1			
bldgtype_txt	Building Type			bldtask_ce1			
bldtask_ce2			bldtask_ce3				
bldtask_cod	Query Builder Task			bldtask_de1			
bldtask_fe1			bldtask_le1				
bldtask_ne1			bldtask_txt	Query Builder Desc.			
blnk_offic	Make Blank Grades Official			blnk_rqd			
block_no				bodycolor			
bodyfont				box6ind	Box 6 Indicator		
bs_degree	BS Degree			budget	Budget		
building_ce1				building_ce2			
building_ce3				building_de1			
building_fe1				building_le1			
building_ne1				c_bal			
ca_disable				ca_ldesc			
ca_rid				ca_sdesc	Activity		
ca_sp_date	Stop Date			ca_st_date	Start Date		
cachtime	Cache Time (minutes)			calyear			
calyear_ce1				calyear_ce2			
calyear_ce3				calyear_de1			
calyear_fe1				calyear_le1			
calyear_ne1				calyear_rid			

Column	Default	User	Description	Column	Default	User	Description
camp_ce1	Campus CE1			camp_cod	Campus		
camp_flag	Campus			camp_le1	Campus LE1		
camp_mem	Memo			camp_ne1	Campus NE1		
camp_rid				camp_txt	Campus		
campus	Campus			campus_ce1			
campus_ce2				campus_ce3			
campus_de1				campus_fe1			
campus_le1				campus_ne1			
cancel	Cancel			cancel_dt	Cancel Date		
caption_ce1				caption_ce2			
caption_ce3				caption_de1			
caption_fe1				caption_id			
caption_le1				caption_ne1			
card_no	Card Number			category_ce1			
category_ce2				category_ce3			
category_de1				category_fe1			
category_le1				category_ne1			
categr_cod	Category			categr_txt	Category		
ce_creds	CE Credits			cell_phone	Cell Phone		
cepercred1	CE Per Credit			cepercred2	CE Per Credit2		
cextra1	Extra Column1			cextra2	Extra Column 2		
cextra3	Extra Column 3			cgpa1			
cgpa10			cgpa11				
cgpa12			cgpa2				
cgpa3			cgpa4				
cgpa5			cgpa6				
cgpa7			cgpa8				
cgpa9			change_clin_grade	Clin_Grade Changed To			
change_grade	Grade Changed To			change_mid_term	Mid_Term Changed To		
change_officialg	Official Grade Changed To			charge	Charge		
check_no	Check No.			checklist			
chk_comp	Complete			chk_created	Check Created		
chk_preview	Check Preview			chk_refund	Check Refund		
chklstdone				cip_code	CIP Code		
citizen	Citizen			citizen_country	Citizenship Country		
city	City			ck_awdstat	Check Award Status		
cl_prereq	College Prerequisite			CLASS	Class		

Column	Default	User	Description	Column	Default	User	Description
class_grad	Class Grade			class_hrs	Class Hrs		
clin_grade	Clinical Grade			clin_hrs	Clinical HRS		
clin_incl	Display Clinical Grades			col			
color				color_ce1			
color_ce2				color_ce3			
color_cod	Color			color_de1			
color_desc			color_fe1				
color_le1				color_ne1			
color_txt	Color			column_	Column		
comm_dt	Date			comm_hrs	comm_hrs		
comments	Comments			comp_dt	Completed Date		
complete				completed			
conf_rec	Conf. Rec.			conflict_exclude	Conflict Exclude		
cons_ce1				cons_code			
cons_le1				cons_ne1			
cons_rid				cons_txt			
conscod ce1				conscod ce2			
conscod ce3				conscod de1			
conscod fe1				conscod le1			
conscod ne1				constit_rating	Constituent Rating		
constit_type_cod	Constituent Type			constit_type_txt			
cont_sal	Contract Salary			cont_term			
contact	Contact			contact_email	Contact Email		
contact_name	Contact Name			contact_phone	Contact Phone		
contact_time	Best Time To Contact			contact_title	Title		
contacted_date	Contacted			control_name	Payer Name Control		
corequisite_ce1				corequisite_ce2			
corequisite_ce3				corequisite_coreq	Corequisite		
corequisite_crs_id	Course			corequisite_de1			
corequisite_fe1				corequisite_le1			
corequisite_ne1				corequisite_rid			
corrected_ind	Corrected			cost	Audit Cost		

Column	Default	User	Description	Column	Default	User	Description
cost_cred				country	Country		
country_ce1				country_ce2			
country_ce3				country_de1			
country_fe1				country_le1			
country_ne1				country_txt	Country		
county	County			county_ce1			
county_ce2				county_ce3			
county_cod	County Code			county_de1			
county_fe1				county_le1			
county_ne1				county_txt	County		
course	Course			course_ce1			
course_ce2				course_ce3			
course_de1				course_fe1			
course_le1				course_ne1			
coursedet_ce1				coursedet_ce2			
coursedet_ce3				coursedet_de1			
coursedet_fe1				coursedet_le1			
coursedet_ne1				coursedet_rid			
cqpa	GPA			cred_hours	Credit Hours		
cred_rec	Cred.			credfrom	Credit From		
credit_to				credits	Cred.		
creds_cumm	Cumulative Credit Hrs			creds_sem	Semester Credit Hrs		
credto	Credit To			erg_type			
crs_authorize_ce1				CRS_Authorize_ce2			
CRS_Authorize_ce3				crs_authorize_cod	Course Auth. Code		
CRS_Authorize_de1				CRS_Authorize_fe1			
crs_authorize_le1				crs_authorize_mes	Message		
crs_authorize_ne1				crs_authorize_txt	Course Authorization		
crs_ce1	Course CE1			crs_ce2	Course CE2		
crs_ce3	Course CE3			crs_id	Course ID		
crs_le1	Course LE1		PDU	crs_mem	Course Memo		
crs_ne1	Course NE1			crs_num_start	Course Number Start		
crs_txt	Description			crs_type	Type		
CRSAFF_ce1				CRSAFF_ce2			
CRSAFF_ce3				CRSAFF_de1			
CRSAFF_fe1				CRSAFF_le1			



Column	Default	User	Description	Column	Default	User	Description
CRSAFF_ne1				CRSAFF_rid			
crsauthmemo	Auth. Memo			crsequiv_ce1			
crsequiv_ce2				crsequiv_ce3			
crsequiv_course1				crsequiv_course2			
crsequiv_crs_id1	Replace Course			crsequiv_crs_id2	Replace With Course		
crsequiv_de1				crsequiv_fe1			
crsequiv_le1				crsequiv_ne1			
crsequiv_rid				crssect_ce1			
crssect_ce2				crssect_ce3			
crssect_de1				crssect_fe1			
crssect_le1				crssect_ne1			
crssectlev_ce1				crssectlev_ce2			
crssectlev_ce3				crssectlev_de1			
crssectlev_fe1				crssectlev_le1			
crssectlev_ne1				crssectlev_rid			
crssectprg_ce1				crssectprg_ce2			
crssectprg_ce3				crssectprg_de1			
crssectprg_fe1				crssectprg_le1			
crssectprg_ne1				crssectprg_rid			
crstyp_ce1				crstyp_le1			
crstyp_ne1				crstypcod	Course Type Code		
crstypcod2				crstype_ce1			
crstype_ce2				crstype_ce3			
crstype_de1				crstype_fe1			
crstype_le1				crstype_ne1			
erstyptxt	Type			crystalpg			
crystalpg_user				crystalrpt			
CSSFile	CSS Name			csz			
culactivities_ce1				culactivities_ce2			
culactivities_ce3				culactivities_de1			
culactivities_fe1				culactivities_le1			
culactivities_ne1				cum_creds			
cum_gpa				cum_pnts			

Column	Default	User	Description	Column	Default	User	Description
cur_cod	Curriculum			cur_emp	Current Employee	CHS Current Employee	
cur_emp_inst_cod	Facility of Employment			cur_emp_inst_txt			
cur_schyr	Current School Year			cur_sem	Current Semester		
cur_txt	Curriculum			curdet_ce1			
curdet_le1				curdet_ne1			
curdet_rid				curdetail_ce1			
curdetail_ce2				curdetail_ce3			
curdetail_de1				curdetail_fe1			
curdetail_le1				curdetail_ne1			
curover_ce1				curover_ce2			
curover_ce3				curover_de1			
curover_fe1				curover_le1			
curover_ne1				curover_rid			
curovermaj_creds	Major Credits			curovermaj_gpa	Major GPA		
curovertot_creds	Total Credits			curovertot_gpa	Total GPA		
CurPlanMessage_ce1				CurPlanMessage_ce2			
CurPlanMessage_ce3				CurPlanMessage_de1			
CurPlanMessage_def				CurPlanMessage_fe1			
CurPlanMessage_le1				CurPlanMessage_ne1			
CurPlanMessage_rid				CurPlanMessage_user			
curr_desc				currcod_ce1			
currcod_le1				currcod_ne1			
curric_id				curric_mem			
curriculum				curriculumcode_ce1			
curriculumcode_ce2				curriculumcode_ce3			
curriculumcode_de1				curriculumcode_fe1			
curriculumcode_le1				curriculumcode_ne1			
d_bal				DATE_			
date_comp	Date Completed			date_error			
date_exp	Expires			date_from	Start Date		
date_inq	Date of Inquiry			date_mod			
date_of_cl				date_ran	Date Ran		
date_range	Date Range			date_rec	Date Received		

Column	Default	User	Description	Column	Default	User	Description
date_sent	Stat. Date			date_to	End Date		
datedone				day_abbr			
day_cod	Day			day_rid			
day_txt				days_from_StartDt	PP Delta Days		
dayweek_ce1				dayweek_ce2			
dayweek_ce3				dayweek_de1			
dayweek_fe1				dayweek_le1			
dayweek_ne1				dayweekce1			
dayweekle1				dayweekne1			
dcaption				dec_date	Expired		
deceased	Deceased			def_bldt	Default Billing Date		
def_val				def_ys			
default	Default			deg_grant			
deg_tran	Deg Tran			degree	Degree		
degree_ac	Acpt. Degree			degree_ap	App. Degree		
degree_ce1				degree_ce2			
degree_ce3				degree_de1			
degree_fe1				degree_le1			
degree_ne1				degree1			
degree10			degree11				
degree12			degree2				
degree3				degree4			
degree5				degree6			
degree7			degree8				
degree9			del_flag	Delete			
demo				depart			
depend_stat_cod	Dependency Status			depend_stat_txt			
dept	Department	Dept/Cohort		dept_ce1	Depart. CE1		
dept_ce2				dept_ce3			
dept_cod	Department			dept_cod2			
dept_de1				dept_fe1			
dept_flag	Department			dept_le1	Depart. LE1		
dept_ne1	Depart. NE1			dept_rid			
dept_sal				dept_txt	Department	Dept/Cohort	
dept_txt2			desc	Description			
desc				descript	Description		
description			dir_email	Dir. Email			
dir_phn	Dir. Phone			direct			
director	Director			dirtitle	Dir. Title		
dis_sent	Stat. Sent			disable_bit	Disable Script		

Column	Default	User	Description	Column	Default	User	Description
disable_date	Disabled Date			disable_operator	Operator		
disabled	Disabled			disabled_maj			
disabled_min				disburse_no	Disburse		
disbursement_amt				disbursement_no			
disbursements	Disbursements			dismessage	Disabled Message		
disp_date	Date			dispacts_ce1			
dispacts_ce2				dispacts_ce3			
dispacts_de1				dispacts_fe1			
dispacts_le1				dispacts_ne1			
dispacts_rid				dispcode_ce1			
dispcode_ce2				dispcode_ce3			
dispcode_de1				dispcode_fe1			
dispcode_le1				dispcode_ne1			
display				displett_ce1			
displett_ce2				displett_ce3			
displett_de1				displett_fe1			
displett_le1				displett_ne1			
displett_rid				dispos	Disposition		
dispos_ce1				dispos_ce2			
dispos_ce3				dispos_cod	Disposition		
dispos_de1				dispos_fe1			
dispos_le1				dispos_mem	Memo		
dispos_ne1				dispos_rid			
disprans_ce1				disprans_ce2			
disprans_ce3				disprans_de1			
disprans_fe1				disprans_le1			
disprans_ne1				disprans_rid			
div_ce1	Div. CE1			div_cod	Division		
div_flag	Division			div_le1	Div. LE1		
div_ne1	Div. NE1			div_rid			
div_txt	Division			diviser			
division	Division			division_ce1			
division_ce2				division_ce3			
division_de1				division_fe1			
division_le1				division_ne1			
dname				done_date	Date Completed		
dorm_cost	Dorm Cost			dow	Dow		
dropfee	Drop Fee			dropfile			
dt_taken	Date Taken			dtype			

Column	Default	User	Description	Column	Default	User	Description
due_date				dup_nameck	Check Duplicate Names		
duties_memo	Duties			e_cashier	Use e-Cashier		
e_cashier_name	e-Cashier Name			e_mail	Email Address		
ecourse			ecreds				
ecrs_id			edition	Edition			
edu_active				edu_rid	Ed. Record ID		
educ_memo1			educ_memo10				
educ_memo11			educ_memo12				
educ_memo2			educ_memo3				
educ_memo4			educ_memo5				
educ_memo6			educ_memo7				
educ_memo8			educ_memo9				
educmem	Memo			eduinsttyp	Additional Type		
efc	Estimated Family Contribution			element	Element		
element_ce1				element_ce2			
element_ce3				element_de1			
element_fe1				element_le1			
element_ne1				element_rid			
elmid			ELMLoan_ce1				
ELMLoan_ce2			ELMLoan_ce3				
ELMLoan_cod	ELM Loan Code			ELMLoan_de1			
ELMLoan_fe1			ELMLoan_le1				
ELMLoan_ne1			ELMLoan_txt	ELM Loan Code Desc			
email			email_act	E-Mail			
emailmemo				emailmemo_ce1			
emailmemo_ce2				emailmemo_ce3			
emailmemo_de1				emailmemo_fe1			
emailmemo_le1				emailmemo_ne1			
emailmemo_rid				emailsubject			
emer_cont	Emergency Contact			emer_phone	Emergency Phone		
emp_add1	Address			emp_add2	Addr2		
emp_add3	Addr3			emp_city	City		

Column	Default	User	Description	Column	Default	User	Description
emp_class	emp_class			emp_county	County		
emp_employ	Employer			emp_mem	Memo		
emp_pos	Position			emp_rid	Employer RowID		
emp_state	State			emp_super	Supervisor		
emp_type	emp_type			emp_zip	Zip		
empcountry	Country			employer_ce1			
employer_ce2			employer_ce3				
employer_contact_ce1			employer_contact_ce2				
employer_contact_ce3			employer_contact_de1				
employer_contact_fe1			employer_contact_le1				
employer_contact_ne1			employer_contact_rid				
employer_de1			employer_fe1				
employer_le1			employer_ne1				
employer_rid			employer_txt	Employer			
enable	Login Enabled			end_ampm	am/pm		
end_date	End Date			end_dt	End Date		
end_hr	Hour			end_min	Minute		
end_term				end_time	Time		
enr_age	Enrollment Age			enrlstat_ce1			
enrlstat_ce2				enrlstat_ce3			
enrlstat_de1				enrlstat_fe1			
enrlstat_le1				enrlstat_ne1			
enrol_date	Enrollment Date			enroll_month	Planned Enrollment Month		
enroll_option	Student Enrollmentcode Option			enroll_status			
enroll_yr	Planned Enrollment Year			enrollcode	Enroll Code		
enrollcode_ce1				enrollcode_ce2			
enrollcode_ce3				enrollcode_de1			
enrollcode_fe1				enrollcode_le1			
enrollcode_ne1				enrollstat_cod	Enroll Status		
enrolltext				enstat_cod	Enroll Status		
enstat_txt	Enroll Status			enter	Entry Date		
enter_date	Entry Date			enter_date1			

Column	Default	User	Description	Column	Default	User	Description
enter_date10			enter_date11				
enter_date12			enter_date2				
enter_date3			enter_date4				
enter_date5			enter_date6				
enter_date7			enter_date8				
enter_date9			entry_date	Entry Date			
entry_dt	Entered			equivalnt	Equivalent		
equivmem	Equiv. Memo			error_flag			
ethnic				ethnic_ce1	Ethnic CE1		
ethnic_ce2				ethnic_ce3			
ethnic_cod	Ethnic Code			ethnic_de1			
ethnic_fe1				ethnic_le1	Ethnic LE1		
ethnic_ne1	Ethnic NE1			ethnic_txt	Ethnicity		
ev_disable	Disable			ev_ldesc	Long Description		
ev_rid	Event			ev_sdesc	Event		
ev_sp_date	Stop Date			ev_st_date	Start Date		
ev_target				events_ce1			
events_ce2				events_ce3			
events_de1				events_fe1			
events_le1				events_ne1			
exam_id	Exam ID			excl_billing	Exclude from Billing		
excl_blank_accept_awds			excl_blk_trans	Exclude from Bulk Transactions			
excl_declined_awds			excl_fac	Excl. Fclty			
excl_mailing	Exclude from Mailing			excl_non_cur_crs	Report Excl. Non-curric Courses		
exclude				exclude_from_bill	Exclude From Billing		
exclude_prg	Exclude Outside System			exclude_rfb	Exclude Outside System		
exclude_trm	Exclude Outside System			executor	Executor		
executor_phone	Executor Phone			exit_pth			
exit_rtn				exp_date	Expires		
expire_dt	Exp. Date			ext	Ext.		
fa_email	FA Email			fa_int	FA Int.		
fa_officer	FA Officer			fa_phone	FA Phone		
fa_title	FA Title			fac_date	Fac. Appt.		
fac_regAU			FAC_REGCE				

Column	Default	User	Description	Column	Default	User	Description
fac_regmulti	Faculty Multi-Semester Registration			fac_soc_sec			
fac_ssn	Advisor ID No.			facsal_ce1			
facsal_ce2				facsal_ce3			
facsal_de1				facsal_fe1			
facsal_le1				facsal_ne1			
faculty	Faculty			faculty_ce1			
faculty_ce2				faculty_ce3			
faculty_de1				faculty_fe1			
faculty_le1				faculty_ne1			
facultytype_ce1				facultytype_ce2			
facultytype_ce3				facultytype_cod	Faculty Type		
facultytype_de1				facultytype_fe1			
facultytype_le1				facultytype_ne1			
facultytype_txt	Faculty Type			facupd			
fam_cont	Family Contribution			fax	Fax		
fd_actmap_ce1			fd_actmap_ce2				
fd_actmap_ce3			fd_actmap_de1				
fd_actmap_fe1			fd_actmap_id				
fd_actmap_le1			fd_actmap_ne1				
fd_tcodes_ce1				fd_tcodes_ce2			
fd_tcodes_ce3				fd_tcodes_de1			
fd_tcodes_fe1				fd_tcodes_le1			
fd_tcodes_ne1				fd_tmpract_ce1			
fd_tmpract_ce2				fd_tmpract_ce3			
fd_tmpract_de1				fd_tmpract_fe1			
fd_tmpract_le1				fd_tmpract_ne1			
fd_trans_ce1				fd_trans_ce2			
fd_trans_ce3				fd_trans_de1			
fd_trans_fe1				fd_trans_le1			
fd_trans_ne1				fdaccept			
fdact_code				fdamt_1	Amount		



Column	Default	User	Description	Column	Default	User	Description
fdanonymous				fdbatchnum	Batch		
fdbatchnum_ce1			fdbatchnum_ce2				
fdbatchnum_ce3			fdbatchnum_de1				
fdbatchnum_fe1			fdbatchnum_le1				
fdbatchnum_ne1			fdbatchnum_rid				
fdcheck_no	Check No.			fddescribe	Fund Raising Codes		
fdinvoice_no				fdmatch_id			
fdoffered				fdpay_sequ			
fdpayments				fdposted			
fdpstd_2gl	Pledge Posted To Billing			fdreceived			
fdreq_pldg				fdtcodes	Code		
fdtrans_no	Trans. No.			feature	Feature		
fed_rpt1				fed_rpt2			
fee_amnt	Fee Amount			fee_rec	App. Fee Recvd		
fees_ce1				fees_ce2			
fees_ce3				fees_de1			
fees_fe1				fees_le1			
fees_ne1				fees_rid			
feessec_ce1				feessec_ce2			
feessec_ce3				feessec_de1			
feessec_fe1				feessec_le1			
feessec_ne1				feessecrid			
fice	FICE			fice_code	Code		
FieldName			fieldname_code				
file_name				filler1			
filler2				fin_aid	Financial Aid		
fin_ce1				fin_le1			
fin_mes				fin_ne1			
fin_page				fin_rid			
fin_txt				finaid_off	FA Officer		
finaidimport				finaidimport_ce1			
finaidimport_ce2				finaidimport_ce3			
finaidimport_de1				finaidimport_fe1			
finaidimport_le1				finaidimport_ne1			
finaidsem_ce1				finaidsem_ce2			

Column	Default	User	Description	Column	Default	User	Description
finaidsem_ce3				finaidsem_de1			
finaidsem_fe1				finaidsem_le1			
finaidsem_ne1				finaidsem_rid			
finaidyear_ce1				finaidyear_ce2			
finaidyear_ce3				finaidyear_de1			
finaidyear_fe1				finaidyear_le1			
finaidyear_ne1				finaidyear_rid			
finmemo				finmemo_ce1			
finmemo_ce2				finmemo_ce3			
finmemo_de1				finmemo_fe1			
finmemo_le1				finmemo_ne1			
finmemo_rid				first_name	First		
flag	Flag			flag2	Flag 2		
flat_cred	Flat Credits			flat_fee	Flat Fee		
FLATAFF_ce1				FLATAFF_ce2			
FLATAFF_ce3				FLATAFF_de1			
FLATAFF_fe1				FLATAFF_le1			
FLATAFF_ne1				FLATAFF_rid			
flatfee_ce1				flatfee_ce2			
flatfee_ce3				flatfee_de1			
flatfee_fe1				flatfee_filter_rid	Row ID		
flatfee_le1				flatfee_ne1			
flatfee_ref	Flat Fee Ref.			flatfee_rid			
flatfee_txt	Flatfee			flfe_ex	File Fee		
floor	Floor			foreign_entity	Foreign Entity		
foreign_ind	Foreign			forum_post_ce1			
forum_post_ce2			forum_post_ce3				
forum_post_de1			forum_post_fe1				
forum_post_le1			forum_post_ne1				
forum_topic_ce1			forum_topic_ce2				
forum_topic_ce3			forum_topic_de1				
forum_topic_fe1			forum_topic_le1				
forum_topic_ne1			fringe_ben				

Column	Default	User	Description	Column	Default	User	Description
from_credit	From Credit			from_dt	From		
ftkey			fulltime	Fulltime			
function				fund_id	Fund Charged		
fund_stat	Fund. Stat.			funds_cod	Fund		
funds_txt	Description			ged	GED		
gen_ap	Generate Applicant			gen_examid			
gen_id	Gen. Student ID#			gen_inv_no			
gen_prosid	Gen. Prospect ID#			gen_st	Generate Student		
gender	Gender			gender_ce1			
gender_ce2				gender_ce3			
gender_cod				gender_de1			
gender_fe1				gender_le1			
gender_ne1				gender_txt			
gfac_stat				giving_level	Giving Level		
gl_int	GL INT			good_standing	Good Standing		
gpa	GPA			gpa_cumm	Cumulative GPA		
gpa_sem	Semester GPA			grad_date	Grad. Date		
grad_date1				grad_date10			
grad_date11			grad_date12				
grad_date2				grad_date3			
grad_date4				grad_date5			
grad_date6				grad_date7			
grad_date8			grad_date9				
grad_ind	Graduate Student			grad_mo	Graduation Month		
grad_prog	Graduated			grad_stud	Grad. Student		
grad_year	Graduation Year			Grad_YR			
grad_yr_code			grade	Grade			
grades_ce1				grades_ce2			
grades_ce3				grades_de1			
grades_fe1				grades_le1			
grades_ne1				Graduate			
graduate_code			graduated	Graduated			
gridselect				halftime_ind	Halftime Enrollment		
heading1				heading2			
health			health_ce1				
health_ce2				health_ce3			
health_de1				health_fe1			

Column	Default	User	Description	Column	Default	User	Description
health_le1				health_ne1			
hide_name				high			
high_coe	High COE			high_etc	High EFC		
hire_date	Hired			hld_cod	Hold		
hld_mem	Hold Memo			hld_rid	Hold ID		
hld_txt	Hold			hlthmem	Remarks		
hndcap_acc	Disability Access			hndcap_fac	Disability Facilities		
hndcap_sts	Disability Seats			hold_ce1			
hold_ce2				hold_ce3			
hold_de1				hold_fe1			
hold_le1				hold_ne1			
holdlimit_ce1			holdlimit_ce2				
holdlimit_ce3			holdlimit_de1				
holdlimit_fe1			holdlimit_le1				
holdlimit_ne1			holdlimit_rid				
holds	Hold			home			
home_				home_degrees			
Home_Sep_Color	Home Separation Color			homeinst	Home Institution		
hours				house_amt1	Amount		
house_ce1				house_ce2			
house_ce3				house_cod	Room Code		
house_de1				house_fe1			
house_inc_ce1				house_inc_ce2			
house_inc_ce3				house_inc_de1			
house_inc_fe1				house_inc_le1			
house_inc_ne1				house_inc_rid			
house_inc_txt				house_le1			
house_mem	Memo			house_ne1			
house_stat_cod	Housing Status			house_stat_txt			
house_txt	Room No.			houseattr_ce1			
houseattr_ce2				houseattr_ce3			
houseattr_cod				houseattr_de1			
houseattr_fe1				houseattr_le1			
houseattr_ne1				houseattr_txt			
housefees_addl_ce1			housefees_addl_ce2				

Column	Default	User	Description	Column	Default	User	Description
housefees_addl_ce3			housefees_addl_de1				
housefees_addl_fe1			housefees_addl_le1				
housefees_addl_ne1			housefees_addl_rid				
househouse_rid				househouseattr_ce1			
househouseattr_ce2				househouseattr_ce3			
househouseattr_de1				househouseattr_fe1			
househouseattr_le1				househouseattr_ne1			
hrs_week	Weekly Hours			hs_grad	High School Graduate		
hs_prereq	High School Prerequisite			HSgradyr			
HT				image			
imported			Importer_ce1				
Importer_ce2			Importer_ce3				
Importer_cod	Importer Code			Importer_de1			
Importer_fe1			Importer_le1				
Importer_ne1			Importer_txt	Importer			
importtcodes_ce1			importtcodes_ce2				
importtcodes_ce3			importtcodes_de1				
importtcodes_fe1			importtcodes_le1				
importtcodes_ne1			importtcodes_rid				
inact_dt	Inactive Date			inactive	Inactive		
inc_bill				inc_checklist	Incl Checklist		
inc_sum				incl_directory	Incl. in Directory		
included				income_level	Income Level		
incomp_grd	Incomplete Grade			incomplete	Incomplete		
incqpa	Include GPA			inprofession	In Profession		
inqtype_ce1				inqtype_ce2			
inqtype_ce3				inqtype_de1			
inqtype_fe1				inqtype_le1			
inqtype_ne1				inqtypecod	Inquiry Type Code		
inqtypetxt	Inquiry Type			inst_add1	Address		
inst_add2	Addr2			inst_add3	Addr3		
inst_bill	3rd Party Billing			inst_ce1		High School Counselor	

Column	Default	User	Description	Column	Default	User	Description
inst_city	City			inst_entr	Country		
inst_cod	Instit. Code			inst_cours	Instit. Course		
inst_desc	Institute Desc.			inst_email	Email		
inst_fax	Fax			inst_le1			
inst_ne1				inst_phone	Phone		
inst_seq				inst_state	State		
inst_txt	Institution			inst_zip	Zip		
instcounty	County			institut	Institution		
institut_ce1				institut_ce2			
institut_ce3				institut_de1			
institut_fe1				institut_le1			
institut_ne1				institut1			
institut10			institut11				
institut12			institut2				
institut3				institut4			
institut5				institut6			
institut7			institut8				
institut9			institute	Institute			
instrctp	Instret. Type			instrctp_ce1			
instrctp_ce2				instrctp_ce3			
instrctp_cod				instrctp_de1			
instrctp_fe1				instrctp_le1			
instrctp_ne1				instructor	Instructor		
instypcod	Code			insttype			
insttype_ce1				insttype_ce2			
insttype_ce3				insttype_de1			
insttype_fe1				insttype_le1			
insttype_ne1				insttytxt	Type		
int_from	From			int_mem	Memo		
int_rid				int_to	To		
interest	Interest			interlev_ce1			
interlev_ce2				interlev_ce3			
interlev_de1				interlev_fe1			
interlev_le1				interlev_ne1			
interview1_date	First Interview			interview2_date	Follow-up Interview		
intrlevcod	Level of Interest			intro_memo	Introduction		
intrsts	Interests/Organizations			intrsts_ce1			
intrsts_ce2				intrsts_ce3			
intrsts_de1				intrsts_fe1			
intrsts_le1				intrsts_ne1			

Column	Default	User	Description	Column	Default	User	Description
inv_date				inv_number			
invoice_ce1				invoice_ce2			
invoice_ce3				invoice_de1			
invoice_fe1				invoice_le1			
invoice_ne1				invoice_no	Invoice		
invoice_rid				ip			
IPED_addr	IPED Address			iped_stat	IPED Status		
iped_stat_txt				ipedstat_ce1			
ipedstat_ce2				ipedstat_ce3			
ipedstat_de1				ipedstat_fe1			
ipedstat_le1				ipedstat_ne1			
irp_rid				irp1098t_ce1			
irp1098t_ce2				irp1098t_ce3			
irp1098t_de1				irp1098t_fe1			
irp1098t_le1				irp1098t_ne1			
ISBN	ISBN			ISEAS_no	ISEAS		
item	Item			item_dt	Date		
item_no	No.			itype			
job_ce1			job_ce2				
job_ce3			job_class_ce1				
job_class_ce2			job_class_ce3				
job_class_cod	Job Class			job_class_de1			
job_class_fe1			job_class_le1				
job_class_ne1			job_class_txt	Job Class			
job_de1			job_desc	Description			
job_fe1			job_le1				
job_ne1			job_rid				
job_start_dt	Start Date			job_title	Title		
jobs			k_card	Key Card			
key_				keycol			
l_list	Launch List			l_page	Launch Page		
l_rid	List ID			l_txt	Text		
label_caps	UpperCase Labels			label_code	Label Size		
labels	Labels 1			labels_ce1			
labels_ce2				labels_ce3			
labels_de1				labels_fe1			
labels_le1				labels_ne1			
labels_rid				labels2	Labels2 Flag		
labels3	Labels3 Flag			last_name	Last		
last_post			last_post_author				
last_post_id			last_update				

Column	Default	User	Description	Column	Default	User	Description
lbls_rpt				ldisp_only	Edit Launch		
lead_fac	Lead Faculty			leav_date	Leaving Date		
lettcode				lettdesc			
letter				letters	Letters		
lev_deadline	Level Deadline			level_	Level		
level_ce1				level_ce2			
level_ce3				level_de1			
level_fe1				level_le1			
level_ne1				level_2			
level_comp	Highest Level of Education			level_flag	Level		
level_from				level_promotion_ce1			
level_promotion_ce2				level_promotion_ce3			
level_promotion_de1				level_promotion_fe1			
level_promotion_le1				level_promotion_ne1			
level_promotion_rid				level_to			
level_txt	Class			level_txt2			
level2				lextra	Extra Logical		
lic_mem	Memo			lic_rid			
license	License			license_number	License Plate		
licenses			licenses_ce1				
licenses_ce2				licenses_ce3			
licenses_de1				licenses_fe1			
licenses_le1				licenses_ne1			
lim_excp				link			
list				ln_fees	Loan Fees		
loa_cod	Leave Type			loa_cod_id			
loa_mem	Memo			loa_rid	LOA RowID		
loan_cod	Loan Code			loan_fee			
loan_fee_perc	Loan Fee Percent			loan_fees			
loarsn_ce1				loarsn_ce2			
loarsn_ce3				loarsn_de1			
loarsn_fe1				loarsn_le1			
loarsn_ne1				loatype_ce1			
loatype_ce2				loatype_ce3			
loatype_de1				loatype_fe1			
loatype_le1				loatype_ne1			
loatypece1				loatypee1			



Column	Default	User	Description	Column	Default	User	Description
loatypene1				local			
location	Location			locker	Locker		
logged_in	Logged In			login_order	Login Fields Order		
login_retries	Login Retries			loginid			
loginpage	Login Page			logout			
low				low_coe	Low COE		
low_efc	Low EFC			LPN	LPN		
LPN_years	Years as LPN			maiden	Maiden Name		
mailbox	Mailbox No.			mailed_dt			
maj_ce1	Major CE1			maj_le1	Major LE1		
maj_ne1	Major NE1			maj_rid	Major ID		
major	Major			major_ac	Major Accepted		
major_ap	Major Applied			major_ce1			
major_ce2				major_ce3			
major_de1				major_fe1			
major_le1				major_ne1			
mar_ce1	Marital CE1			mar_cod	Marital Code		
mar_le1	Marital LE1			mar_ne1	Marital NE1		
mar_txt	Marital Status			marital_ce1			
marital_ce2				marital_ce3			
marital_de1				marital_fe1			
marital_le1				marital_ne1			
married	Married			master_ce1			
master_ce2				master_ce3			
master_de1				master_fe1			
master_le1				master_ne1			
matric_dt	Matric.			matric_fee	Matric. Fee Recvd		
max_amt				max_months	Max. Months		
max_sal				maxdispdte			
maxdispos			maximum_days	Max. Days			
maxlength				maxr	Max. Rows		
maxr2	Max. Rows			maxregrow	Regist. Max. Rows		
memo	Memo			mess_ce1			
mess_le1				mess_ne1			
message_ce1				message_ce2			
message_ce3				message_de1			
message_fe1				message_le1			
message_ne1				messagecod			
messagedef				messageusr			

Column	Default	User	Description	Column	Default	User	Description
mfee_dt	Date			mi	Middle		
mid_term	Mid-Term Grade			minimum_days	Min. Days		
minor	Minor			mmtemp			
MMTemp_rid			mod_ce1	Char Extra			
mod_le1	Logical Extra			mod_ne1	Int Extra		
mod_rid				mod_stat	Module Status	Status	
mod_txt	Status			modstat	Status		
modstat_ce1				modstat_ce2			
modstat_ce3				modstat_de1			
modstat_fe1				modstat_le1			
modstat_ne1				module			
move2app				moved			
moved_dt				multi_gpa	Multi Transcript/GPA		
n_area	Employ. Type			name	Institution		
name_ce1	Name CE1			name_ce2	Name CE2		
name_ce3	Name CE3			name_de1	Name De1		
name_fe1				name_le1	Name LE1		
name_mem	Name Memo			name_ne1	Name NE1		
name2				namebit1			
namebit2				namebit3			
namebit4				namebit5			
neg_amt			neg_amt3				
neg_amt5			NEW_DATA				
new_invnum			newname				
nextra	Extra Numerical			nickname	Nickname		
nln_pre	NLN PRE			nmact_ce1			
nmact_ce2				nmact_ce3			
nmact_cod				nmact_de1			
nmact_fe1				nmact_le1			
nmact_ne1				nmadv_ce1			
nmadv_ce2				nmadv_ce3			
nmadv_de1				nmadv_fe1			
nmadv_le1				nmadv_ne1			
nmappchk_ce1				nmappchk_ce2			
nmappchk_ce3				nmappchk_de1			
nmappchk_fe1				nmappchk_le1			
nmappchk_ne1				nmappchk_rid			

Column	Default	User	Description	Column	Default	User	Description
nmattend_ce1				nmattend_ce2			
nmattend_ce3				nmattend_de1			
nmattend_fe1				nmattend_le1			
nmattend_ne1				nmattend_rid			
nmbldtask_ce1			nmbldtask_ce2				
nmbldtask_ce3			nmbldtask_de1				
nmbldtask_fe1			nmbldtask_le1				
nmbldtask_ne1			nmbldtask_rid				
nmcat_ce1			nmcat_de1				
nmcat_fe1			nmcat_le1				
nmcat_ne1			nmcat_rid				
nmcit_ce1				nmcit_ce2			
nmcit_ce3				nmcit_de1			
nmcit_fe1				nmcit_le1			
nmcit_ne1				nmcit_rid			
nmcitizen_ce1				nmcitizen_ce2			
nmcitizen_ce3				nmcitizen_de1			
nmcitizen_fe1				nmcitizen_le1			
nmcitizen_ne1				nmcitizen_rid			
nmconstit_cod_rid			nmconstit_rid				
nmcrs_ce1	NMCRS CE1			nmcrs_ce2	NMCRS CE2		
nmcrs_ce3	NMCRS CE3			nmcrs_crstypcod			
nmcrs_crstypxt			nmcrs_de1				
nmcrs_fe1				nmcrs_le1	NMCRS LE1		
nmcrs_mem	Memo			nmcrs_ne1	NMCRS NE1		
nmcrs_rid				nmcrs_transfer_edits	Transfer Course Edits		
nmcrs_txt			nmerstype_ce1				
nmerstype_ce2				nmerstype_ce3			
nmerstype_de1				nmerstype_fe1			
nmerstype_le1				nmerstype_ne1			
nmerstype_rid				nmcul_ce1			
nmcul_de	Description			nmcul_le1			
nmcul_ne1				nmcul_rid			
nmculactivities_ce1				nmculactivities_ce2			

Column	Default	User	Description	Column	Default	User	Description
nmcactivities_ce3				nmcactivities_de1			
nmcactivities_fe1				nmcactivities_le1			
nmcactivities_ne1				nmedu_ce1	NMEDU CE1		
nmedu_ce2				nmedu_ce3			
nmedu_de1				nmedu_fe1			
nmedu_le1	NMEDU LE1			nmedu_ne1	NMEDU NE1		
nmemp_ce1	extra char			nmemp_ce2			
nmemp_ce3				nmemp_de1			
nmemp_fe1				nmemp_le1	entra logical		
nmemp_ne1	extra int			nmessay_ce1			
nmessay_ce2				nmessay_ce3			
nmessay_de1				nmessay_fe1			
nmessay_le1				nmessay_memo			
nmessay_ne1				nmessay_rid			
nmfinaid_ce1				nmfinaid_ce2			
nmfinaid_ce3				nmfinaid_de1			
nmfinaid_fe1				nmfinaid_le1			
nmfinaid_ne1				nmfinaid_rid			
nmfinmemo_ce1				nmfinmemo_ce2			
nmfinmemo_ce3				nmfinmemo_de1			
nmfinmemo_fe1				nmfinmemo_le1			
nmfinmemo_ne1				nmfundraising_rid			
nmheal_ce1				nmheal_ce2			
nmheal_ce3				nmheal_de1			
nmheal_fe1				nmheal_le1			
nmheal_ne1				nmheal_rid			
nmhold_ce1	Hold Extra Char			nmhold_ce2			
nmhold_ce3				nmhold_de1			
nmhold_fe1				nmhold_le1	Hold Extra Logical		
nmhold_ne1	Hold Extra Num			nmhouse_ce1			
nmhouse_ce2				nmhouse_ce3			
nmhouse_de1				nmhouse_fe1			
nmhouse_inc_ce1				nmhouse_inc_ce2			
nmhouse_inc_ce3				nmhouse_inc_de1			

Column	Default	User	Description	Column	Default	User	Description
nmhouse_inc_fe1				nmhouse_inc_le1			
nmhouse_inc_memo				nmhouse_inc_ne1			
nmhouse_le1				nmhouse_ne1			
nmhouse_rid				nmhousenotes_ce1			
nmhousenotes_ce2				nmhousenotes_ce3			
nmhousenotes_de1				nmhousenotes_fe1			
nmhousenotes_le1				nmhousenotes_ne1			
nmhousenotes_rid				nmhousepref_ce1			
nmhousepref_ce2				nmhousepref_ce3			
nmhousepref_de1				nmhousepref_fe1			
nmhousepref_le1				nmhousepref_ne1			
nmhousepref_rid				nmint_ce1			
nmint_ce2				nmint_ce3			
nmint_de1				nmint_fe1			
nmint_le1				nmint_ne1			
nmjobapply_ce1			nmjobapply_de1				
nmjobapply_fe1			nmjobapply_le1				
nmjobapply_ne1			nmjobapply_rid				
nmlic_ce1				nmlic_ce2			
nmlic_ce3				nmlic_de1			
nmlic_fe1				nmlic_le1			
nmlic_ne1				nmloa_ce1	NMLOA CE1		
nmloa_ce2				nmloa_ce3			
nmloa_de1				nmloa_fe1			
nmloa_le1	NMLOA LE1			nmloa_ne1	NMLOA NE1		
nmmaj_ce1				nmmaj_ce2			
nmmaj_ce3				nmmaj_de1			
nmmaj_fe1				nmmaj_le1			
nmmaj_ne1				nmmisc_ce1			
nmmisc_ce2				nmmisc_ce3			
nmmisc_de1				nmmisc_fe1			
nmmisc_le1				nmmisc_ne1			
nmmisc_rid				nmmod_ce1			
nmmod_le1				nmmod_ne1			

Column	Default	User	Description	Column	Default	User	Description
nmmod_rid				nmmodst_ce1			
nmmodst_ce2				nmmodst_ce3			
nmmodst_de1				nmmodst_fe1			
nmmodst_le1				nmmodst_ne1			
nmpark_active				nmpark_ce1			
nmpark_ce2				nmpark_ce3			
nmpark_de1				nmpark_fe1			
nmpark_inc_ce1				nmpark_inc_ce2			
nmpark_inc_ce3				nmpark_inc_de1			
nmpark_inc_fe1				nmpark_inc_le1			
nmpark_inc_memo				nmpark_inc_ne1			
nmpark_le1				nmpark_memo			
nmpark_ne1				nmpark_rid			
nmpayplan_ce1			nmpayplan_ce2				
nmpayplan_ce3			nmpayplan_de1				
nmpayplan_detail_AGREE_AM T			nmpayplan_detail_ce1				
nmpayplan_detail_ce2			nmpayplan_detail_ce3				
nmpayplan_detail_de1			nmpayplan_detail_fe1				
nmpayplan_detail_le1			nmpayplan_detail_PP_code				
nmpayplan_detail_rid			nmpayplan_detail_SD				
nmpayplan_le1			nmpayplan_ne1				
nmpayplan_plan_AD			nmpayplan_plan_AGREE_AM T				
nmpayplan_plan_ce1			nmpayplan_plan_ce2				
nmpayplan_plan_ce3			nmpayplan_plan_de1				
nmpayplan_plan_fe1			nmpayplan_plan_le1				
nmpayplan_plan_ne1			nmpayplan_plan_PP_code				
nmpayplan_plan_PP_txt			nmpayplan_plan_rid				
nmpayplan_plan_SD			nmpayplan_plan_YEAR				

Column	Default	User	Description	Column	Default	User	Description
nmpayplan_rid			nmprg_ce1	nmpayplan_rid			
nmprg_ce2				nmprg_ce3			
nmprg_de1				nmprg_fe1			
nmprg_le1	NMPRG LE1			nmprg_ne1	NMPRG NE1		
nmproj_enrl_ce1			nmproj_enrl_ce2				
nmproj_enrl_ce3			nmproj_enrl_de1				
nmproj_enrl_fe1			nmproj_enrl_le1				
nmproj_enrl_ne1			nmproj_enrl_rid				
nmrec_ce1				nmrec_ce2			
nmrec_ce3				nmrec_de1			
nmrec_fe1				nmrec_le1			
nmrec_ne1				nmref_ce1	Char extra		
nmref_ce2				nmref_ce3			
nmref_de1				nmref_fe1			
nmref_le1	Extra logical			nmref_ne1	Extra Int		
nmrefby_ce1				nmrefby_ce2			
nmrefby_ce3				nmrefby_de1			
nmrefby_fe1				nmrefby_le1			
nmrefby_ne1				nmrefby_rid			
nmrel_ce1				nmrel_ce2			
nmrel_ce3				nmrel_de1			
nmrel_fe1				nmrel_le1			
nmrel_mem				nmrel_ne1			
nmrel_rid				nmsap_ce1			
nmsap_ce2				nmsap_ce3			
nmsap_de1				nmsap_fe1			
nmsap_le1				nmsap_memo	Memo		
nmsap_ne1				nmsap_rid			
nmsat_ce1				nmsat_le1			
nmsat_ne1				nmsatact_ce1			
nmsatact_ce2				nmsatact_ce3			
nmsatact_de1				nmsatact_fe1			
nmsatact_le1				nmsatact_ne1			
nmspnedce1				nmspnedle1			
nmspnedne1				nmspneed_ce1			
nmspneed_ce2				nmspneed_ce3			
nmspneed_de1				nmspneed_fe1			

Column	Default	User	Description	Column	Default	User	Description
nmspneed_le1				nmspneed_ne1			
nmtask_ce1				nmtask_ce2			
nmtask_ce3				nmtask_de1			
nmtask_fe1				nmtask_le1			
nmtask_ne1				nmtask_rid			
nmtest_ce1				nmtest_ce2			
nmtest_ce3				nmtest_de1			
nmtest_fe1				nmtest_le1			
nmtest_ne1				nmtmp_ce1			
nmtmp_ce2				nmtmp_ce3			
nmtmp_de1				nmtmp_fe1			
nmtmp_le1				nmtmp_ne1			
nmtmp_rid				nmtst_ce1			
nmtst_le1				nmtst_ne1			
nmvol_ce1				nmvol_le1			
nmvol_ne1				nmvol_rid			
nmvolunteer_ce1				nmvolunteer_ce2			
nmvolunteer_ce3				nmvolunteer_de1			
nmvolunteer_fe1				nmvolunteer_le1			
nmvolunteer_ne1				nmwait_ce1			
nmwait_ce2				nmwait_ce3			
nmwait_de1				nmwait_fe1			
nmwait_le1				nmwait_ne1			
nmwait_rid				no_repeat	No Repeating		
no_rpt_grd	No Repeat Grade			no_void	Cannot Void		
nocnt_cred				nonres_cost	Default Cost	NonResident Cost	
not_accept	Not Accept.			not_date	Notice Sent		
notes	Notes			notes1			
notes2				notified			
notified_dt				notinc_gpa			
notpubname	Hide Name			noufta	NOUFTA		
npercred	Default Cost	In District Per Credit		nslch_block	NSLCH Block		
nslch_block_date	NSLCH Block Date			nslch_ce1			
nslch_ce2				nslch_ce3			
nslch_de1				nslch_fe1			
nslch_le1				nslch_ne1			



Column	Default	User	Description	Column	Default	User	Description
nslch_rid				num_log	Number of Logs		
occurrence	Occurrence			ocp	OCP Grade		
offc_sal				offer_matched			
offered	Offered			office_hrs	office_hrs		
officialg	Official			OLD_DATA			
on_hold				onc_sal			
online_hld	Online Reg. Hold			ope_id	OPE ID		
operator	Operator			operator_code			
order	Order			orig			
orig_cred	Original Credits			orig_grad	Orig. Grad. Year		
origin				oth_sal			
other_hrs	other_hrs			OutputSelect			
override	Override			p_bal			
p_cip				page	Page		
page_color	Page Color			pagenote_ce1			
pagenote_ce2				pagenote_ce3			
pagenote_cod	Page Note Code			pagenote_de1			
pagenote_fe1				pagenote_le1			
pagenote_memo	Page Note			pagenote_ne1			
park_inc_ce1				park_inc_ce2			
park_inc_ce3				park_inc_de1			
park_inc_fe1				park_inc_le1			
park_inc_ne1				park_inc_rid			
park_inc_txt				pass	Pass		
passing	Failing Grade			password	Password		
pay_amt1	Payments Received			pay_amt2	Amounts Billed		
pay_amt3	Adjustments For Prior Year			pay_amt4	Scholarships/Grants		
pay_amt5	Adjustments to Scholarships/Grants			pay_amt6			
pay_amt7				pay_amt8			
pay_amt9				pay_amtA			
pay_amtB				pay_amtC			
pay_amtD				pay_amtE			
pay_trans_no				payee_ce1			
payee_ce2			payee_ce3				
payee_de1			payee_fe1				
payee_le1			payee_ne1				

Column	Default	User	Description	Column	Default	User	Description
payee_rid			payfield				
payment_yr	Payment Year			payments			
payplan			payplan_amt	Pay Plan Amount			
payplan_code			payplan_code_ce1				
payplan_code_ce2			payplan_code_ce3				
payplan_code_de1			payplan_code_le1				
payplan_code_ne1			payplan_date	Payment Plan Date			
payplan_detail_ce1			payplan_detail_ce2				
payplan_detail_ce3			payplan_detail_de1				
payplan_detail_le1			payplan_detail_ne1				
payplan_detail_rid			payplan_percent	Payment Percent			
payplan_tcodes_rid			payplan_txt	Payment Plan			
pell_amt	Pell Amount			pell_hours	Pell Hours		
pell_rid				pellfull_ce1			
pellfull_ce2				pellfull_ce3			
pellfull_de1				pellfull_fe1			
pellfull_le1				pellfull_ne1			
pellhalf_ce1				pellhalf_ce2			
pellhalf_ce3				pellhalf_de1			
pellhalf_fe1				pellhalf_le1			
pellhalf_ne1				pellless_ce1			
pellless_ce2				pellless_ce3			
pellless_de1				pellless_fe1			
pellless_le1				pellless_ne1			
pelltre_ce1				pelltre_ce2			
pelltre_ce3				pelltre_de1			
pelltre_fe1				pelltre_le1			
pelltre_ne1				per_cent	Percent		
per_emp				permit_num	Permit No.		
pf	Pass-Fail			pf_id	PowerFAIDS ID		
phone	Phone			photo	Photo Filename		
pid	PID			pin	PIN		
pin_type				pintype	Pin Type		
plan_level			pledgeacts_ce1				

Column	Default	User	Description	Column	Default	User	Description
pledgeacts_ce2				pledgeacts_ce3			
pledgeacts_de1				pledgeacts_fe1			
pledgeacts_le1				pledgeacts_ne1			
pledgeacts_rid				pledges			
POE_name				POE_token			
points				pos_num			
pos_tcod				position	Position		
posn_held	Position Held			possible	Possible Score		
post_awd				post_date	Post Date		
post_disabled			post_id				
post_txt	Post			post2acct_great_plains			
post92b	Post 92B			postbill			
posted	Posted to billing			potential_pledge	Potential Pledge		
power_of_attorney	Power of Attorney			pract_mem	Memo		
pract_rid	Practicl RowID			practice	Practice		
practicl_ce1				practicl_ce2			
practicl_ce3				practicl_de1			
practicl_fe1				practicl_le1			
practicl_ne1				practssn_ce1			
practssn_ce2				practssn_ce3			
practssn_de1				practssn_fe1			
practssn_le1				practssn_ne1			
practssn_rid				pref_flag	Preference Flag		
pref_inst_cod	Closest Facility			pref_inst_txt			
pref_txt	Preferred Text			preferred	Preferred		
prefix	Prefix			prefix_ce1			
prefix_ce2				prefix_ce3			
prefix_de1				prefix_fe1			
prefix_le1				prefix_ne1			
prep_hrs	prep_hrs			prereq	Prerequisite		
prereq_ce1				prereq_ce2			
prereq_ce3				prereq_de1			
prereq_fe1				prereq_le1			
prereq_ne1				prereq_rid			

Column	Default	User	Description	Column	Default	User	Description
prereqenrolled	Enrolled in Prerequisite			previous_clin_grade	Clin_Grade Changed From		
previous_grade	Grade Changed From			previous_mid_term	Mid_Term Changed From		
previous_officialg			prg_ce1	Program CE1			
prg_cod	Program Code			prg_deadline	Program Deadline		
prg_intrest	Programs of Interest			prg_le1	Program LE1		
prg_ne1	Program NE1			prg_rid	Program RowID		
prg_txt	Program			price	Price		
prime	Primary Contact			prior_app	Prior App.		
prj_dt	Projected Date			prof_cod	Profile		
profile	Profile Name			prog_desc	Prog.		
prog_desc1				prog_desc10			
prog_desc11			prog_desc12				
prog_desc2				prog_desc3			
prog_desc4				prog_desc5			
prog_desc6				prog_desc7			
prog_desc8			prog_desc9				
program_ce1				program_ce2			
program_ce3				program_de1			
program_fe1				program_le1			
program_ne1				program1			
program10			program11				
program12			program2				
program3				program4			
program5				program6			
program7			program8				
program9			programcategory_rid	Filter Code			
programfilter_rid	Filter Code			programtype_amt_cred	Amt. Per Credit		
ProgramType_ce1				ProgramType_ce2			
ProgramType_ce3				programtype_cod	Code		
ProgramType_de1				ProgramType_fe1			
ProgramType_le1				programtype_max_amt_sem	Max. Amt. Sem.		
ProgramType_ne1				programtype_rid	Program Type		

Column	Default	User	Description	Column	Default	User	Description
programtype_txt	Program Type			project	Project		
prospctce1				prospctle1			
prospctne1				prospect_ce1			
prospect_ce10				prospect_ce2			
prospect_ce3				prospect_ce4			
prospect_ce5				prospect_ce6			
prospect_ce7				prospect_ce8			
prospect_ce9				prospect_de1			
Prospect_ED	Prospect Date			Prospect_ED_Flag			
prospect_fe1				prospect_le1			
prospect_ne1				ps_agent			
ps_sal				psextra_ce1			
psextra_ce2			psextra_ce3				
psextra_de1			psextra_fe1				
psextra_le1			psextra_ne1				
psextra_rid			psprereq_ce1				
psprereq_ce2			psprereq_ce3				
psprereq_de1			psprereq_fe1				
psprereq_le1			psprereq_ne1				
psprereq_rid			psprereqcers_ce1				
psprereqcers_ce2			psprereqcers_ce3				
psprereqcers_cod	Completed Prerequisite			psprereqcers_de1			
psprereqcers_fe1			psprereqcers_le1				
psprereqcers_ne1			psprereqcers_txt				
psprg_ce1				psprg_ce2			
psprg_ce3				psprg_de1			
psprg_fe1				psprg_le1			
psprg_ne1				psrefby_ce1			
psrefby_ce2				psrefby_ce3			
psrefby_de1				psrefby_fe1			
psrefby_le1				psrefby_ne1			
psrefby_rid				pstd_2gl	Posted to Accounting		
pub_year	Publication Year			qlty_pnts	Quality Points		
quantity	Quantity			radio_off			
radio_on				rankclass	Rank		
rankstud	students			reo_ce1			

Column	Default	User	Description	Column	Default	User	Description
rco_le1				rco_ne1			
reason_cod	Reason Code			reason_id			
rec_cod	Reference			rec_rid			
rec_ssn				received	Received		
recomm				recpt_print	Print Receipt		
recpt_print_date			recruiter				
recruitplan_ce1				recruitplan_ce2			
recruitplan_ce3				recruitplan_de1			
recruitplan_fe1				recruitplan_le1			
recruitplan_ne1				recruitplan_rid			
reentr_upd	Reentered			reentry_dt	Reentered		
ref				ref_add1	Address		
ref_add2	Addr2			ref_add3	Addr3		
ref_city	City			ref_county	County		
ref_email	Email			ref_fax	Fax		
ref_id	Trans. Ref.			ref_inst	Institution		
ref_mem	Memo			ref_name	Name		
ref_other	Other	If other, please explain:		ref_phone	Phone		
ref_rec	Received			ref_rid	Ref. RowID		
ref_source	Ref. Source			ref_state	State		
ref_title	Title			ref_type	Type		
ref_zip	Zip			refcountry	Country		
refer_by	Referred by			refer_by_cod			
refer_id				referby_ce1			
referby_ce2				referby_ce3			
referby_de1				referby_fe1			
referby_le1				referby_ne1			
refund_filter_rid	Row ID			refund1098T	1098T Refund		
refundable	Refundable			refundable_ce1			
refundable_de1			refundable_fe1				
refundable_id			refundable_le1				
refundable_ne1			refundable_percentage	Percentage			
refundable_txt	Refund			REFUNDAFF_ce1			
REFUNDAFF_fe1			REFUNDAFF_le1				

Column	Default	User	Description	Column	Default	User	Description
REFUNDAFF_ne1			refundaff_percentage	Percentage			
REFUNDAFF_rid			reg_by_campus	Register By Campus			
reg_campus_ce1				reg_campus_ce2			
reg_campus_ce3				reg_campus_de1			
reg_campus_fe1				reg_campus_le1			
reg_campus_ne1				reg_campus_rid			
reg_cart_timeout	Registration Cart Timeout			reg_prompt			
regacts_ce1				regacts_ce2			
regacts_ce3				regacts_de1			
regacts_fe1				regacts_le1			
regacts_ne1				regacts_rid			
regavailablemessage	Available Message (link)			registration	Registration		
reglimit	Regist. Limit			reglink	Reg. Link		
regnotavailablemessage	Not-available Message			regsem			
regstart	Registration Start Date			regstop	Registration Stop Date		
regstr_off	Registrar			regstr_phn	Registrar Phone		
regstr_ttl	Registrar Title			regyr			
relation	Relation			relation2			
relatnsh_ce1				relatnsh_ce2			
relatnsh_ce3				relatnsh_de1			
relatnsh_fe1				relatnsh_le1			
relatnsh_ne1				releas_dt	Release Date		
releas_inf	Release			reljoin_ce1			
reljoin_ce2				reljoin_ce3			
reljoin_de1				reljoin_fe1			
reljoin_le1				reljoin_ne1			
reljoin_rid				remarks	Remarks		
remedial	Remedial			repeat_grd			
repeatable				replace_course			
replace_id	Replacement ID			replace_txt			
replaced_course				replies			
report_skip	Skip			req_cod	Requirement		
reqcod_ce1				reqcod_le1			

Column	Default	User	Description	Column	Default	User	Description
reqcod_ne1				reqcod_txt	Requirement		
reqcoddef_gpa	Minimum GPA			reqcoddef_num	Number Of Type		
reqcode_ce1				reqcode_ce2			
reqcode_ce3				reqcode_de1			
reqcode_fe1				reqcode_le1			
reqcode_ne1				reqcodeoverview_ce1			
reqcodeoverview_ce2				reqcodeoverview_ce3			
reqcodeoverview_de1				reqcodeoverview_fe1			
reqcodeoverview_le1				reqcodeoverview_ne1			
reqcodeoverview_rid				reqtype_ce1			
reqtype_ce2				reqtype_ce3			
reqtype_cod	Type			reqtype_de1			
reqtype_fe1				reqtype_le1			
reqtype_ne1				reqtype_txt			
request	Request			request_activity			
require_memo	Requirements			required	Required		
restricted	Restricted			result	Result		
Results_ce1				Results_ce2			
Results_ce3				Results_de1			
Results_fe1				Results_le1			
Results_ne1				results_rid			
retries	Retries			rgs_email	Registrar Email		
room	Room			room_ce1			
room_ce2				room_ce3			
room_cod	Room Code			room_de1			
room_fe1				room_le1			
room_mem	Memo			room_ne1	Extra Int		
room_seats	Seats			room_txt	Room		
roomattr_ce1				roomattr_ce2			
roomattr_ce3				roomattr_cod	Attribute Code		
roomattr_de1				roomattr_fe1			
roomattr_le1				roomattr_ne1			
roomattr_txt	Attribute			rowinfo			
rpt_1098T_HT_ce1				rpt_1098T_HT_ce2			
rpt_1098T_HT_ce3				rpt_1098T_HT_de1			



Column	Default	User	Description	Column	Default	User	Description
rpt_1098T_HT_fe1				rpt_1098T_HT_le1			
rpt_1098T_HT_ne1				rpt_1098T_HT_rid			
rpt_actv_ce1				rpt_actv_ce2			
rpt_actv_ce3				rpt_actv_de1			
rpt_actv_fe1				rpt_actv_le1			
rpt_actv_ne1				rpt_actv_rid			
rpt_addrtype_ce1				rpt_addrtype_ce2			
rpt_addrtype_ce3				rpt_addrtype_de1			
rpt_addrtype_fe1				rpt_addrtype_le1			
rpt_addrtype_ne1				rpt_addrtype_rid			
rpt_adv_ce1				rpt_adv_ce2			
rpt_adv_ce3				rpt_adv_de1			
rpt_adv_fe1				rpt_adv_le1			
rpt_adv_ne1				rpt_adv_rid			
rpt_agency_ce1				rpt_agency_ce2			
rpt_agency_ce3				rpt_agency_de1			
rpt_agency_fe1				rpt_agency_le1			
rpt_agency_ne1				rpt_appentrydt_ce1			
rpt_appentrydt_ce2				rpt_appentrydt_ce3			
rpt_appentrydt_de1				rpt_appentrydt_fe1			
rpt_appentrydt_le1				rpt_appentrydt_ne1			
rpt_appentrydt_rid				rpt_asof_ce1			
rpt_asof_ce2				rpt_asof_ce3			
rpt_asof_de1				rpt_asof_fe1			
rpt_asof_le1				rpt_asof_ne1			
rpt_asof_rid				rpt_award_ce1			
rpt_award_ce2				rpt_award_ce3			
rpt_award_de1				rpt_award_fe1			
rpt_award_le1				rpt_award_ne1			
rpt_award_rid				rpt_calyear_ce1			

Column	Default	User	Description	Column	Default	User	Description
rpt_calyear_ce2				rpt_calyear_ce3			
rpt_calyear_de1				rpt_calyear_fe1			
rpt_calyear_le1				rpt_calyear_ne1			
rpt_calyear_rid				rpt_camp_ce1			
rpt_camp_ce2				rpt_camp_ce3			
rpt_camp_de1				rpt_camp_fe1			
rpt_camp_le1				rpt_camp_ne1			
rpt_camp_rid				rpt_crs_ce1			
rpt_crs_ce2				rpt_crs_ce3			
rpt_crs_de1				rpt_crs_fe1			
rpt_crs_le1				rpt_crs_ne1			
rpt_crs_rid				rpt_date_ce1			
rpt_date_ce2				rpt_date_ce3			
rpt_date_de1				rpt_date_fe1			
rpt_date_le1				rpt_date_ne1			
rpt_date_rid				rpt_dept_ce1			
rpt_dept_ce2				rpt_dept_ce3			
rpt_dept_de1				rpt_dept_fe1			
rpt_dept_le1				rpt_dept_ne1			
rpt_dept_rid				rpt_disp_ce1			
rpt_disp_ce2				rpt_disp_ce3			
rpt_disp_de1				rpt_disp_fe1			
rpt_disp_le1				rpt_disp_ne1			
rpt_div_ce1				rpt_div_ce2			
rpt_div_ce3				rpt_div_de1			
rpt_div_fe1				rpt_div_le1			
rpt_div_ne1				rpt_div_rid			
rpt_dts_ce1				rpt_dts_ce2			
rpt_dts_ce3				rpt_dts_de1			
rpt_dts_fe1				rpt_dts_le1			
rpt_dts_ne1				rpt_dts_rid			
rpt_events_rid			rpt_fdtcodes_rid				
rpt_fieldname_ce1			rpt_fieldname_ce2				
rpt_fieldname_ce3			rpt_fieldname_de1				
rpt_fieldname_fe1			rpt_fieldname_le1				
rpt_fieldname_ne1			rpt_fieldname_rid				

Column	Default	User	Description	Column	Default	User	Description
rpt_funds_rid			rpt_grad_yr_ce1				
rpt_grad_yr_ce2			rpt_grad_yr_ce3				
rpt_grad_yr_de1			rpt_grad_yr_fe1				
rpt_grad_yr_le1			rpt_grad_yr_plan_ne1				
rpt_grad_yr_rid			rpt_graduate_rid				
rpt_grd	Repeated			rpt_holds_ce1			
rpt_holds_ce2				rpt_holds_ce3			
rpt_holds_de1				rpt_holds_fe1			
rpt_holds_le1				rpt_holds_ne1			
rpt_holds_rid				rpt_inst_ce1			
rpt_inst_ce2				rpt_inst_ce3			
rpt_inst_de1				rpt_inst_fe1			
rpt_inst_le1				rpt_inst_ne1			
rpt_inst_rid				rpt_insttypcod_ce1			
rpt_insttypcod_ce2			rpt_insttypcod_ce3				
rpt_insttypcod_de1			rpt_insttypcod_fe1				
rpt_insttypcod_le1			rpt_insttypcod_ne1				
rpt_insttypcod_rid			rpt_intrst_ce1				
rpt_intrst_ce2				rpt_intrst_ce3			
rpt_intrst_de1				rpt_intrst_fe1			
rpt_intrst_le1				rpt_intrst_ne1			
rpt_intrst_rid				rpt_jobs_rid			
rpt_labels_ce1				rpt_labels_ce2			
rpt_labels_ce3				rpt_labels_de1			
rpt_labels_fe1				rpt_labels_le1			
rpt_labels_ne1				rpt_labels_rid			
rpt_labels2_ce1				rpt_labels2_ce2			
rpt_labels2_ce3				rpt_labels2_de1			
rpt_labels2_fe1				rpt_labels2_le1			
rpt_labels2_ne1				rpt_labels2_rid			
rpt_lv1_ce1				rpt_lv1_ce2			

Column	Default	User	Description	Column	Default	User	Description
rpt_lvl_ce3				rpt_lvl_de1			
rpt_lvl_fe1				rpt_lvl_le1			
rpt_lvl_ne1				rpt_lvl_rid			
rpt_mdst_ce1				rpt_mdst_ce2			
rpt_mdst_ce3				rpt_mdst_de1			
rpt_mdst_fe1				rpt_mdst_le1			
rpt_mdst_ne1				rpt_mdst_rid			
rpt_operator_ce1			rpt_operator_ce2				
rpt_operator_ce3			rpt_operator_de1				
rpt_operator_fe1			rpt_operator_le1				
rpt_operator_ne1			rpt_operator_rid				
rpt_page				rpt_payplan_ce1			
rpt_payplan_ce2			rpt_payplan_ce3				
rpt_payplan_de1			rpt_payplan_fe1				
rpt_payplan_le1			rpt_payplan_rid				
rpt_prog_ce1				rpt_prog_ce2			
rpt_prog_ce3				rpt_prog_de1			
rpt_prog_fe1				rpt_prog_le1			
rpt_prog_ne1				rpt_prog_rid			
rpt_radio_ce1				rpt_radio_ce2			
rpt_radio_ce3				rpt_radio_de1			
rpt_radio_fe1				rpt_radio_le1			
rpt_radio_ne1				rpt_radio_rid			
rpt_rltr_ce1				rpt_rltr_ce2			
rpt_rltr_ce3				rpt_rltr_de1			
rpt_rltr_fe1				rpt_rltr_le1			
rpt_rltr_ne1				rpt_rltr_rid			
rpt_schlyr	Year			rpt_schy_ce1			
rpt_schy_ce2				rpt_schy_ce3			
rpt_schy_de1				rpt_schy_fe1			
rpt_schy_le1				rpt_schy_ne1			
rpt_schy_rid				rpt_sem	Semester		
rpt_sem_ce1				rpt_sem_ce2			
rpt_sem_ce3				rpt_sem_de1			
rpt_sem_fe1				rpt_sem_le1			
rpt_sem_ne1				rpt_sem_rid			
rpt_semyr	Year/Semester			rpt_session_ce1			

Column	Default	User	Description	Column	Default	User	Description
rpt_session_ce2			rpt_session_ce3				
rpt_session_de1			rpt_session_fe1				
rpt_session_le1			rpt_session_ne1				
rpt_session_rid			rpt_sid	Replaced			
rpt_socs_ce1				rpt_socs_ce2			
rpt_socs_ce3				rpt_socs_de1			
rpt_socs_fe1				rpt_socs_le1			
rpt_socs_ne1				rpt_socs_rid			
rpt_startdt_ce1				rpt_startdt_ce2			
rpt_startdt_ce3				rpt_startdt_de1			
rpt_startdt_fe1				rpt_startdt_le1			
rpt_startdt_ne1				rpt_startdt_rid			
rpt_tcds_ce1				rpt_tcds_ce2			
rpt_tcds_ce3				rpt_tcds_de1			
rpt_tcds_fe1				rpt_tcds_le1			
rpt_tcds_ne1				rpt_tcds_rid			
rpt_term_ce1				rpt_term_ce2			
rpt_term_ce3				rpt_term_de1			
rpt_term_fe1				rpt_term_le1			
rpt_term_ne1				rpt_term_rid			
rpt_transfer_rid			rpt_txt				
rpt_with_sid	Replaced With			rpt_year_ce1			
rpt_year_ce2			rpt_year_ce3				
rpt_year_de1			rpt_year_fe1				
rpt_year_le1			rpt_year_ne1				
rpt_year_rid			rr_cod				
rrattr_ce1				rrattr_ce2			
rrattr_ce3				rrattr_de1			
rrattr_fe1				rrattr_le1			
rrattr_ne1				rs_sal			
rtr	Reverse Tuition Request			rtr_completed	Completed		
rtr_requested	Requested			run_sems			
rundate				s_list	Start Page List		
s_page	Start Page			sa_email			

Column	Default	User	Description	Column	Default	User	Description
salary_from	Annual Salary From			salary_to	Annual Salary To		
salary_txt	Salary			salutation	Salutation		
sapgpa_ce1				sapgpa_ce2			
sapgpa_ce3				sapgpa_de1			
sapgpa_fe1				sapgpa_le1			
sapgpa_ne1				sapgpa_rid			
sat	SAT			sat_date			
sat_dt	SAT Date			sat_math	SAT Math		
sat_recent	Recentered	Most Recent		sat_rid			
sat_verb	SAT Verbal			SAT_writing	Writing		
SAT_writing_essay	Writing Essay			SAT_writing_mc	Writing Multiple Choice		
scamp_ce1				scamp_le1			
scamp_ne1				sch_addr1			
sch_addr2				sch_addr3			
sch_years				sch_years_id			
sch_yr	School Year			schaddr1	Screen Header		
schaddr2	Address 1			schaddr3	Address 2		
schaddr4	Address 3			sched_memo	Schedule Memo		
sch_email	Email			school_id	School ID		
schoolvar1098T_ce1				schoolvar1098T_ce2			
schoolvar1098T_ce3				schoolvar1098T_de1			
schoolvar1098T_fe1				schoolvar1098T_le1			
schoolvar1098T_ne1				scor_desc	Score Desc.		
score	Score			scores_ce1			
scores_ce2				scores_ce3			
scores_de1				scores_fe1			
scores_le1				scores_ne1			
scores_rid				script_rid			
scripts_all	Show All Scripts			scripts_ce1			
scripts_ce2				scripts_ce3			
scripts_de1				scripts_fe1			
scripts_le1				scripts_memo			
scripts_ne1				sdept_ce1			
sdept_le1				sdept_ne1			
sdisp_only	Edit Start Page			sdiv_ce1			
sdiv_le1				sdiv_ne1			

Column	Default	User	Description	Column	Default	User	Description
sec_id				SECFEEAFF_ce1			
SECFEEAFF_fe1			SECFEEAFF_le1				
SECFEEAFF_ne1			SECFEEAFF_rid				
secpage				sect_fees	Section Fees		
sectask_ce1				sectask_ce2			
sectask_ce3				sectask_de1			
sectask_fe1				sectask_le1			
sectask_ne1				section	Section		
section_ce1				section_ce2			
section_ce3				section_de1			
section_fe1				section_le1			
section_ne1				sectwght_ce1			
sectwght_ce2				sectwght_ce3			
sectwght_de1				sectwght_fe1			
sectwght_le1				sectwght_ne1			
sectwght_rid				security_ce1			
security_ce2				security_ce3			
security_de1				security_fe1			
security_le1				security_ne1			
selected				sem_creds			
sem_disp				sem_gpa			
sem_pnts				sem_single			
sem1				sem1_off			
sem1_off_gross			sem1_stat				
sem2				sem2_off			
sem2_off_gross			sem2_stat				
sem3				sem3_off			
sem3_off_gross			sem3_stat				
sem4				sem4_off			
sem4_off_gross			sem4_stat				
sem5_off			sem6_off				
sem7_off			sem8_off				
semester	Semester			semester_ce1			
semester_ce2				semester_ce3			
semester_de1				semester_fe1			
semester_le1				semester_ne1			
sent_from	Sender E-Mail			sepcolor	Separation Color		
sequence				sess_mod			

Column	Default	User	Description	Column	Default	User	Description
session	Session			session_code			
sessionid				Sessions	Sessions		
sessions_ce1				sessions_ce2			
sessions_ce3				sessions_de1			
sessions_end_dt	End Date			sessions_fe1			
sessions_le1				sessions_ne1			
sessions_start_dt	Start Date			show_addr	Publish my address		
show_email	Publish my email address			show_phone	Publish my telephone number		
show_wkphn	Show Work Phone			showexpp	Show Expiration P		
showexpt	Incl Awards in Bill			sid	Section ID		
sid_element_ct				skip			
skip_actx	Skip Actx for Crystal Reports			skip_autorepeat	Skip Auto-Repeat		
skip_equivalents				skip_imp			
skip_lowest	Drop Lowest Score			skipicons			
skpregcchk				slp_code	Slip Code		
sm_desc	Semester Descript.			smallid			
smend_dt	Semester End Date			smod_ce1			
smod_le1				smod_ne1			
sms_sec	Semester Section			sms_trans	Moved to Student		
smst_dt				snd_app			
snd_brch				snd_cat			
snd_f4				snd_f5			
snd_f6				soc_sec	ID	ID#	
soc_sec_crs_id			soc_sec2				
sonis_id				sonistimeout	SONISWeb Timeout		
sonrequiredfields_ce1				sonrequiredfields_ce2			
sonrequiredfields_ce3				sonrequiredfields_de1			
sonrequiredfields_fe1				sonrequiredfields_le1			
sonrequiredfields_ne1				sonrequiredfields_rid			
sortcol				sortorder	Sort Order		



Column	Default	User	Description	Column	Default	User	Description
source	Source			sp_taken	Space Taken		
spaces	Spaces			span_crs	Span Course		
spn_active	Active			spn_mem	Memo		
spn_rid	Special Need RowID			spneed_ce1			
spneed_ce2				spneed_ce3			
spneed_cod	Special Needs Code			spneed_de1			
spneed_fe1				spneed_le1			
spneed_ne1				spneed_txt	Special Need		
sql_password			sql_srv				
sql_user			src_sal				
srhcamp_ce1				srhcamp_ce2			
srhcamp_ce3				srhcamp_de1			
srhcamp_fe1				srhcamp_le1			
srhcamp_ne1				srchdept_ce1			
srchdept_ce2				srchdept_ce3			
srchdept_de1				srchdept_fe1			
srchdept_le1				srchdept_ne1			
srchdiv_ce1				srchdiv_ce2			
srchdiv_ce3				srchdiv_de1			
srchdiv_fe1				srchdiv_le1			
srchdiv_ne1				srchmod_ce1			
srchmod_ce2				srchmod_ce3			
srchmod_de1				srchmod_fe1			
srchmod_le1				srchmod_ne1			
ssn	SSN			st			
st_addr	Street Address			st_memo	Remarks		
st_name				st_num			
st_stat	Start Status			st_term			
staff_soc_sec	Staff Fundraiser			start_ampm	am/pm		
start_date	Start Date			start_dt	Started		
start_hr	Hour			start_min	Minute		
start_time	Time			state	State		
state_abbr	State			state_ce1			
state_ce2				state_ce3			
state_de1				state_fe1			
state_le1				state_name			
state_ne1				status	Status		
statuslinkcolor	Status Link Color			std_cod			
std_fee_ce1				std_fee_ce2			
std_fee_ce3				std_fee_de1			

Column	Default	User	Description	Column	Default	User	Description
std_fee_fe1				std_fee_le1			
std_fee_ne1				std_txt	Description		
stop_date	Date Stopped			stop_dt	Stopped		
stu_regAU			stu_regCE				
stu_regmulti	Student Multi-Semester Registration			stud_access	Student Request		
stud_fac_waitlist	Student and Faculty Waitlist			stud_reg_email			
stud_reg_email_memo	Email Memo			student	Student		
stuupd				subreqcodedet_ce1			
subreqcodedet_ce2				subreqcodedet_ce3			
subreqcodedet_de1				subreqcodedet_fe1			
subreqcodedet_le1				subreqcodedet_ne1			
subreqcodedet_rid				subrpt1			
subrpt2			subrpt3				
subrpt4			suffix	Suffix			
syllabus				sys			
sys_cur	System			sys_menu	System Menu		
sysgenid	System-Generated ID			sysgrad	Grad. Date		
sysvar_ce1				sysvar_ce2			
sysvar_ce3				sysvar_de1			
sysvar_fe1				sysvar_le1			
sysvar_ne1				tabcolor	Tab Color		
table_				TABLE_RID			
tableid			tabname				
task_ce1				task_cod	Task		
task_le1				task_ne1			
task_txt	Task			tcc	TCC		
tcode				tcodes	Fee Codes		
tcodes_ce1				tcodes_ce2			
tcodes_ce3				tcodes_de1			
tcodes_fe1				tcodes_le1			
tcodes_ne1				telephone			
ten_date	Tenure Date			ten_stat	Tenured		
tenure_activities_ce1			tenure_activities_de1				
tenure_activities_fe1			tenure_activities_le1				

Column	Default	User	Description	Column	Default	User	Description
tenure_activities_memo	Activities and Consulting			tenure_activities_ne1			
tenure_admin_assign_ce1			tenure_admin_assign_de1				
tenure_admin_assign_fe1			tenure_admin_assign_le1				
tenure_admin_assign_memo	Administrative Assignments			tenure_admin_assign_ne1			
tenure_awards_ce1			tenure_awards_de1				
tenure_awards_fe1			tenure_awards_le1				
tenure_awards_memo	Awards			tenure_awards_ne1			
tenure_committees_ce1			tenure_committees_de1				
tenure_committees_fe1			tenure_committees_le1				
tenure_committees_memo	Committees			tenure_committees_ne1			
tenure_grants_ce1			tenure_grants_de1				
tenure_grants_fe1			tenure_grants_le1				
tenure_grants_memo	Grants and Contracts			tenure_grants_ne1			
tenure_publications_ce1			tenure_publications_de1				
tenure_publications_fe1			tenure_publications_le1				
tenure_publications_memo	Publications			tenure_publications_ne1			
term_int	Term of Interest			termofint	Term of Interest		
terms	Term			test_ce1			
test_ce2				test_ce3			
test_cod	Test Code			test_de1			
test_fe1				test_le1			
test_ne1				test_rid			
test_stat	Status			test_txt	Test Name		
testmemo	Memo			textbook_title	Title		
textbooks_ce1		Price		textbooks_ce2			
textbooks_ce3				textbooks_de1		Date Returned	
textbooks_fe1				textbooks_le1			
textbooks_ne1				textbooks_rid			
textbookscrs_ce1				textbookscrs_ce2			

Column	Default	User	Description	Column	Default	User	Description
textbooksers_ce3				textbooksers_de1			
textbooksers_fe1				textbooksers_le1			
textbooksers_ne1				textbooksers_rid			
textbooksrssect_ce1				textbooksrssect_ce2			
textbooksrssect_ce3				textbooksrssect_de1			
textbooksrssect_fe1				textbooksrssect_le1			
textbooksrssect_ne1				textbooksrssect_rid			
three_dec	Three Dec.			time_from			
time_to				timed	Delta Days		
timedesc	Time Desc			timedone			
timeout				TIN	TIN		
TIN_type	TIN Type			title	Report Header		
Title_Banner_color	Title Background Color			tmp_actmap_id			
tmp_fd_actmap_id			tmp_maxdispos_rid				
tmpCurdetailCRSOutput_ce1				tmpCurdetailCRSOutput_ce2			
tmpCurdetailCRSOutput_ce3				tmpCurdetailCRSOutput_de1			
tmpCurdetailCRSOutput_fe1				tmpCurdetailCRSOutput_le1			
tmpCurdetailCRSOutput_ne1				tmpCurdetailCRSOutput_rid			
tmpcurplaners_ce1				tmpcurplaners_ce2			
tmpcurplaners_ce3				tmpcurplaners_de1			
tmpcurplaners_fe1				tmpcurplaners_le1			
tmpcurplaners_ne1				tmpDA_course1_rid			
tmpDA_course2_rid			tmpDA_Name_ce1				
tmpDA_Name_ce2				tmpDA_Name_ce3			
tmpDA_Name_de1				tmpDA_Name_fe1			
tmpDA_Name_le1				tmpDA_Name_ne1			

Column	Default	User	Description	Column	Default	User	Description
tmpfinaid_ce1				tmpfinaid_ce2			
tmpfinaid_ce3				tmpfinaid_de1			
tmpfinaid_fe1				tmpfinaid_le1			
tmpfinaid_ne1				tmpnmcrs_ce1			
tmpnmcrs_ce2				tmpnmcrs_ce3			
tmpnmcrs_de1				tmpnmcrs_fe1			
tmpnmcrs_le1				tmpnmcrs_ne1			
tmpnmcrsarray_ce1				tmpnmcrsarray_ce2			
tmpnmcrsarray_ce3				tmpnmcrsarray_de1			
tmpnmcrsarray_fe1				tmpnmcrsarray_le1			
tmpnmcrsarray_ne1				tmptract_ce1			
tmptract_ce2				tmptract_ce3			
tmptract_de1				tmptract_fe1			
tmptract_le1				tmptract_ne1			
tmptrans_ce1				tmptrans_ce2			
tmptrans_ce3				tmptrans_de1			
tmptrans_fe1				tmptrans_le1			
tmptrans_ne1				tmsimport_ce1			
tmsimport_ce2			tmsimport_ce3				
tmsimport_de1			tmsimport_fe1				
tmsimport_le1			tmsimport_ne1				
to_credit	To Credit			to_dt	To		
token				toolbar	Toolbar		
top_req_cod			top_req_txt				
top_reqcod_txt			topic_disabled				
topic_id			topic_txt	Topic			
tot_cred				tot_off			
tot_off_gross			total				
total_amt				tr_itr			
trace	Trace			train_memo	Training/Skills		
tran_order	Transaction Order			trans_date	Date		
trans_done	Transferred			trans_hold	Trans.		
trans_no	Transaction No.			trans_no_bu			
trans_rec	Transcript Received			transact	Transact		

Column	Default	User	Description	Column	Default	User	Description
transact_ce1				transact_ce2			
transact_ce3				transact_date			
transact_de1				transact_fe1			
transact_le1				transact_ne1			
transact_no_invoice_item				transact_no_payment			
transact_rid				transact_tcodes	Transaction Tcodes		
transact1_ce1				transact1_ce2			
transact1_ce3				transact1_de1			
transact1_fe1				transact1_le1			
transact1_ne1				transcript			
transcript_ce	CE Creds on Transcript			transcript_degrees_ce1			
transcript_degrees_ce2				transcript_degrees_ce3			
transcript_degrees_de1				transcript_degrees_fe1			
transcript_degrees_le1				transcript_degrees_ne1			
transcript_degrees_rid				transcript_educ_rid			
transcript_home_educ_ce1				transcript_home_educ_ce2			
transcript_home_educ_ce3				transcript_home_educ_de1			
transcript_home_educ_fe1				transcript_home_educ_le1			
transcript_home_educ_ne1				transcript_IP	IP Courses on Transcript		
transcript_reqs_memo			transcript_request	Transcript Request			
transcript_summary_ce1				transcript_summary_ce2			
transcript_summary_ce3				transcript_summary_de1			
transcript_summary_fe1				transcript_summary_le1			
transcript_summary_ne1				transcript_summary_rid			
transfer	Transferred			transfer_off			
transfer_on			transferred	Transferred Students			
transfers_in_cumgpa			transmem	Transcript Memo			
trmint_ce1				trmint_ce2			
trmint_ce3				trmint_de1			
trmint_fe1				trmint_le1			
trmint_ne1				truncate_3_gpa	Truncate GPA to 3		

Column	Default	User	Description	Column	Default	User	Description
truncate_gpa	Truncate GPA			tuit_stat	Tuition Status		
tuit_stat_txt				tuitstat_ce1			
tuitstat_ce2				tuitstat_ce3			
tuitstat_de1				tuitstat_fe1			
tuitstat_le1				tuitstat_ne1			
tut_tcodes_ce1				tut_tcodes_ce2			
tut_tcodes_ce3				tut_tcodes_de1			
tut_tcodes_fe1				tut_tcodes_le1			
tut_tcodes_ne1				tut_tcodes_rid			
txt				type	Address Type		
uaf_func				ucaption			
uname				unauth_ce1			
unauth_ce2				unauth_ce3			
unauth_de1				unauth_fe1			
unauth_le1				unauth_ne1			
unauth_rid				unoff_grd_display			
unsap	Probation			use_app_major			
user_edit				user_page			
vendor_ce1				vendor_ce2			
vendor_ce3				vendor_de1			
vendor_fe1				vendor_le1			
vendor_ne1				version	Version		
veteran	Veteran			VeteranCheck	Veteran		
views			visa_ce1				
visa_ce2				visa_ce3			
visa_class				visa_cod	Visa Code		
visa_de1				visa_desc			
visa_fe1				visa_issue_date	Visa Date		
visa_le1				visa_ne1			
visa_type	Visa Type			wagedbl_ce1			
wagedbl_ce2				wagedbl_ce3			
wagedbl_de1				wagedbl_fe1			
wagedbl_le1				wagedbl_ne1			
wagedbl_rid				wait_date	Wait Date		
wait_dt				wait_rid			
wait_time				waiting	Spaces Waiting		
waitlimit				waitlist_ce1			
waitlist_ce2				waitlist_ce3			

Column	Default	User	Description	Column	Default	User	Description
waitlist_de1				waitlist_fe1			
waitlist_le1				waitlist_ne1			
wd_login	Withdrawn Login As Alumni			wdgrade			
wdgradeflag			web_rtn	Return Page			
webadm_ce1				webadm_ce2			
webadm_ce3				webadm_de1			
webadm_fe1				webadm_le1			
webadm_ne1				webadm_rid			
webadmt_ce1				webadmt_ce2			
webadmt_ce3				webadmt_de1			
webadmt_fe1				webadmt_le1			
webadmt_ne1				webbar_ce1			
webbar_ce2				webbar_ce3			
webbar_de1				webbar_fe1			
webbar_le1				webbar_ne1			
webbar_rid				webbio_ce1			
webbio_ce2				webbio_ce3			
webbio_de1				webbio_fe1			
webbio_le1				webbio_ne1			
webcol_ce1				webcol_ce2			
webcol_ce3				webcol_de1			
webcol_fe1				webcol_le1			
webcol_ne1				webcolor_ce1			
webcolor_ce2				webcolor_ce3			
webcolor_de1				webcolor_fe1			
webcolor_le1				webcolor_ne1			
webconv_ce1				webconv_ce2			
webconv_ce3				webconv_de1			
webconv_fe1				webconv_le1			
webconv_ne1				webedit_ce1			
webedit_ce2				webedit_ce3			
webedit_de1				webedit_fe1			
webedit_le1				webedit_ne1			
webedit_rid			webfin_ce1				
webfin_ce2				webfin_ce3			
webfin_de1				webfin_fe1			
webfin_le1				webfin_ne1			
webfuncs_ce1				webfuncs_ce2			
webfuncs_ce3				webfuncs_de1			
webfuncs_fe1				webfuncs_le1			



Column	Default	User	Description	Column	Default	User	Description
webfuncs_ne1				webfunct_ce1			
webfunct_ce2				webfunct_ce3			
webfunct_de1				webfunct_fe1			
webfunct_le1				webfunct_ne1			
webhelp_ce1				webhelp_ce2			
webhelp_ce3				webhelp_de1			
webhelp_fe1				webhelp_le1			
webhelp_ne1				webicons_ce1			
webicons_ce2				webicons_ce3			
webicons_de1				webicons_fe1			
webicons_le1				webicons_ne1			
webicons_rid				weblst_ce1			
weblst_ce2				weblst_ce3			
weblst_de1				weblst_fe1			
weblst_le1				weblst_ne1			
weblst_rid				weblst0_ce1			
weblst0_ce2				weblst0_ce3			
weblst0_de1				weblst0_fe1			
weblst0_le1				weblst0_ne1			
weblog_ce1				weblog_ce2			
weblog_ce3				weblog_de1			
weblog_fe1				weblog_le1			
weblog_ne1				weblog_rid			
weblogin_ce1				weblogin_ce2			
weblogin_ce3				weblogin_de1			
weblogin_fe1				weblogin_le1			
weblogin_ne1				weblst_ce1			
weblst_le1				weblst_ne1			
webmods_ce1				webmods_ce2			
webmods_ce3				webmods_de1			
webmods_fe1				webmods_le1			
webmods_ne1				webnotes_ce1			
webnotes_ce2				webnotes_ce3			
webnotes_de1				webnotes_fe1			
webnotes_le1				webnotes_ne1			
webopts_ce1				webopts_ce2			
webopts_ce3				webopts_de1			
webopts_fe1				webopts_le1			
webopts_ne1				webopts_reg_crstype_ce1			
webopts_reg_crstype_ce2				webopts_reg_crstype_ce3			

Column	Default	User	Description	Column	Default	User	Description
webopts_reg_crstype_de1				webopts_reg_crstype_fe1			
webopts_reg_crstype_le1				webopts_reg_crstype_ne1			
webopts_reg_crstype_rid				webopts_reg_levels_ce1			
webopts_reg_levels_ce2				webopts_reg_levels_ce3			
webopts_reg_levels_de1				webopts_reg_levels_fe1			
webopts_reg_levels_le1				webopts_reg_levels_ne1			
webopts_reg_levels_rid				webopts_rid			
webpage_ce1				webpage_ce2			
webpage_ce3				webpage_de1			
webpage_fe1				webpage_le1			
webpage_ne1				webpg_ce1			
webpg_le1				webpg_ne1			
webpro_ce1				webpro_le1			
webpro_ne1				webprof_ce1			
webprof_ce2				webprof_ce3			
webprof_de1				webprof_fe1			
webprof_le1				webprof_ne1			
webps_ce1				webps_ce2			
webps_ce3				webps_de1			
webps_fe1				webps_le1			
webps_ne1				webrecom_ce1			
webrecom_ce2				webrecom_ce3			
webrecom_de1				webrecom_fe1			
webrecom_le1				webrecom_ne1			
webretrn_ce1				webretrn_ce2			
webretrn_ce3				webretrn_de1			
webretrn_fe1				webretrn_le1			
webretrn_ne1				webrpts_ce1			
webrpts_ce2				webrpts_ce3			
webrpts_de1				webrpts_fe1			
webrpts_le1				webrpts_ne1			
websec_ce1				websec_ce2			
websec_ce3				websec_de1			
websec_fe1				websec_le1			
websec_ne1				webtolbce1			
webtolble1				webtolbne1			

Column	Default	User	Description	Column	Default	User	Description
webtoolb_ce1				webtoolb_ce2			
webtoolb_ce3				webtoolb_de1			
webtoolb_fe1				webtoolb_le1			
webtoolb_ne1				webtoolb_rid			
weight_ce1				weight_ce2			
weight_ce3				weight_de1			
weight_fe1				weight_id	Weighting ID		
weight_le1				weight_ne1			
wght_desc	Weighting Description			wghtdet_ce1			
wghtdet_ce2				wghtdet_ce3			
wghtdet_de1				wghtdet_fe1			
wghtdet_le1				wghtdet_ne1			
wghtdet_rid				when_ce1			
when_ce2				when_ce3			
when_de1				when_fe1			
when_le1				when_ne1			
when_code	When Employed			when_txt			
width				with_date	Withdrawn Date		
with_dt	Withdrawl Date			with_memo	Withdrawl Memo		
with_oth				with_reas	Withdrawl Reason		
withdrawn	Withdrawn			work_phone	Work Phone		
workload				wregfees_ce1			
wregfees_ce2				wregfees_ce3			
wregfees_de1				wregfees_fe1			
wregfees_le1				wregfees_ne1			
wregfees_rid				wthdrw_upd	Withdrawn		
wtspage				xfergpa	Incl. Transfer GPA		
year	Year			year_code			
year_over	Year Override			year_single			
years_ce1				years_ce2			
years_ce3				years_de1			
years_fe1				years_le1			
years_ne1				yr_profile			
zero_balances			zip	Zipcode			
zip_code				zipcode_ce1			
zipcode_ce2				zipcode_ce3			
zipcode_de1				zipcode_fe1			
zipcode_le1				zipcode_ne1			
zone_ce1				zone_ce2			

Column	Default	User	Description	Column	Default	User	Description
zone_ce3				zone_de1			
zone_fe1				zone_le1			
zone_ne1				zone_rid			
zone_txt	Zone						